


# Panasonic

## Nuova linea MultiSplit



FREE MULTI Z  
GAS R32



MULTI STANDARD RE  
GAS R410A

# FREE MULTI R32 COMBINATIONS TABLE



Free Multi R32 2x1 CU-2Z35TBE. Minimum capacity connected: 3,2kW. Maximum capacity connected: 5,7kW • R32 GAS

Indoor unit capacity	Cooling capacity (kW) Rooms			EER	SEER	Input power rating	A.E.C.	Current	Heating capacity (kW) Rooms			COP	SCOP	Input power rating	A.E.C.	Current
	A	B	Total (Min - Max)						W/W	W/W	W					
<b>1 Room</b>																
16	1,60		1,60 (1,1 - 2,3)	<b>3,90 A</b>	—	410 (220 - 600)	205	1,95	2,60		2,60 (0,7 - 3,8)	<b>3,77 A</b>	—	690 (170 - 1.110)	345	3,20
20	2,00		2,00 (1,1 - 2,9)	<b>3,85 A</b>	—	520 (220 - 770)	260	2,45	3,20		3,20 (0,7 - 4,8)	<b>3,76 A</b>	—	850 (170 - 1.410)	425	3,95
25	2,50		2,50 (1,1 - 3,5)	<b>3,73 A</b>	—	670 (220 - 1.000)	335	3,15	3,60		3,60 (0,7 - 5,5)	<b>3,50 B</b>	—	1.030 (170 - 1.700)	515	4,75
35	3,50		3,50 (1,1 - 4,0)	<b>3,47 A</b>	—	1010 (220 - 1.220)	505	4,70	4,20		4,20 (0,7 - 5,6)	<b>3,44 B</b>	—	1.220 (170 - 1.680)	610	5,65
<b>2 Rooms</b>																
16 + 16	1,60	1,60	3,20 (1,5 - 4,0)	<b>4,92 A</b>	8,50	650 (250 - 1.000)	325	3,05	2,10	2,10	4,20 (1,1 - 5,6)	<b>4,88 A</b>	<b>4,60</b>	860 (210 - 1.340)	430	4,00
16 + 20	1,55	1,95	3,50 (1,5 - 4,5)	<b>4,86 A</b>	8,50	720 (250 - 1.100)	360	3,35	1,85	2,35	4,20 (1,1 - 5,6)	<b>4,88 A</b>	<b>4,60</b>	860 (210 - 1.340)	430	4,00
16 + 25	1,35	2,15	3,50 (1,5 - 4,5)	<b>4,86 A</b>	8,50	720 (250 - 1.100)	360	3,35	1,65	2,55	4,20 (1,1 - 5,6)	<b>4,88 A</b>	<b>4,60</b>	860 (210 - 1.340)	430	4,00
16 + 35	1,10	2,40	3,50 (1,5 - 4,5)	<b>4,86 A</b>	8,50	720 (250 - 1.100)	360	3,35	1,30	2,90	4,20 (1,1 - 5,6)	<b>4,88 A</b>	<b>4,60</b>	860 (210 - 1.340)	430	4,00
20 + 20	1,75	1,75	3,50 (1,5 - 4,5)	<b>4,86 A</b>	8,50	720 (250 - 1.100)	360	3,35	2,10	2,10	4,20 (1,1 - 5,6)	<b>4,88 A</b>	<b>4,60</b>	860 (210 - 1.340)	430	4,00
20 + 25	1,55	1,95	3,50 (1,5 - 4,5)	<b>4,86 A</b>	8,50	720 (250 - 1.100)	360	3,35	1,85	2,35	4,20 (1,1 - 5,6)	<b>4,88 A</b>	<b>4,60</b>	860 (210 - 1.340)	430	4,00
20 + 35	1,25	2,25	3,50 (1,5 - 4,5)	<b>5,07 A</b>	8,50	690 (250 - 1.050)	345	3,25	1,55	2,65	4,20 (1,1 - 5,6)	<b>5,00 A</b>	<b>4,60</b>	840 (210 - 1.290)	420	3,90
25 + 25	1,75	1,75	3,50 (1,5 - 4,5)	<b>5,07 A</b>	8,50	690 (250 - 1.050)	345	3,25	2,10	2,10	4,20 (1,1 - 5,6)	<b>5,00 A</b>	<b>4,60</b>	840 (210 - 1.290)	420	3,90
25 + 35	1,45	2,05	3,50 (1,5 - 4,5)	<b>5,07 A</b>	8,50	690 (250 - 1.050)	345	3,25	1,75	2,45	4,20 (1,1 - 5,6)	<b>5,00 A</b>	<b>4,60</b>	840 (210 - 1.290)	420	3,90

Free Multi R32 2x1 CU-2Z41TBE. Minimum capacity connected: 3,2kW. Maximum capacity connected: 6,0kW • R32 GAS

Indoor unit capacity	Cooling capacity (kW) Rooms			EER	SEER	Input power rating	A.E.C.	Current	Heating capacity (kW) Rooms			COP	SCOP	Input power rating	A.E.C.	Current
	A	B	Total (Min - Max)						W/W	W/W	W					
<b>1 Room</b>																
16	1,60		1,60 (1,1 - 2,3)	<b>3,90 A</b>	—	410 (220 - 600)	205	1,95	2,60		2,60 (0,7 - 3,8)	<b>3,77 A</b>	—	690 (170 - 1.110)	345	3,20
20	2,00		2,00 (1,1 - 2,9)	<b>3,85 A</b>	—	520 (220 - 770)	260	2,45	3,20		3,20 (0,7 - 4,8)	<b>3,76 A</b>	—	850 (170 - 1.410)	425	3,95
25	2,50		2,50 (1,1 - 3,5)	<b>3,73 A</b>	—	670 (220 - 1.000)	335	3,15	3,60		3,60 (0,7 - 5,5)	<b>3,50 B</b>	—	1.030 (170 - 1.700)	515	4,75
35	3,50		3,50 (1,1 - 4,0)	<b>3,47 A</b>	—	1.010 (220 - 1.220)	505	4,70	4,60		4,50 (0,7 - 6,2)	<b>3,60 B</b>	—	1.250 (170 - 1.810)	625	5,80
<b>2 Rooms</b>																
16 + 16	1,60	1,60	3,20 (1,5 - 4,0)	<b>4,71 A</b>	8,50	680 (250 - 990)	340	3,15	2,20	2,20	4,40 (1,1 - 7,0)	<b>4,68 A</b>	<b>4,60</b>	940 (210 - 1.810)	470	4,35
16 + 20	1,60	2,00	3,60 (1,5 - 4,5)	<b>4,62 A</b>	8,50	780 (250 - 1.150)	390	3,60	2,05	2,55	4,60 (1,1 - 7,0)	<b>4,79 A</b>	<b>4,60</b>	960 (210 - 1.790)	480	4,45
16 + 25	1,60	2,50	4,10 (1,5 - 5,2)	<b>4,56 A</b>	8,50	900 (250 - 1.370)	450	4,15	1,80	2,80	4,60 (1,1 - 7,0)	<b>4,79 A</b>	<b>4,60</b>	960 (210 - 1.790)	480	4,45
16 + 35	1,30	2,80	4,10 (1,5 - 5,2)	<b>4,56 A</b>	8,50	900 (250 - 1.370)	450	4,15	1,45	3,15	4,60 (1,1 - 7,0)	<b>4,79 A</b>	<b>4,60</b>	960 (210 - 1.790)	480	4,45
20 + 20	2,00	2,00	4,00 (1,5 - 5,0)	<b>4,49 A</b>	8,50	890 (250 - 1.310)	445	4,10	2,30	2,30	4,60 (1,1 - 7,0)	<b>4,84 A</b>	<b>4,60</b>	950 (210 - 1.770)	475	4,40
20 + 25	1,80	2,30	4,10 (1,5 - 5,2)	<b>4,56 A</b>	8,50	900 (250 - 1.370)	450	4,15	2,05	2,55	4,60 (1,1 - 7,0)	<b>4,84 A</b>	<b>4,60</b>	950 (210 - 1.770)	475	4,40
20 + 35	1,50	2,60	4,10 (1,5 - 5,2)	<b>4,56 A</b>	8,50	900 (250 - 1.370)	450	4,15	1,65	2,95	4,60 (1,1 - 7,0)	<b>4,84 A</b>	<b>4,60</b>	950 (210 - 1.770)	475	4,40
25 + 25	2,05	2,05	4,10 (1,5 - 5,2)	<b>4,56 A</b>	8,50	900 (250 - 1.370)	450	4,15	2,30	2,30	4,60 (1,1 - 7,0)	<b>4,84 A</b>	<b>4,60</b>	950 (210 - 1.770)	475	4,40
25 + 35	1,70	2,40	4,10 (1,5 - 5,2)	<b>4,56 A</b>	8,50	900 (250 - 1.370)	450	4,15	1,90	2,70	4,60 (1,1 - 7,0)	<b>4,84 A</b>	<b>4,60</b>	950 (210 - 1.770)	475	4,40

Free Multi R32 2x1 CU-2Z50TBE. Minimum capacity connected: 3,2kW. Maximum capacity connected: 7,7kW • R32 GAS

Indoor unit capacity	Cooling capacity (kW) Rooms			EER	SEER	Input power rating	A.E.C.	Current	Heating capacity (kW) Rooms			COP	SCOP	Input power rating	A.E.C.	Current
	A	B	Total (Min - Max)						W/W	W/W	W					
<b>1 Room</b>																
16	2,60		2,60 (1,1 - 2,3)	<b>3,90 A</b>	—	410 (220-600)	205	1,95	2,60		2,60 (0,7 - 3,8)	<b>3,77 A</b>	—	690 (170 - 1.110)	345	3,20
20	3,20		3,20 (1,1 - 2,9)	<b>3,85 A</b>	—	520 (220-770)	260	2,45	3,20		3,20 (0,7 - 4,8)	<b>3,76 A</b>	—	850 (170 - 1.410)	425	3,95
25	3,60		3,60 (1,1 - 3,5)	<b>3,73 A</b>	—	670 (220-1.000)	335	3,15	3,60		3,60 (0,7 - 5,5)	<b>3,50 B</b>	—	1.030 (170 - 1.700)	515	4,75
35	4,50		4,50 (1,1 - 4,0)	<b>3,47 A</b>	—	1.010 (220-1.220)	505	4,70	4,50		4,50 (0,7 - 6,2)	<b>3,60 B</b>	—	1.250 (170 - 1.810)	625	5,80
42	5,00		5,00 (1,1 - 4,5)	<b>3,09 B</b>	—	1.360 (220-1.500)	680	6,35	5,00		5,00 (1,1 - 6,4)	<b>3,23 C</b>	—	1.550 (210 - 2.180)	775	7,15
50	5,30		5,30 (1,2 - 5,1)	<b>2,96 C</b>	—	1.690 (230-1.790)	845	7,80	5,30		5,30 (1,1 - 6,8)	<b>3,23 C</b>	—	1.640 (210 - 2.290)	820	7,60
<b>2 Rooms</b>																
16 + 16	2,60	2,60	3,20 (1,5 - 4,0)	<b>4,71 A</b>	8,50	680 (250-990)	340	3,15	2,60	2,60	5,20 (1,1 - 7,0)	<b>4,60 A</b>	<b>4,60</b>	1.130 (210 - 1.810)	565	5,10
16 + 20	2,40	3,00	3,60 (1,5 - 4,5)	<b>4,62 A</b>	8,50	780 (250-1.150)	390	3,60	2,40	3,00	5,40 (1,1 - 7,0)	<b>4,58 A</b>	<b>4,60</b>	1.180 (210 - 1.790)	590	5,35
16 + 25	2,10	3,30	4,10 (1,5 - 5,2)	<b>4,56 A</b>	8,50	900 (250-1.370)	450	4,15	2,10	3,30	5,40 (1,1 - 7,0)	<b>4,58 A</b>	<b>4,60</b>	1.180 (210 - 1.790)	590	5,35
16 + 35	1,70	3,70	5,00 (1,5 - 5,2)	<b>4,24 A</b>	8,50	1.180 (250-1.370)	590	5,35	1,70	3,70	5,40 (1,1 - 7,0)	<b>4,58 A</b>	<b>4,60</b>	1.180 (210 - 1.790)	590	5,35
16 + 42	1,55	4,05	5,00 (1,5 - 5,4)	<b>4,24 A</b>	8,50	1.180 (250-1.490)	590	5,35	1,55	4,05	5,60 (1,1 - 7,2)	<b>4,63 A</b>	<b>4,60</b>	1.210 (210 - 1.800)	605	5,50
16 + 50	1,35	4,25	5,00 (1,5 - 5,4)	<b>4,24 A</b>	8,50	1.180 (250-1.490)	590	5,35	1,35	4,25	5,60 (1,1 - 7,2)	<b>4,63 A</b>	<b>4,60</b>	1.210 (210 - 1.800)	605	5,50
20 + 20	2,70	2,70	4,00 (1,5 - 5,0)	<b>4,49 A</b>	8,50	890 (250-1.310)	445	4,10	2,70	2,70	5,40 (1,1 - 7,0)	<b>4,62 A</b>	<b>4,60</b>	1.170 (210 - 1.770)	585	5,30
20 + 25	2,40	3,00	4,50 (1,5 - 5,2)	<b>4,37 A</b>	8,50	1.030 (250-1.370)	515	4,65	2,40	3,00	5,40 (1,1 - 7,0)	<b>4,62 A</b>	<b>4,60</b>	1.170 (210 - 1.770)	585	5,30
20 + 35	2,05	3,55	5,00 (1,5 - 5,4)	<b>4,24 A</b>	8,50	1.180 (250-1.490)	590	5,35	2,05	3,55	5,60 (1,1 - 7,2)	<b>4,63 A</b>	<b>4,60</b>	1.210 (210 - 1.800)	605	5,50
20 + 42	1,80	3,80	5,00 (1,5 - 5,4)	<b>4,24 A</b>	8,50	1.180 (250-1.490)	590	5,35	1,80	3,80	5,60 (1,1 - 7,2)	<b>4,63 A</b>	<b>4,60</b>	1.210 (210 - 1.800)	605	5,50
20 + 50	1,60	4,00	5,00 (1,5 - 5,4)	<b>4,24 A</b>	8,50	1.180 (250-1.490)	590	5,35	1,60	4,00	5,60 (1,1 - 7,2)	<b>4,63 A</b>	<b>4,60</b>	1.210 (210 - 1.800)	605	5,50
25 + 25	2,80	2,80	5,00 (1,5 - 5,4)	<b>4,24 A</b>	8,50	1.180 (250-1.490)	590	5,35	2,80	2,80	5,60 (1,1 - 7,2)	<b>4,63 A</b>	<b>4,60</b>	1.210 (210 - 1.800)	605	5,50
25 + 35	2,35	3,25	5,00 (1,5 - 5,4)	<b>4,24 A</b>	8,50	1.180 (250-1.490)	590	5,35	2,35	3,25	5,60 (1,1 - 7,2)	<b>4,63 A</b>	<b>4,60</b>	1.210 (210 - 1.800)	605	5,50
25 + 42	2,10	3,50	5,00 (1,5 - 5,4)	<b>4,24 A</b>	8,50	1.180 (250-1.490)	590	5,35	2,10	3,50	5,60 (1,1 - 7,2)	<b>4,63 A</b>	<b>4,60</b>	1.210 (210 - 1.800)	605	5,50
25 + 50	1,85	3,75	5,00 (1,5 - 5,4)	<b>4,24 A</b>	8,50	1.180 (250-1.490)	590	5,35	1,85	3,75	5,60 (1,1 - 7,2)	<b>4,63 A</b>	<b>4,60</b>	1.210 (210 - 1.800)	605	5,50
35 + 35	2,80	2,80	5,00 (1,5 - 5,4)	<b>4,24 A</b>	8,50	1.180 (250-1.490)	590	5,35	2,80	2,80	5,60 (1,1 - 7,2)	<b>4,63 A</b>	<b>4,60</b>	1.210 (210 - 1.800)	605	5,50
35 + 42	2,55	3,05	5,00 (1,5 - 5,4)	<b>4,24 A</b>	8,50	1.180 (250-1.490)	590	5,35	2,55	3,05	5,60 (1,1 -					

# FREE MULTI R32 COMBINATIONS TABLE



Free Multi R32 3x1 CU-3Z52TBE. Minimum capacity connected: 4,5kW. Maximum capacity connected: 9,5kW • R32 GAS

Table with columns: Indoor unit capacity, Cooling capacity (kW)Rooms, EER, SEER, Input power rating, A.E.C., Current, Heating capacity (kW)Rooms, COP, SCOP, Input power rating, A.E.C., Current. Rows include 3 Rooms configurations.

Free Multi R32 3x1 CU-3Z68TBE. Minimum capacity connected: 4,5kW. Maximum capacity connected: 11,2kW • R32 GAS

Table with columns: Indoor unit capacity, Cooling capacity (kW)Rooms, EER, SEER, Input power rating, A.E.C., Current, Heating capacity (kW)Rooms, COP, SCOP, Input power rating, A.E.C., Current. Rows include 1 Room, 2 Rooms, and 3 Rooms configurations.

# FREE MULTI R32 COMBINATIONS TABLE



Free Multi R32 3x1 CU-3Z68TBE. Minimum capacity connected: 4,5kW. Maximum capacity connected: 11,2kW • R32 GAS

Indoor unit capacity	Cooling capacity (kW)				EER	SEER	Input power rating		A.E.C.	Current	Heating capacity (kW)				COP	SCOP	Input power rating		A.E.C.	Current					
	Rooms						W/W	W/W			W	kWh	Rooms				W/W	W/W			W	kWh	230V		
	A	B	C	Total (Min - Max)									A	B										C	Total (Min - Max)
<b>3 Room</b>																									
16 + 35 + 50	1,07	2,36	3,37	6,80 (2,0 - 8,5)	4,05 A	8,00	1,680 (340 - 2.380)	840	7,7	1,34	2,95	4,21	8,50 (3,2 - 10,6)	4,27 A	4,20	1,990 (600 - 2.770)	995	9,0							
16 + 35 + 60	0,98	2,14	3,68	6,80 (2,0 - 8,5)	4,05 A	8,00	1,680 (340 - 2.380)	840	7,7	1,23	2,68	4,59	8,50 (3,2 - 10,6)	4,27 A	4,20	1,990 (600 - 2.770)	995	9,0							
16 + 42 + 42	1,08	2,86	2,86	6,80 (1,9 - 8,2)	3,74 A	8,00	1,820 (290 - 2.420)	910	8,2	1,36	3,57	3,57	8,50 (3,3 - 10,5)	4,03 A	4,20	2,110 (640 - 2.860)	1,055	9,5							
16 + 42 + 50	1,01	2,64	3,15	6,80 (2,0 - 8,5)	4,05 A	8,00	1,680 (340 - 2.330)	840	7,7	1,25	3,31	3,94	8,50 (3,2 - 10,6)	4,29 A	4,20	1,980 (600 - 2.760)	990	9,0							
20 + 20 + 20	2,00	2,00	2,00	6,00 (1,9 - 8,0)	4,05 A	8,00	1,480 (270 - 2.410)	740	6,8	2,83	2,83	2,83	8,49 (3,3 - 10,4)	3,91 A	4,20	2,170 (630 - 2.920)	1,085	9,8							
20 + 20 + 25	2,00	2,00	2,50	6,50 (1,9 - 8,0)	3,76 A	8,00	1,730 (270 - 2.410)	865	7,9	2,62	2,62	3,26	8,50 (3,3 - 10,4)	3,92 A	4,20	2,170 (630 - 2.920)	1,085	9,8							
20 + 20 + 35	1,81	1,81	3,18	6,80 (1,9 - 8,1)	3,66 A	8,00	1,860 (270 - 2.320)	930	8,4	2,27	2,27	3,96	8,50 (3,3 - 10,4)	3,95 A	4,20	2,150 (620 - 2.850)	1,075	9,7							
20 + 20 + 42	1,66	1,66	3,48	6,80 (1,9 - 8,1)	3,74 A	8,00	1,820 (290 - 2.420)	910	8,2	2,07	2,07	4,36	8,50 (3,3 - 10,5)	3,97 A	4,20	2,140 (620 - 2.890)	1,070	9,7							
20 + 20 + 50	1,51	1,51	3,78	6,80 (2,0 - 8,5)	4,05 A	8,00	1,680 (340 - 2.380)	840	7,7	1,89	1,89	4,72	8,50 (3,2 - 10,6)	4,25 A	4,20	2,000 (600 - 2.780)	1,000	9,0							
20 + 20 + 60	1,36	1,36	4,08	6,80 (2,0 - 8,5)	4,05 A	8,00	1,680 (340 - 2.380)	840	7,7	1,70	1,70	5,10	8,50 (3,2 - 10,6)	4,25 A	4,20	2,000 (600 - 2.780)	1,000	9,0							
20 + 25 + 25	1,94	2,43	2,43	6,80 (1,9 - 8,0)	3,66 A	8,00	1,860 (270 - 2.410)	930	8,4	2,42	3,04	3,04	8,50 (3,3 - 10,4)	3,92 A	4,20	2,170 (630 - 2.920)	1,085	9,8							
20 + 25 + 35	1,69	2,13	2,98	6,80 (1,9 - 8,0)	3,66 A	8,00	1,860 (270 - 2.320)	930	8,4	2,12	2,66	3,72	8,50 (3,3 - 10,4)	3,95 A	4,20	2,150 (620 - 2.850)	1,075	9,7							
20 + 25 + 42	1,56	1,95	3,29	6,80 (1,9 - 8,1)	3,74 A	8,00	1,820 (290 - 2.420)	910	8,2	1,95	2,44	4,11	8,50 (3,3 - 10,5)	3,97 A	4,20	2,140 (620 - 2.890)	1,070	9,7							
20 + 25 + 50	1,43	1,79	3,58	6,80 (2,0 - 8,5)	4,05 A	8,00	1,680 (340 - 2.380)	840	7,7	1,79	2,24	4,47	8,50 (3,2 - 10,6)	4,25 A	4,20	2,000 (600 - 2.780)	1,000	9,0							
20 + 25 + 60	1,29	1,62	3,89	6,80 (2,0 - 8,5)	4,05 A	8,00	1,680 (340 - 2.380)	840	7,7	1,62	2,02	4,86	8,50 (3,2 - 10,6)	4,25 A	4,20	2,000 (600 - 2.780)	1,000	9,0							
20 + 35 + 35	1,52	2,64	2,64	6,80 (1,9 - 8,1)	3,74 A	8,00	1,820 (290 - 2.330)	910	8,2	1,88	3,31	3,31	8,50 (3,3 - 10,5)	4,01 A	4,20	2,120 (640 - 2.870)	1,060	9,6							
20 + 35 + 42	1,40	2,45	2,95	6,80 (1,9 - 8,2)	3,74 A	8,00	1,820 (290 - 2.420)	910	8,2	1,75	3,07	3,68	8,50 (3,3 - 10,5)	4,03 A	4,20	2,110 (640 - 2.860)	1,055	9,5							
20 + 35 + 50	1,29	2,27	3,24	6,80 (2,0 - 8,5)	4,05 A	8,00	1,680 (340 - 2.330)	840	7,7	1,62	2,83	4,05	8,50 (3,3 - 10,6)	4,29 A	4,20	1,980 (600 - 2.760)	990	9,0							
20 + 42 + 42	1,30	2,75	2,75	6,80 (1,9 - 8,2)	3,84 A	8,00	1,770 (290 - 2.370)	885	8,0	1,64	3,43	3,43	8,50 (3,3 - 10,5)	4,05 A	4,20	2,100 (630 - 2.860)	1,050	9,5							
20 + 42 + 50	1,21	2,55	3,04	6,80 (2,0 - 8,5)	4,05 A	8,00	1,680 (340 - 2.330)	840	7,7	1,52	3,19	3,79	8,50 (3,2 - 10,6)	4,31 A	4,20	1,970 (620 - 2.750)	985	8,9							
25 + 25 + 25	2,26	2,26	2,26	6,78 (1,9 - 8,0)	3,65 A	8,00	1,860 (270 - 2.410)	930	8,4	2,83	2,83	2,83	8,49 (3,3 - 10,4)	3,91 A	4,20	2,170 (630 - 2.920)	1,085	9,8							
25 + 25 + 35	2,00	2,00	2,80	6,80 (1,9 - 8,0)	3,66 A	8,00	1,860 (270 - 2.320)	930	8,4	2,50	2,50	3,50	8,50 (3,3 - 10,4)	3,95 A	4,20	2,150 (620 - 2.850)	1,075	9,7							
25 + 25 + 42	1,85	1,85	3,10	6,80 (1,9 - 8,1)	3,74 A	8,00	1,820 (290 - 2.420)	910	8,2	2,31	2,31	3,88	8,50 (3,3 - 10,5)	3,97 A	4,20	2,140 (620 - 2.890)	1,070	9,7							
25 + 25 + 50	1,70	1,70	3,40	6,80 (2,0 - 8,5)	4,05 A	8,00	1,680 (340 - 2.380)	840	7,7	2,13	2,13	4,24	8,50 (3,2 - 10,6)	4,25 A	4,20	2,000 (600 - 2.780)	1,000	9,0							
25 + 25 + 60	1,55	1,55	3,70	6,80 (2,0 - 8,5)	4,05 A	8,00	1,680 (340 - 2.380)	840	7,7	1,93	1,93	4,64	8,50 (3,2 - 10,6)	4,25 A	4,20	2,000 (600 - 2.780)	1,000	9,0							
25 + 35 + 35	1,78	2,51	2,51	6,80 (1,9 - 8,1)	3,74 A	8,00	1,820 (290 - 2.330)	910	8,2	2,24	3,13	3,13	8,50 (3,3 - 10,5)	4,01 A	4,20	2,120 (640 - 2.870)	1,060	9,6							
25 + 35 + 42	1,67	2,33	2,80	6,80 (1,9 - 8,2)	3,74 A	8,00	1,820 (290 - 2.420)	910	8,2	2,08	2,92	3,50	8,50 (3,3 - 10,5)	4,03 A	4,20	2,110 (640 - 2.860)	1,055	9,5							
25 + 35 + 50	1,55	2,16	3,09	6,80 (2,0 - 8,5)	4,05 A	8,00	1,680 (340 - 2.330)	840	7,7	1,93	2,70	3,87	8,50 (3,2 - 10,6)	4,29 A	4,20	1,980 (600 - 2.760)	990	9,0							
25 + 42 + 42	1,56	2,62	2,62	6,80 (1,9 - 8,2)	3,84 A	8,00	1,770 (290 - 2.370)	885	8,0	1,94	3,28	3,28	8,50 (3,3 - 10,5)	4,05 A	4,20	2,100 (630 - 2.860)	1,050	9,5							
35 + 35 + 35	2,26	2,26	2,26	6,78 (1,9 - 8,2)	3,83 A	8,00	1,770 (290 - 2.330)	885	8,0	2,83	2,83	2,83	8,49 (3,3 - 10,5)	4,12 A	4,20	2,060 (630 - 2.850)	1,030	9,3							
35 + 35 + 42	2,13	2,13	2,54	6,80 (1,9 - 8,2)	3,84 A	8,00	1,770 (290 - 2.330)	885	8,0	2,66	2,66	3,18	8,50 (3,3 - 10,5)	4,15 A	4,20	2,050 (630 - 2.800)	1,025	9,3							

Free Multi R32 4x1 CU-4Z68TBE. Minimum capacity connected: 4,5kW. Maximum capacity connected: 11,5kW • R32 GAS

Indoor unit capacity	Cooling capacity (kW)					EER	SEER	Input power rating		A.E.C.	Current	Heating capacity (kW)					COP	SCOP	Input power rating		A.E.C.	Current					
	Rooms							W/W	W/W			W	kWh	Rooms					W/W	W/W			W	kWh	230V		
	A	B	C	D	Total (Min - Max)									A	B	C										D	Total (Min - Max)
<b>1 Room</b>																											
16					1,60 (1,3 - 2,3)	4,00 A	—	400 (250 - 640)	200	2,0	2,60				2,60 (1,2 - 3,2)	4,33 A	—	600 (300 - 960)	300	3,0							
20					2,00 (1,8 - 2,9)	4,00 A	—	500 (340 - 810)	250	2,5	3,20				3,20 (1,2 - 4,1)	4,32 A	—	740 (300 - 1.230)	370	3,7							
25					2,50 (1,8 - 2,9)	3,97 A	—	630 (340 - 810)	315	3,2	3,60				3,60 (1,2 - 4,3)	3,83 A	—	940 (300 - 1.230)	470	4,7							
35					3,50 (1,8 - 3,8)	3,72 A	—	940 (340 - 1.360)	470	4,5	4,50				4,50 (1,2 - 5,8)	3,66 A	—	1.230 (300 - 2.100)	615	6,0							
42					4,20 (1,8 - 4,3)	3,07 B	—	1.370 (340 - 1.990)	685	6,4	5,60				5,60 (1,2 - 6,8)	3,26 C	—	1.720 (300 - 2.930)	860	8,0							
50					5,00 (1,9 - 5,7)	2,93 C	—	1.550 (340 - 2.130)	775	7,2	6,80				6,80 (1,2 - 6,9)	3,24 C	—	2.100 (300 - 2.520)	1.050	9,7							
60					6,00 (1,9 - 6,2)	2,96 C	—	2.030 (340 - 2.330)	1.015	9,2	8,50				8,50 (1,3 - 9,0)	3,54 B	—	2.400 (620 - 2.500)	1.200	11,1							
<b>2 Rooms</b>																											
16 + 16	1,60	1,60			3,20 (1,9 - 6,4)	5,71 A	6,10	560 (270 - 2.120)	280	2,8	2,60	2,60			5,20 (2,7 - 9,8)	4,00 A	3,80	1.300 (660 - 3.010)	650	5,9							
16 + 20	1,60	2,00			3,60 (1,9 - 6,4)	5,22 A	6,10	690 (270 - 2.080)	345	3,4	2,58	3,22			5,80 (2,7 - 9,8)	3,92 A	3,80	1.480 (650 - 3.020)	740	6,8							
16 + 25	1,60	2,50			4,10 (1,9 - 6,4)	4,94 A	6,10	830 (270 - 2.080)	415	3,9	2,42	3,78			6,20 (2,7 - 9,8)	3,85 A	3,80	1.610 (650 - 3.020)	805	7,4							
16 + 35	1,60	3,50			5,10 (1,9 - 6,9)	4,08 A	6,10	1.250 (270 - 2.480)	625	5,7	2,23	4,87			7,10 (2,7 - 9,9)	3,74 A	3,80	1.900 (630 - 3.020)	950	8,6							
16 + 42	1,60	4,20			5,80 (1,9 - 6,9)	3,63 A	6,10	1.610 (270 - 2.440)	805	7,4	2,26	5,94			8,20 (2,7 - 9,9)	3,52 B	3,80	2.330 (630 - 3.020)	1.165	10,5							
16 + 50	1,60	5,00			6,60 (2,0 - 7,5)	3,60 A	6,50	1.820 (280 - 2.520)	910	8,2	2,06	6,44			8,50 (2,8 - 10,2)	3,76 A	3,80	2.260 (620 - 2.990)	1.130	10,2							
16 + 60	1,43	5,37			6,80 (2,0 - 7,5)	3,49 A	6,50	1.950 (280 - 2.520)	975	8,8	1,79	6,71			8,50 (2,8 - 10,2)	3,76 A	3,80	2.260 (620 - 2.990)	1.130	10,2							
20 + 20	2,00	2,00			4,00 (1,9 - 6,4)	5,00 A	6,10	800 (270 - 2.040)	400	3,8	3,20	3,20			6,40 (2,7 - 9,8)	3,83 A	3,80	1.670 (640 - 3.020)	835	7,6							
20 + 25	2,00	2,50			4,50 (1,9 - 6,4)	4,59 A	6,10	980 (270 - 2.040)	490	4,6	3,02	3,78			6,80 (2,7 - 9,8)	3,78 A	3,80	1.800 (640 - 3.020)	900	8,1							
20 + 35	2,00	3,50			5,50 (1,9 - 6,9)	3,85 A	6,10	1.430 (270 - 2.440)	715	6,5	2,80	4,90			7,70 (2,7 - 9,9)	3,65 A	3,80	2.110 (630 - 3.020)	1.055	9,5							
20 + 42	2,00	4,20			6,20 (1,9 - 6,9)	3,35 A	6,10	1.850 (270 - 2.400)	925	8,4	2,74	5,76			8,50 (2,7 - 9,9)	3,48 B	3,80	2.440 (620 - 3.030)	1.220	11,0							
20 + 50	1,94	4,86			6,80 (2,0 - 7,5)	3,49 A	6,50	1.950 (280 - 2.480)	975	8,8	2,43	6,07			8,50 (2,8 - 10,2)	3,76 A	3,80	2.260 (620 - 2.990)	1.130	10,2							
20 + 60	1,70	5,10			6,80 (2,0 - 7,5)	3,49 A	6,50	1.950 (280 - 2.480)	975	8,8	2,12	6,38			8,50 (2,8 - 10,2)	3,76 A	3,80	2.260 (620 - 2.990)	1.130	10,2							
25 + 25	2,50	2,50			5,00 (1,9 - 6,8)	4,13 A	6,10	1.210 (270 - 2.430)	605	5,6	3,60	3															

# FREE MULTI R32 COMBINATIONS TABLE



Free Multi R32 4x1 CU-4Z68TBE. Minimum capacity connected: 4,5kW. Maximum capacity connected: 11,5kW • R32 GAS

Indoor unit capacity	Cooling capacity (kW)				EER	SEER	Input power rating	A.E.C.	Current	Heating capacity (kW)				COP	SCOP	Input power rating	A.E.C.	Current																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
	Rooms									Rooms																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
	A	B	C	D	Total (Min - Max)	W/W	W/W	W	kWh	230V	A	B	C	D	Total (Min - Max)	W/W	W/W	W	kWh	230V																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
<b>4 Room</b>																						16 + 42 + 42	1,08	2,86	2,86		6,80 (1,9 - 8,2)	3,74 A	8,00	1820 (290 - 2420)	910	8,2	1,36	3,57	3,57		8,50 (3,3 - 10,5)	4,03 A	4,00	2110 (640 - 2860)	1055	9,5	16 + 42 + 50	1,01	2,64	3,15		6,80 (2,0 - 8,5)	4,05 A	8,00	1680 (340 - 2330)	840	7,7	1,25	3,31	3,94		8,50 (3,2 - 10,6)	4,29 A	4,00	1980 (600 - 2760)	990	9,0	20 + 20 + 20	2,00	2,00	2,00		6,80 (1,9 - 8,0)	4,05 A	8,00	1480 (270 - 2410)	740	6,8	2,83	2,83	2,83		8,49 (3,3 - 10,4)	3,91 A	4,00	2170 (630 - 2920)	1085	9,8	20 + 20 + 25	2,00	2,00	2,50		6,50 (1,9 - 8,0)	3,76 A	8,00	1730 (270 - 2410)	865	7,9	2,62	2,62	3,26		8,50 (3,3 - 10,4)	3,92 A	4,00	2170 (630 - 2920)	1085	9,8	20 + 20 + 35	1,81	1,81	3,10		6,80 (1,9 - 8,0)	3,66 A	8,00	1860 (270 - 2320)	930	8,4	2,27	2,27	3,96		8,50 (3,3 - 10,4)	3,95 A	4,00	2150 (620 - 2850)	1075	9,7	20 + 20 + 42	1,66	1,66	3,48		6,80 (1,9 - 8,1)	3,74 A	8,00	1820 (290 - 2420)	910	8,2	2,07	2,07	4,36		8,50 (3,3 - 10,5)	3,97 A	4,00	2140 (620 - 2890)	1070	9,7	20 + 20 + 50	1,51	1,51	3,78		6,80 (2,0 - 8,5)	4,05 A	8,00	1680 (340 - 2380)	840	7,7	1,89	1,89	4,72		8,50 (3,2 - 10,6)	4,25 A	4,00	2000 (600 - 2780)	1000	9,0	20 + 20 + 60	1,36	1,36	4,08		6,80 (2,0 - 8,5)	4,05 A	8,00	1680 (340 - 2380)	840	7,7	1,70	1,70	5,10		8,50 (3,2 - 10,6)	4,25 A	4,00	2000 (600 - 2780)	1000	9,0	20 + 25 + 25	1,94	2,43	2,43		6,80 (1,9 - 8,0)	3,66 A	8,00	1860 (270 - 2410)	930	8,4	2,42	3,04	3,04		8,50 (3,3 - 10,4)	3,92 A	4,00	2170 (630 - 2920)	1085	9,8	20 + 25 + 35	1,69	2,13	2,98		6,80 (1,9 - 8,0)	3,66 A	8,00	1860 (270 - 2320)	930	8,4	2,12	2,66	3,72		8,50 (3,3 - 10,4)	3,95 A	4,00	2150 (620 - 2850)	1075	9,7	20 + 25 + 42	1,56	1,95	3,29		6,80 (1,9 - 8,1)	3,74 A	8,00	1820 (290 - 2420)	910	8,2	1,95	2,44	4,11		8,50 (3,3 - 10,5)	3,97 A	4,00	2140 (620 - 2890)	1070	9,7	20 + 25 + 50	1,43	1,79	3,58		6,80 (2,0 - 8,5)	4,05 A	8,00	1680 (340 - 2380)	840	7,7	1,79	2,24	4,47		8,50 (3,2 - 10,6)	4,25 A	4,00	2000 (600 - 2780)	1000	9,0	20 + 25 + 60	1,29	1,62	3,89		6,80 (2,0 - 8,5)	4,05 A	8,00	1680 (340 - 2380)	840	7,7	1,62	2,02	4,86		8,50 (3,2 - 10,6)	4,25 A	4,00	2000 (600 - 2780)	1000	9,0	20 + 35 + 35	1,52	2,64	2,64		6,80 (1,9 - 8,1)	3,74 A	8,00	1820 (290 - 2330)	910	8,2	1,88	3,31	3,31		8,50 (3,3 - 10,5)	4,01 A	4,00	2120 (640 - 2870)	1060	9,6	20 + 35 + 42	1,40	2,45	2,95		6,80 (1,9 - 8,2)	3,74 A	8,00	1820 (290 - 2420)	910	8,2	1,75	3,07	3,68		8,50 (3,3 - 10,5)	4,03 A	4,00	2110 (640 - 2860)	1055	9,5	20 + 35 + 50	1,29	2,27	3,24		6,80 (2,0 - 8,5)	4,05 A	8,00	1680 (340 - 2330)	840	7,7	1,62	2,83	4,05		8,50 (3,2 - 10,6)	4,29 A	4,00	1980 (600 - 2760)	990	9,0	20 + 35 + 60	1,18	2,07	3,55		6,80 (2,0 - 8,5)	4,05 A	8,00	1680 (340 - 2330)	840	7,7	1,48	2,59	4,43		8,50 (3,2 - 10,6)	4,29 A	4,00	1980 (600 - 2760)	990	9,0	20 + 42 + 42	1,30	2,75	2,75		6,80 (1,9 - 8,2)	3,84 A	8,00	1770 (290 - 2370)	885	8,0	1,64	3,43	3,43		8,50 (3,3 - 10,5)	4,05 A	4,00	2100 (630 - 2860)	1050	9,5	20 + 42 + 50	1,21	2,55	3,04		6,80 (2,0 - 8,5)	4,05 A	8,00	1680 (340 - 2330)	840	7,7	1,52	3,19	3,79		8,50 (3,3 - 10,6)	4,31 A	4,00	1970 (620 - 2750)	985	8,9	25 + 25 + 25	2,26	2,26	2,26		6,78 (1,9 - 8,0)	3,65 A	8,00	1860 (270 - 2410)	930	8,4	2,83	2,83	2,83		8,49 (3,3 - 10,4)	3,91 A	4,00	2170 (630 - 2920)	1085	9,8	25 + 25 + 35	2,00	2,00	2,80		6,80 (1,9 - 8,0)	3,66 A	8,00	1860 (270 - 2320)	930	8,4	2,50	2,50	3,50		8,50 (3,3 - 10,4)	3,95 A	4,00	2150 (620 - 2850)	1075	9,7	25 + 25 + 42	1,85	1,85	3,10		6,80 (1,9 - 8,1)	3,74 A	8,00	1820 (290 - 2420)	910	8,2	2,31	3,31	3,88		8,50 (3,3 - 10,5)	3,97 A	4,00	2140 (620 - 2890)	1070	9,7	25 + 25 + 50	1,70	1,70	3,40		6,80 (2,0 - 8,5)	4,05 A	8,00	1680 (340 - 2380)	840	7,7	2,13	2,13	4,24		8,50 (3,2 - 10,6)	4,25 A	4,00	2000 (600 - 2780)	1000	9,0	25 + 25 + 60	1,55	1,55	3,70		6,80 (2,0 - 8,5)	4,05 A	8,00	1680 (340 - 2380)	840	7,7	1,93	3,19	4,64		8,50 (3,2 - 10,6)	4,25 A	4,00	2000 (600 - 2780)	1000	9,0	25 + 35 + 35	1,78	2,51	2,51		6,80 (1,9 - 8,1)	3,74 A	8,00	1820 (290 - 2330)	910	8,2	2,24	3,13	3,13		8,50 (3,3 - 10,5)	4,01 A	4,00	2120 (640 - 2870)	1060	9,6	25 + 35 + 42	1,67	2,33	2,80		6,80 (1,9 - 8,2)	3,74 A	8,00	1820 (290 - 2420)	910	8,2	2,08	2,92	3,50		8,50 (3,3 - 10,5)	4,03 A	4,00	2110 (640 - 2860)	1055	9,5	25 + 35 + 50	1,55	2,16	3,09		6,80 (2,0 - 8,5)	4,05 A	8,00	1680 (340 - 2330)	840	7,7	1,93	2,70	3,87		8,50 (3,2 - 10,6)	4,29 A	4,00	1980 (600 - 2760)	990	9,0	25 + 42 + 42	1,56	2,62	2,62		6,80 (1,9 - 8,2)	3,84 A	8,00	1770 (290 - 2370)	885	8,0	1,94	3,28	3,28		8,50 (3,3 - 10,5)	4,05 A	4,00	2100 (630 - 2860)	1050	9,5	35 + 35 + 35	2,26	2,26	2,26		6,78 (1,9 - 8,2)	3,83 A	8,00	1770 (290 - 2330)	885	8,0	2,83	2,83	2,83		8,49 (3,3 - 10,5)	4,12 A	4,00	2060 (630 - 2850)	1030	9,3	35 + 35 + 42	2,13	2,13	2,54		6,80 (1,9 - 8,2)	3,84 A	8,00	1770 (290 - 2330)	885	8,0	2,66	2,66	3,18		8,50 (3,3 - 10,5)	4,15 A	4,00	2050 (630 - 2800)	1025	9,3	<b>4 Rooms</b>																						16 + 16 + 16 + 16	1,65	1,65	1,65	1,65	6,60 (1,9 - 8,7)	4,49 A	8,50	1470 (340 - 2380)	735	6,7	2,12	2,12	2,12	2,12	8,48 (3,0 - 10,6)	4,44 A	4,20	1910 (580 - 2690)	955	8,6	16 + 16 + 16 + 20	1,60	1,60	1,60	2,00	6,80 (1,9 - 8,8)	4,39 A	8,00	1550 (340 - 2470)	775	7,0	2,00	2,00	2,50		8,50 (3,0 - 10,6)	4,47 A	4,20	1900 (580 - 2680)	950	8,6	16 + 16 + 16 + 25	1,49	1,49	1,49	2,33	6,80 (1,9 - 8,8)	4,39 A	8,00	1550 (340 - 2470)	775	7,0	1,86	1,86	2,92		8,50 (3,0 - 10,6)	4,47 A	4,20	1900 (580 - 2680)	950	8,6	16 + 16 + 16 + 35	1,31	1,31	1,31	2,87	6,80 (1,9 - 8,8)	4,39 A	8,00	1550 (340 - 2380)	775	7,0	1,64	1,64	3,58		8,50 (3,0 - 10,6)	4,52 A	4,20	1880 (580 - 2660)	940	8,5	16 + 16 + 16 + 42	1,21	1,21	1,21	3,17	6,80 (1,9 - 8,8)	4,50 A	8,00	1510 (340 - 2380)	755	6,8	1,51	1,51	3,97		8,50 (3,0 - 10,6)	4,55 A	4,20	1870 (580 - 2650)	935	8,5	16 + 16 + 16 + 50	1,11	1,11	1,11	3,47	6,80 (1,9 - 8,8)	4,50 A	8,00	1510 (400 - 2240)	755	6,8	1,39	1,39	4,33		8,50 (3,0 - 10,6)	4,64 A	4,20	1830 (650 - 2550)	915	8,3	16 + 16 + 16 + 60	1,01	1,01	1,01	3,77	6,80 (1,9 - 8,8)	4,50 A	8,00	1510 (400 - 2240)	755	6,8	1,26	1,26	4,72		8,50 (3,0 - 10,6)	4,64 A	4,20	1830 (650 - 2550)	915	8,3	16 + 16 + 20 + 20	1,51	1,51	1,89	1,89	6,80 (1,9 - 8,8)	4,39 A	8,00	1550 (340 - 2430)	775	7,0	1,89	2,36	2,36		8,50 (3,1 - 10,6)	4,50 A	4,20	1890 (600 - 2670)	945	8,5	16 + 16 + 20 + 25	1,41	1,41	1,77	2,21	6,80 (1,9 - 8,8)	4,39 A	8,00	1550 (340 - 2430)	775	7,0	1,77	2,20	2,76		8,50 (3,1 - 10,6)	4,50 A	4,20	1890 (600 - 2670)	945	8,5	16 + 16 + 20 + 35	1,25	1,25	1,56	2,74	6,80 (1,9 - 8,8)	4,50 A	8,00	1510 (340 - 2380)	755	6,8	1,56	1,56	3,43		8,50 (3,0 - 10,6)	4,55 A	4,20	1870 (580 - 2650)	935	8,5	16 + 16 + 20 + 42	1,16	1,16	1,44	3,04	6,80 (1,9 - 8,8)	4,50 A	8,00	1510 (370 - 2380)	755	6,8	1,45	1,45	3,80		8,50 (3,0 - 10,6)	4,57 A	4,20	1860 (600 - 2640)	930	8,4	16 + 16 + 20 + 50	1,07	1,07	1,33	3,33	6,80 (1,9 - 8,8)	4,50 A	8,00	1510 (400 - 2200)	755	6,8	1,33	1,67	4,17		8,50 (3,0 - 10,6)	4,64 A	4,20	1830 (660 - 2540)	915	8,3	16 + 16 + 20 + 60	0,97	0,97	1,21	3,65	6,80 (1,9 - 8,8)	4,50 A	8,00	1510 (400 - 2200)	755	6,8	1,21	1,52	4,56		8,50 (3,0 - 10,6)	4,64 A	4,20	1830 (660 - 2540)	915	8,3	16 + 16 + 25 + 25	1,33	1,33	2,07	2,07	6,80 (1,9 - 8,8)	4,39 A	8,00	1550 (340 - 2430)	775	7,0	1,66	1,66	2,59		8,50 (3,1 - 10,6)	4,50 A	4,20	1890 (600 - 2670)	945	8,5	16 + 16 + 25 + 35	1,18	1,18	1,85	2,59	6,80 (1,9 - 8,8)	4,50 A	8,00	1510 (340 - 2380)	755	6,8	1,48	1,48	3,23		8,50 (3,0 - 10,6)	4,55 A	4,20	1870 (580 - 2650)	935	8,5	16 + 16 + 25 + 42	1,10	1,10	1,72	2,88	6,80 (1,9 - 8,8)	4,50 A	8,00	1510 (370 - 2380)	755	6,8	1,37	1,37	3,61
16 + 42 + 42	1,08	2,86	2,86		6,80 (1,9 - 8,2)	3,74 A	8,00	1820 (290 - 2420)	910	8,2	1,36	3,57	3,57		8,50 (3,3 - 10,5)	4,03 A	4,00	2110 (640 - 2860)	1055	9,5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
16 + 42 + 50	1,01	2,64	3,15		6,80 (2,0 - 8,5)	4,05 A	8,00	1680 (340 - 2330)	840	7,7	1,25	3,31	3,94		8,50 (3,2 - 10,6)	4,29 A	4,00	1980 (600 - 2760)	990	9,0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
20 + 20 + 20	2,00	2,00	2,00		6,80 (1,9 - 8,0)	4,05 A	8,00	1480 (270 - 2410)	740	6,8	2,83	2,83	2,83		8,49 (3,3 - 10,4)	3,91 A	4,00	2170 (630 - 2920)	1085	9,8																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
20 + 20 + 25	2,00	2,00	2,50		6,50 (1,9 - 8,0)	3,76 A	8,00	1730 (270 - 2410)	865	7,9	2,62	2,62	3,26		8,50 (3,3 - 10,4)	3,92 A	4,00	2170 (630 - 2920)	1085	9,8																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
20 + 20 + 35	1,81	1,81	3,10		6,80 (1,9 - 8,0)	3,66 A	8,00	1860 (270 - 2320)	930	8,4	2,27	2,27	3,96		8,50 (3,3 - 10,4)	3,95 A	4,00	2150 (620 - 2850)	1075	9,7																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
20 + 20 + 42	1,66	1,66	3,48		6,80 (1,9 - 8,1)	3,74 A	8,00	1820 (290 - 2420)	910	8,2	2,07	2,07	4,36		8,50 (3,3 - 10,5)	3,97 A	4,00	2140 (620 - 2890)	1070	9,7																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
20 + 20 + 50	1,51	1,51	3,78		6,80 (2,0 - 8,5)	4,05 A	8,00	1680 (340 - 2380)	840	7,7	1,89	1,89	4,72		8,50 (3,2 - 10,6)	4,25 A	4,00	2000 (600 - 2780)	1000	9,0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
20 + 20 + 60	1,36	1,36	4,08		6,80 (2,0 - 8,5)	4,05 A	8,00	1680 (340 - 2380)	840	7,7	1,70	1,70	5,10		8,50 (3,2 - 10,6)	4,25 A	4,00	2000 (600 - 2780)	1000	9,0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
20 + 25 + 25	1,94	2,43	2,43		6,80 (1,9 - 8,0)	3,66 A	8,00	1860 (270 - 2410)	930	8,4	2,42	3,04	3,04		8,50 (3,3 - 10,4)	3,92 A	4,00	2170 (630 - 2920)	1085	9,8																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
20 + 25 + 35	1,69	2,13	2,98		6,80 (1,9 - 8,0)	3,66 A	8,00	1860 (270 - 2320)	930	8,4	2,12	2,66	3,72		8,50 (3,3 - 10,4)	3,95 A	4,00	2150 (620 - 2850)	1075	9,7																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
20 + 25 + 42	1,56	1,95	3,29		6,80 (1,9 - 8,1)	3,74 A	8,00	1820 (290 - 2420)	910	8,2	1,95	2,44	4,11		8,50 (3,3 - 10,5)	3,97 A	4,00	2140 (620 - 2890)	1070	9,7																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
20 + 25 + 50	1,43	1,79	3,58		6,80 (2,0 - 8,5)	4,05 A	8,00	1680 (340 - 2380)	840	7,7	1,79	2,24	4,47		8,50 (3,2 - 10,6)	4,25 A	4,00	2000 (600 - 2780)	1000	9,0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
20 + 25 + 60	1,29	1,62	3,89		6,80 (2,0 - 8,5)	4,05 A	8,00	1680 (340 - 2380)	840	7,7	1,62	2,02	4,86		8,50 (3,2 - 10,6)	4,25 A	4,00	2000 (600 - 2780)	1000	9,0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
20 + 35 + 35	1,52	2,64	2,64		6,80 (1,9 - 8,1)	3,74 A	8,00	1820 (290 - 2330)	910	8,2	1,88	3,31	3,31		8,50 (3,3 - 10,5)	4,01 A	4,00	2120 (640 - 2870)	1060	9,6																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
20 + 35 + 42	1,40	2,45	2,95		6,80 (1,9 - 8,2)	3,74 A	8,00	1820 (290 - 2420)	910	8,2	1,75	3,07	3,68		8,50 (3,3 - 10,5)	4,03 A	4,00	2110 (640 - 2860)	1055	9,5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
20 + 35 + 50	1,29	2,27	3,24		6,80 (2,0 - 8,5)	4,05 A	8,00	1680 (340 - 2330)	840	7,7	1,62	2,83	4,05		8,50 (3,2 - 10,6)	4,29 A	4,00	1980 (600 - 2760)	990	9,0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
20 + 35 + 60	1,18	2,07	3,55		6,80 (2,0 - 8,5)	4,05 A	8,00	1680 (340 - 2330)	840	7,7	1,48	2,59	4,43		8,50 (3,2 - 10,6)	4,29 A	4,00	1980 (600 - 2760)	990	9,0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
20 + 42 + 42	1,30	2,75	2,75		6,80 (1,9 - 8,2)	3,84 A	8,00	1770 (290 - 2370)	885	8,0	1,64	3,43	3,43		8,50 (3,3 - 10,5)	4,05 A	4,00	2100 (630 - 2860)	1050	9,5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
20 + 42 + 50	1,21	2,55	3,04		6,80 (2,0 - 8,5)	4,05 A	8,00	1680 (340 - 2330)	840	7,7	1,52	3,19	3,79		8,50 (3,3 - 10,6)	4,31 A	4,00	1970 (620 - 2750)	985	8,9																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
25 + 25 + 25	2,26	2,26	2,26		6,78 (1,9 - 8,0)	3,65 A	8,00	1860 (270 - 2410)	930	8,4	2,83	2,83	2,83		8,49 (3,3 - 10,4)	3,91 A	4,00	2170 (630 - 2920)	1085	9,8																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
25 + 25 + 35	2,00	2,00	2,80		6,80 (1,9 - 8,0)	3,66 A	8,00	1860 (270 - 2320)	930	8,4	2,50	2,50	3,50		8,50 (3,3 - 10,4)	3,95 A	4,00	2150 (620 - 2850)	1075	9,7																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
25 + 25 + 42	1,85	1,85	3,10		6,80 (1,9 - 8,1)	3,74 A	8,00	1820 (290 - 2420)	910	8,2	2,31	3,31	3,88		8,50 (3,3 - 10,5)	3,97 A	4,00	2140 (620 - 2890)	1070	9,7																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
25 + 25 + 50	1,70	1,70	3,40		6,80 (2,0 - 8,5)	4,05 A	8,00	1680 (340 - 2380)	840	7,7	2,13	2,13	4,24		8,50 (3,2 - 10,6)	4,25 A	4,00	2000 (600 - 2780)	1000	9,0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
25 + 25 + 60	1,55	1,55	3,70		6,80 (2,0 - 8,5)	4,05 A	8,00	1680 (340 - 2380)	840	7,7	1,93	3,19	4,64		8,50 (3,2 - 10,6)	4,25 A	4,00	2000 (600 - 2780)	1000	9,0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
25 + 35 + 35	1,78	2,51	2,51		6,80 (1,9 - 8,1)	3,74 A	8,00	1820 (290 - 2330)	910	8,2	2,24	3,13	3,13		8,50 (3,3 - 10,5)	4,01 A	4,00	2120 (640 - 2870)	1060	9,6																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
25 + 35 + 42	1,67	2,33	2,80		6,80 (1,9 - 8,2)	3,74 A	8,00	1820 (290 - 2420)	910	8,2	2,08	2,92	3,50		8,50 (3,3 - 10,5)	4,03 A	4,00	2110 (640 - 2860)	1055	9,5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
25 + 35 + 50	1,55	2,16	3,09		6,80 (2,0 - 8,5)	4,05 A	8,00	1680 (340 - 2330)	840	7,7	1,93	2,70	3,87		8,50 (3,2 - 10,6)	4,29 A	4,00	1980 (600 - 2760)	990	9,0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
25 + 42 + 42	1,56	2,62	2,62		6,80 (1,9 - 8,2)	3,84 A	8,00	1770 (290 - 2370)	885	8,0	1,94	3,28	3,28		8,50 (3,3 - 10,5)	4,05 A	4,00	2100 (630 - 2860)	1050	9,5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
35 + 35 + 35	2,26	2,26	2,26		6,78 (1,9 - 8,2)	3,83 A	8,00	1770 (290 - 2330)	885	8,0	2,83	2,83	2,83		8,49 (3,3 - 10,5)	4,12 A	4,00	2060 (630 - 2850)	1030	9,3																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
35 + 35 + 42	2,13	2,13	2,54		6,80 (1,9 - 8,2)	3,84 A	8,00	1770 (290 - 2330)	885	8,0	2,66	2,66	3,18		8,50 (3,3 - 10,5)	4,15 A	4,00	2050 (630 - 2800)	1025	9,3																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
<b>4 Rooms</b>																						16 + 16 + 16 + 16	1,65	1,65	1,65	1,65	6,60 (1,9 - 8,7)	4,49 A	8,50	1470 (340 - 2380)	735	6,7	2,12	2,12	2,12	2,12	8,48 (3,0 - 10,6)	4,44 A	4,20	1910 (580 - 2690)	955	8,6	16 + 16 + 16 + 20	1,60	1,60	1,60	2,00	6,80 (1,9 - 8,8)	4,39 A	8,00	1550 (340 - 2470)	775	7,0	2,00	2,00	2,50		8,50 (3,0 - 10,6)	4,47 A	4,20	1900 (580 - 2680)	950	8,6	16 + 16 + 16 + 25	1,49	1,49	1,49	2,33	6,80 (1,9 - 8,8)	4,39 A	8,00	1550 (340 - 2470)	775	7,0	1,86	1,86	2,92		8,50 (3,0 - 10,6)	4,47 A	4,20	1900 (580 - 2680)	950	8,6	16 + 16 + 16 + 35	1,31	1,31	1,31	2,87	6,80 (1,9 - 8,8)	4,39 A	8,00	1550 (340 - 2380)	775	7,0	1,64	1,64	3,58		8,50 (3,0 - 10,6)	4,52 A	4,20	1880 (580 - 2660)	940	8,5	16 + 16 + 16 + 42	1,21	1,21	1,21	3,17	6,80 (1,9 - 8,8)	4,50 A	8,00	1510 (340 - 2380)	755	6,8	1,51	1,51	3,97		8,50 (3,0 - 10,6)	4,55 A	4,20	1870 (580 - 2650)	935	8,5	16 + 16 + 16 + 50	1,11	1,11	1,11	3,47	6,80 (1,9 - 8,8)	4,50 A	8,00	1510 (400 - 2240)	755	6,8	1,39	1,39	4,33		8,50 (3,0 - 10,6)	4,64 A	4,20	1830 (650 - 2550)	915	8,3	16 + 16 + 16 + 60	1,01	1,01	1,01	3,77	6,80 (1,9 - 8,8)	4,50 A	8,00	1510 (400 - 2240)	755	6,8	1,26	1,26	4,72		8,50 (3,0 - 10,6)	4,64 A	4,20	1830 (650 - 2550)	915	8,3	16 + 16 + 20 + 20	1,51	1,51	1,89	1,89	6,80 (1,9 - 8,8)	4,39 A	8,00	1550 (340 - 2430)	775	7,0	1,89	2,36	2,36		8,50 (3,1 - 10,6)	4,50 A	4,20	1890 (600 - 2670)	945	8,5	16 + 16 + 20 + 25	1,41	1,41	1,77	2,21	6,80 (1,9 - 8,8)	4,39 A	8,00	1550 (340 - 2430)	775	7,0	1,77	2,20	2,76		8,50 (3,1 - 10,6)	4,50 A	4,20	1890 (600 - 2670)	945	8,5	16 + 16 + 20 + 35	1,25	1,25	1,56	2,74	6,80 (1,9 - 8,8)	4,50 A	8,00	1510 (340 - 2380)	755	6,8	1,56	1,56	3,43		8,50 (3,0 - 10,6)	4,55 A	4,20	1870 (580 - 2650)	935	8,5	16 + 16 + 20 + 42	1,16	1,16	1,44	3,04	6,80 (1,9 - 8,8)	4,50 A	8,00	1510 (370 - 2380)	755	6,8	1,45	1,45	3,80		8,50 (3,0 - 10,6)	4,57 A	4,20	1860 (600 - 2640)	930	8,4	16 + 16 + 20 + 50	1,07	1,07	1,33	3,33	6,80 (1,9 - 8,8)	4,50 A	8,00	1510 (400 - 2200)	755	6,8	1,33	1,67	4,17		8,50 (3,0 - 10,6)	4,64 A	4,20	1830 (660 - 2540)	915	8,3	16 + 16 + 20 + 60	0,97	0,97	1,21	3,65	6,80 (1,9 - 8,8)	4,50 A	8,00	1510 (400 - 2200)	755	6,8	1,21	1,52	4,56		8,50 (3,0 - 10,6)	4,64 A	4,20	1830 (660 - 2540)	915	8,3	16 + 16 + 25 + 25	1,33	1,33	2,07	2,07	6,80 (1,9 - 8,8)	4,39 A	8,00	1550 (340 - 2430)	775	7,0	1,66	1,66	2,59		8,50 (3,1 - 10,6)	4,50 A	4,20	1890 (600 - 2670)	945	8,5	16 + 16 + 25 + 35	1,18	1,18	1,85	2,59	6,80 (1,9 - 8,8)	4,50 A	8,00	1510 (340 - 2380)	755	6,8	1,48	1,48	3,23		8,50 (3,0 - 10,6)	4,55 A	4,20	1870 (580 - 2650)	935	8,5	16 + 16 + 25 + 42	1,10	1,10	1,72	2,88	6,80 (1,9 - 8,8)	4,50 A	8,00	1510 (370 - 2380)	755	6,8	1,37	1,37	3,61																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
16 + 16 + 16 + 16	1,65	1,65	1,65	1,65	6,60 (1,9 - 8,7)	4,49 A	8,50	1470 (340 - 2380)	735	6,7	2,12	2,12	2,12	2,12	8,48 (3,0 - 10,6)	4,44 A	4,20	1910 (580 - 2690)	955	8,6																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
16 + 16 + 16 + 20	1,60	1,60	1,60	2,00	6,80 (1,9 - 8,8)	4,39 A	8,00	1550 (340 - 2470)	775	7,0	2,00	2,00	2,50		8,50 (3,0 - 10,6)	4,47 A	4,20	1900 (580 - 2680)	950	8,6																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
16 + 16 + 16 + 25	1,49	1,49	1,49	2,33	6,80 (1,9 - 8,8)	4,39 A	8,00	1550 (340 - 2470)	775	7,0	1,86	1,86	2,92		8,50 (3,0 - 10,6)	4,47 A	4,20	1900 (580 - 2680)	950	8,6																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
16 + 16 + 16 + 35	1,31	1,31	1,31	2,87	6,80 (1,9 - 8,8)	4,39 A	8,00	1550 (340 - 2380)	775	7,0	1,64	1,64	3,58		8,50 (3,0 - 10,6)	4,52 A	4,20	1880 (580 - 2660)	940	8,5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
16 + 16 + 16 + 42	1,21	1,21	1,21	3,17	6,80 (1,9 - 8,8)	4,50 A	8,00	1510 (340 - 2380)	755	6,8	1,51	1,51	3,97		8,50 (3,0 - 10,6)	4,55 A	4,20	1870 (580 - 2650)	935	8,5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
16 + 16 + 16 + 50	1,11	1,11	1,11	3,47	6,80 (1,9 - 8,8)	4,50 A	8,00	1510 (400 - 2240)	755	6,8	1,39	1,39	4,33		8,50 (3,0 - 10,6)	4,64 A	4,20	1830 (650 - 2550)	915	8,3																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
16 + 16 + 16 + 60	1,01	1,01	1,01	3,77	6,80 (1,9 - 8,8)	4,50 A	8,00	1510 (400 - 2240)	755	6,8	1,26	1,26	4,72		8,50 (3,0 - 10,6)	4,64 A	4,20	1830 (650 - 2550)	915	8,3																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
16 + 16 + 20 + 20	1,51	1,51	1,89	1,89	6,80 (1,9 - 8,8)	4,39 A	8,00	1550 (340 - 2430)	775	7,0	1,89	2,36	2,36		8,50 (3,1 - 10,6)	4,50 A	4,20	1890 (600 - 2670)	945	8,5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
16 + 16 + 20 + 25	1,41	1,41	1,77	2,21	6,80 (1,9 - 8,8)	4,39 A	8,00	1550 (340 - 2430)	775	7,0	1,77	2,20	2,76		8,50 (3,1 - 10,6)	4,50 A	4,20	1890 (600 - 2670)	945	8,5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
16 + 16 + 20 + 35	1,25	1,25	1,56	2,74	6,80 (1,9 - 8,8)	4,50 A	8,00	1510 (340 - 2380)	755	6,8	1,56	1,56	3,43		8,50 (3,0 - 10,6)	4,55 A	4,20	1870 (580 - 2650)	935	8,5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
16 + 16 + 20 + 42	1,16	1,16	1,44	3,04	6,80 (1,9 - 8,8)	4,50 A	8,00	1510 (370 - 2380)	755	6,8	1,45	1,45	3,80		8,50 (3,0 - 10,6)	4,57 A	4,20	1860 (600 - 2640)	930	8,4																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
16 + 16 + 20 + 50	1,07	1,07	1,33	3,33	6,80 (1,9 - 8,8)	4,50 A	8,00	1510 (400 - 2200)	755	6,8	1,33	1,67	4,17		8,50 (3,0 - 10,6)	4,64 A	4,20	1830 (660 - 2540)	915	8,3																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
16 + 16 + 20 + 60	0,97	0,97	1,21	3,65	6,80 (1,9 - 8,8)	4,50 A	8,00	1510 (400 - 2200)	755	6,8	1,21	1,52	4,56		8,50 (3,0 - 10,6)	4,64 A	4,20	1830 (660 - 2540)	915	8,3																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
16 + 16 + 25 + 25	1,33	1,33	2,07	2,07	6,80 (1,9 - 8,8)	4,39 A	8,00	1550 (340 - 2430)	775	7,0	1,66	1,66	2,59		8,50 (3,1 - 10,6)	4,50 A	4,20	1890 (600 - 2670)	945	8,5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
16 + 16 + 25 + 35	1,18	1,18	1,85	2,59	6,80 (1,9 - 8,8)	4,50 A	8,00	1510 (340 - 2380)	755	6,8	1,48	1,48	3,23		8,50 (3,0 - 10,6)	4,55 A	4,20	1870 (580 - 2650)	935	8,5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
16 + 16 + 25 + 42	1,10	1,10	1,72	2,88	6,80 (1,9 - 8,8)	4,50 A	8,00	1510 (370 - 2380)	755	6,8	1,37	1,37	3,61																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													

# MULTI TZ / RE COMBINATIONS TABLE

Multi TZ / RE 2x1 CU-2RE15SBE. Minimum capacity connected: 4,0kW. Maximum capacity connected: 5,7kW • R410 GAS

Indoor unit capacity	Cooling capacity (kW)			EER	Input power rating		A.E.C.	Current	Heating capacity (kW)			COP	Input power rating		A.E.C.	Current
	Rooms				W/W	W			kWh	230V	Rooms			W/W		
	A	B	Total (Min - Max)						A	B	Total (Min - Max)					
<b>1 Room</b>																
20		2,00		2,00 (1,10 - 2,50)	3,64 A	550 (230 - 690)	275	2,60	3,20		3,20 (0,70 - 4,30)	3,40 B	940 (190 - 1.350)	470	4,15	
25		2,50		2,50 (1,10 - 3,10)	3,52 A	710 (230 - 950)	355	3,35	3,60		3,60 (0,70 - 5,00)	3,21 C	1.120 (190 - 1.660)	560	4,95	
35		3,20		3,20 (1,10 - 3,70)	3,27 A	980 (230 - 1.210)	490	4,60	4,50		4,50 (0,70 - 5,70)	3,24 C	1.390 (190 - 1.780)	695	6,15	
<b>2 Rooms</b>																
20 + 20		2,00	2,00	4,00 (1,50 - 4,60)	3,42 A	1.170 (270 - 1.340)	585	5,45	2,40	2,40	4,80 (1,10 - 6,30)	4,00 A	1.200 (240 - 1.610)	600	5,35	
20 + 25		1,95	2,45	4,40 (1,50 - 4,80)	3,38 A	1.300 (270 - 1.520)	650	6,10	2,15	2,65	4,80 (1,10 - 6,50)	4,00 A	1.200 (240 - 1.670)	600	5,35	
					6,50	4,40)¹						4,00	3,60)¹			
20 + 35		1,70	2,70	4,40 (1,50 - 4,80)	3,38 A	1.300 (270 - 1.520)	650	6,10	1,85	2,95	4,80 (1,10 - 6,50)	4,00 A	1.200 (240 - 1.670)	600	5,35	
25 + 25		2,20	2,20	4,40 (1,50 - 4,80)	3,38 A	1.300 (270 - 1.520)	650	6,10	2,40	2,40	4,80 (1,10 - 6,50)	4,00 A	1.200 (240 - 1.670)	600	5,35	
25 + 35		1,95	2,45	4,40 (1,50 - 4,80)	3,38 A	1.300 (270 - 1.520)	650	6,10	2,15	2,65	4,80 (1,10 - 6,50)	4,00 A	1.200 (240 - 1.670)	600	5,35	

Multi TZ / RE 2x1 CU-2RE18SBE. Minimum capacity connected: 4,0kW. Maximum capacity connected: 7,5kW • R410 GAS

Indoor unit capacity	Cooling capacity (kW)			EER	Input power rating		A.E.C.	Current	Heating capacity (kW)			COP	Input power rating		A.E.C.	Current
	Rooms				W/W	W			kWh	230V	Rooms			W/W		
	A	B	Total (Min - Max)						A	B	Total (Min - Max)					
<b>1 Room</b>																
20		2,00		2,00 (1,10 - 2,50)	3,64 A	550 (230 - 690)	275	2,60	3,20		3,20 (0,70 - 4,30)	3,40 B	940 (190 - 1.350)	470	4,15	
25		2,50		2,50 (1,10 - 3,10)	3,52 A	710 (230 - 950)	355	3,35	3,60		3,60 (0,70 - 5,00)	3,21 C	1.120 (190 - 1.660)	560	4,95	
12		3,20		3,20 (1,10 - 3,70)	3,27 A	980 (230 - 1.210)	490	4,60	4,50		4,50 (0,70 - 5,70)	3,24 C	1.390 (190 - 1.780)	695	6,15	
42		4,00		4,00 (1,10 - 4,20)	3,10 B	1.290 (230 - 1.420)	645	6,05	5,00		5,00 (1,10 - 6,40)	3,03 D	1.650 (240 - 2.180)	825	7,30	
50		5,00		5,00 (1,20 - 5,10)	2,94 C	1.700 (240 - 1.820)	850	7,95	5,30		5,30 (1,10 - 6,80)	3,01 D	1.760 (240 - 2.290)	880	7,80	
<b>2 Rooms</b>																
20 + 20		2,00	2,00	4,00 (1,50 - 4,60)	3,45 A	1.160 (270 - 1.340)	580	5,45	2,60	2,60	5,20 (1,10 - 6,30)	4,00 A	1.300 (240 - 1.610)	650	5,80	
20 + 25		2,00	2,50	4,50 (1,50 - 4,90)	3,44 A	1.310 (270 - 1.510)	655	6,10	2,30	2,90	5,20 (1,10 - 6,30)	4,00 A	1.300 (240 - 1.610)	650	5,80	
20 + 12		1,85	2,95	4,80 (1,50 - 4,90)	3,22 A	1.490 (270 - 1.580)	745	6,95	2,00	3,20	5,20 (1,10 - 6,70)	4,00 A	1.300 (240 - 1.700)	650	5,75	
20 + 42		1,60	3,20	4,80 (1,50 - 5,00)	3,22 A	1.490 (270 - 1.580)	745	6,95	1,75	3,45	5,20 (1,10 - 6,70)	4,00 A	1.300 (240 - 1.700)	650	5,75	
20 + 50		1,35	3,45	4,80 (1,50 - 5,00)	3,22 A	1.490 (270 - 1.580)	745	6,95	1,50	3,70	5,20 (1,10 - 6,70)	4,00 A	1.300 (240 - 1.700)	650	5,75	
25 + 25		2,40	2,40	4,80 (1,50 - 5,00)	3,22 A	1.490 (270 - 1.580)	745	6,95	2,60	2,60	5,20 (1,10 - 6,70)	4,00 A	1.300 (240 - 1.700)	650	5,75	
					6,50	4,80)¹						4,00	3,80)¹			
25 + 12		2,10	2,70	4,80 (1,50 - 5,00)	3,22 A	1.490 (270 - 1.580)	745	6,95	2,30	2,90	5,20 (1,10 - 6,70)	4,00 A	1.300 (240 - 1.700)	650	5,75	
25 + 42		1,85	2,95	4,80 (1,50 - 5,00)	3,22 A	1.490 (270 - 1.580)	745	6,95	2,00	3,20	5,20 (1,10 - 6,70)	4,00 A	1.300 (240 - 1.700)	650	5,75	
25 + 50		1,60	3,20	4,80 (1,50 - 5,00)	3,22 A	1.490 (270 - 1.580)	745	6,95	1,75	3,45	5,20 (1,10 - 6,70)	4,00 A	1.300 (240 - 1.700)	650	5,75	
12 + 12		2,40	2,40	4,80 (1,50 - 5,00)	3,22 A	1.490 (270 - 1.580)	745	6,95	2,60	2,60	5,20 (1,10 - 6,70)	4,00 A	1.300 (240 - 1.700)	650	5,75	
12 + 42		2,15	2,65	4,80 (1,50 - 5,00)	3,22 A	1.490 (270 - 1.580)	745	6,95	2,30	2,90	5,20 (1,10 - 6,70)	4,00 A	1.300 (240 - 1.700)	650	5,75	

Free Multi 3x1 CU-3RE18SBE. Minimum capacity connected: 4,5kW. Maximum capacity connected: 9,0kW • R410 GAS

Indoor unit capacity	Cooling capacity (kW)				EER	Input power rating		A.E.C.	Current	Heating capacity (kW)				COP	Input power rating		A.E.C.	Current
	Rooms					W/W	W			kWh	230V	Rooms				W/W		
	A	B	C	Total (Min - Max)						A	B	C	Total (Min - Max)					
<b>1 Room</b>																		
16		1,60		1,60 (1,30 - 2,30)	3,40 A	470 (250 - 710)	235	2,30	2,60		2,60 (1,20 - 3,20)	3,88 A	670 (300 - 1.030)	335	3,40			
20		2,00		2,00 (1,80 - 2,90)	3,51 A	570 (340 - 880)	285	2,80	3,20		3,20 (1,20 - 4,10)	3,95 A	810 (300 - 1.300)	405	4,00			
25		2,50		2,50 (1,80 - 2,90)	3,57 A	700 (340 - 880)	350	3,30	3,60		3,60 (1,20 - 4,30)	3,56 B	1.010 (300 - 1.300)	505	4,80			
35		3,20		3,20 (1,80 - 3,80)	3,68 A	870 (340 - 1.430)	435	4,00	4,50		4,50 (1,20 - 5,80)	3,46 B	1.300 (300 - 1.710)	650	6,20			
42		4,00		4,00 (1,80 - 4,30)	3,05 B	1.310 (340 - 2.060)	655	5,90	5,60		5,60 (1,20 - 8,00)	3,13 D	1.790 (300 - 3.000)	895	7,90			
50		5,00		5,00 (1,90 - 5,70)	2,89 C	1.730 (340 - 2.310)	865	7,60	6,80		6,80 (1,20 - 6,90)	2,98 D	2.280 (300 - 2.700)	1140	10,00			
<b>2 Rooms</b>																		
16 + 16		1,60	1,60	3,20 (1,80 - 6,20)	4,05 A	790 (330 - 2.230)	395	3,60	2,60	2,60	5,20 (1,40 - 7,00)	3,77 A	1.380 (340 - 2.070)	690	6,40			
16 + 20		1,60	2,00	3,60 (1,80 - 6,20)	3,83 A	940 (330 - 2.190)	470	4,20	2,49	3,11	5,60 (1,40 - 7,00)	3,73 A	1.500 (330 - 2.040)	750	6,90			
16 + 25		1,60	2,50	4,10 (1,80 - 6,20)	3,73 A	1.100 (330 - 2.190)	550	4,90	2,42	3,78	6,20 (1,40 - 7,00)	3,69 A	1.680 (330 - 2.040)	840	7,80			
16 + 35		1,60	3,20	4,80 (1,80 - 6,30)	3,36 A	1.430 (330 - 2.200)	715	6,30	2,13	4,27	6,40 (1,40 - 7,00)	3,76 A	1.700 (310 - 2.130)	850	7,80			
16 + 42		1,49	3,71	5,20 (1,90 - 6,40)	3,21 A	1.620 (350 - 2.240)	810	7,10	1,94	4,86	6,80 (1,40 - 7,30)	3,74 A	1.820 (310 - 2.120)	910	8,30			
16 + 50		1,26	3,94	5,20 (1,90 - 6,80)	3,40 A	1.530 (340 - 2.290)	765	6,70	1,65	5,15	6,80 (1,40 - 8,00)	3,80 A	1.790 (240 - 2.340)	895	8,20			
20 + 20		2,00	2,00	4,00 (1,80 - 6,20)	3,74 A	1.070 (330 - 2.150)	535	4,70	2,90	2,90	5,80 (1,40 - 7,00)	3,82 A	1.520 (320 - 2.030)	760	7,00			
20 + 25		2,00	2,50	4,50 (1,80 - 6,20)	3,52 A	1.280 (330 - 2.150)	640	5,60	2,84	3,56	6,40 (1,40 - 7,00)	3,68 A	1.740 (320 - 2.030)	870	8,00			
20 + 35		2,00	3,20	5,20 (1,80 - 6,30)	3,21 A	1.620 (330 - 2.160)	810	7,10	2,62	4,18	6,80 (1,40 - 7,30)	3,74 A	1.820 (310 - 2.120)	910	8,30			
20 + 42		1,73	3,47	5,20 (1,90 - 6,40)	3,29 A	1.580 (350 - 2.200)	790	6,90	2,27	4,53	6,80 (1,40 - 7,30)	3,74 A	1.820 (280 - 2.080)	910	8,30			
20 + 50		1,49	3,71	5,20 (1,90 - 6,80)	3,40 A	1.530 (340 - 2.290)	765	6,70	1,94	4,86	6,80 (1,40 - 8,00)	3,82 A	1.780 (240 - 2.330)	890	8,10			
25 + 25		2,50	2,50	5,00 (1,80 - 6,20)	3,25 A	1.540 (330 - 2.150)	770	6,80	3,40	3,40	6,80 (1,40 - 7,00)	3,64 A	1.870 (320 - 2.030)	935	8,50			
25 + 35		2,28	2,92	5,20 (1,90 - 6,30)	3,21 A	1.620 (350 - 2.160)	810	7,10	2,98	3,82	6,80 (1,40 - 7,30)	3,74 A	1.820 (310 - 2.120)	910	8,30			
25 + 42		2,00	3,20	5,20 (1,90 - 6,40)	3,29 A	1.580 (350 - 2.200)	790	6,90	2,62	4,18	6,80 (1,40 - 7,30)	3,74 A	1.820 (280 - 2.080)	910	8,30			
25 + 50		1,73	3,47	5,20 (1,90 - 6,80)	3,40 A	1.530 (340 - 2.290)	765	6,70	2,27	4,53	6,80 (1,40 - 8,00)	3,82 A	1.780 (240 - 2.330)	890	8,10			
35 + 35		2,60	2,60	5,20 (1,90 - 6,40)	3,38 A	1.540 (350 - 2.160)	770	6,80	3,40	3,40	6,80 (1,40 - 7,50)	3,76 A	1.810 (270 - 2.140)	905	8,30			
35 + 42		2,31	2,89	5,20 (1,90 - 6,50)	3,38 A	1.540 (350 - 2.210)	770	6,80	3,02	3,78	6,80 (1,40 - 7,50)	3,78 A	1.800 (260 - 2.140)	900	8,20			
35 + 50		2,03	3,17	5,20 (1,90 - 6,90)	3,49 A	1.490 (360 - 2.290)	745	6,50	2,65	4,15	6,80 (1,40 - 8,00)	3,86 A	1.760 (240 - 2.270)	880	8,00			
42 + 42		2,60	2,60	5,20 (1,90 - 6,50)	3,38 A	1.540 (350 - 2.210)	770	6,80	3,40	3,40	6,80 (1,40 - 7,60)	3,86 A	1.760 (260 - 2.170)	880	8,00			
42 + 50		2,31	2,89	5,20 (1,90 - 6,90)	3,49 A	1.490 (360 - 2.290)	745	6,50										

# FREE MULTI 2X1 COMBINATIONS TABLE

Free Multi 2x1 CU-2E12SBE. Minimum capacity connected: 3,2kW. Maximum capacity connected: 5,7kW • R410 GAS

Indoor unit capacity	Cooling capacity (kW)			EER	Input power rating		A.E.C.	Current	Heating capacity (kW)			COP	Input power rating		A.E.C.	Current				
	Rooms				W/W	W			kWh	230V	Rooms			W/W			W	kWh	230V	
	A	B	Total (Min - Max)								A		B							Total (Min - Max)
<b>1 Room</b>																				
16	1,60		1,60 (1,10 - 2,30)	3,90 A	410 (220 - 600)	205	1,95	2,60	2,60 (0,70 - 3,80)	3,77 A	690 (170 - 1.110)	345	3,05							
20	2,00		2,00 (1,10 - 2,90)	3,85 A	520 (220 - 750)	260	2,45	3,20	3,20 (0,70 - 4,80)	3,76 A	850 (170 - 1.410)	425	3,75							
25	2,50		2,50 (1,10 - 3,50)	3,73 A	670 (220 - 1.000)	335	3,15	3,60	3,60 (0,70 - 5,50)	3,50 B	1.030 (170 - 1.700)	515	4,55							
35	3,20		3,20 (1,10 - 4,00)	3,48 A	920 (220 - 1.220)	460	4,30	4,40	4,40 (0,70 - 5,60)	3,61 A	1.220 (170 - 1.680)	610	5,40							
<b>2 Rooms</b>																				
16 + 16	1,60	1,60	3,20 (1,50 - 4,00)	4,27 A	750 (250 - 1.000)	375	3,50	2,20	2,20	4,40 (1,10 - 5,60)	4,63 A	950 (210 - 1.270)	475	4,20						
16 + 20	1,60	2,00	3,60 (1,50 - 4,50)	4,50 A	800 (250 - 1.100)	400	3,75	1,95	2,45	4,40 (1,10 - 5,60)	4,63 A	950 (210 - 1.270)	475	4,20						
16 + 25	1,40	2,20	3,60 (1,50 - 4,50)	4,50 A	800 (250 - 1.100)	400	3,75	1,70	2,70	4,40 (1,10 - 5,60)	4,63 A	950 (210 - 1.270)	475	4,20						
16 + 35	1,20	2,40	3,60 (1,50 - 4,50)	4,50 A	800 (250 - 1.100)	400	3,75	1,45	2,95	4,40 (1,10 - 5,60)	4,63 A	950 (210 - 1.270)	475	4,20						
20 + 20	1,80	1,80	3,60 (1,50 - 4,50)	4,50 A	800 (250 - 1.100)	400	3,75	2,20	2,20	4,40 (1,10 - 5,60)	4,63 A	950 (210 - 1.270)	475	4,20						
20 + 25	1,60	2,00	3,60 (1,50 - 4,50)	4,50 A	800 (250 - 1.100)	400	3,75	1,95	2,45	4,40 (1,10 - 5,60)	4,63 A	950 (210 - 1.270)	475	4,20						
20 + 35	1,40	2,20	3,60 (1,50 - 4,50)	4,68 A	770 (250 - 1.050)	385	3,60	1,70	2,70	4,40 (1,10 - 5,60)	4,78 A	920 (210 - 1.220)	460	4,10						
25 + 25	1,80	1,80	3,60 (1,50 - 4,50)	4,68 A	770 (250 - 1.050)	385	3,60	2,20	2,20	4,40 (1,10 - 5,60)	4,78 A	920 (210 - 1.220)	460	4,10						
25 + 35	1,60	2,00	3,60 (1,50 - 4,50)	4,68 A	770 (250 - 1.050)	385	3,60	1,95	2,45	4,40 (1,10 - 5,60)	4,78 A	920 (210 - 1.220)	460	4,10						

1) Showing SEER and Pdesign (kWh) / SCOP and Pdesign at -10°C (kWh): Using EN 14825. Other: A.E.C. using internal procedure (only for reference).  
 \* EER, COP, SEER, SCOP, Input Power, Annual consumption is show following the ErP directive only on the 100% capacity combination as requested by the ErP directive.  
 \* Data for not simultaneous operation.

Free Multi 2x1 CU-2E15SBE. Minimum capacity connected: 3,2kW. Maximum capacity connected: 5,7kW • R410 GAS

Indoor unit capacity	Cooling capacity (kW)			EER	Input power rating		A.E.C.	Current	Heating capacity (kW)			COP	Input power rating		A.E.C.	Current				
	Rooms				W/W	W			kWh	230V	Rooms			W/W			W	kWh	230V	
	A	B	Total (Min - Max)								A		B							Total (Min - Max)
<b>1 Room</b>																				
16	1,60		1,60 (1,10 - 2,30)	3,90 A	410 (220 - 600)	205	1,95	2,60	2,60 (0,70 - 3,80)	3,77 A	690 (170 - 1.110)	345	3,05							
20	2,00		2,00 (1,10 - 2,90)	3,85 A	520 (220 - 750)	260	2,45	3,20	3,20 (0,70 - 4,80)	3,76 A	850 (170 - 1.410)	425	3,75							
25	2,50		2,50 (1,10 - 3,50)	3,73 A	670 (220 - 1.000)	335	3,15	3,60	3,60 (0,70 - 5,50)	3,50 B	1.030 (170 - 1.700)	515	4,55							
35	3,20		3,20 (1,10 - 4,00)	3,48 A	920 (220 - 1.220)	460	4,30	4,50	4,50 (0,70 - 6,20)	3,60 B	1.250 (170 - 1.810)	625	5,55							
<b>2 Rooms</b>																				
16 + 16	1,60	1,60	3,20 (1,50 - 4,00)	3,76 A	850 (250 - 1.100)	425	4,00	2,60	2,60	5,20 (1,10 - 7,00)	4,60 A	1.130 (210 - 1.710)	565	5,00						
16 + 20	1,60	2,00	3,60 (1,50 - 4,50)	3,71 A	970 (250 - 1.280)	485	4,55	2,40	3,00	5,40 (1,10 - 7,00)	4,58 A	1.180 (210 - 1.690)	590	5,25						
16 + 25	1,60	2,50	4,10 (1,50 - 5,10)	3,63 A	1.130 (250 - 1.480)	565	5,30	2,11	3,29	5,40 (1,10 - 7,00)	4,58 A	1.180 (210 - 1.690)	590	5,25						
16 + 35	1,50	3,00	4,50 (1,50 - 5,20)	3,66 A	1.230 (250 - 1.520)	615	5,75	1,80	3,60	5,40 (1,10 - 7,00)	4,58 A	1.180 (210 - 1.690)	590	5,25						
20 + 20	2,00	2,00	4,00 (1,50 - 5,00)	3,67 A	1.090 (250 - 1.460)	545	5,10	2,70	2,70	5,40 (1,10 - 7,00)	4,62 A	1.170 (210 - 1.670)	585	5,20						
20 + 25	2,00	2,50	4,50 (1,50 - 5,20)	3,66 A	1.230 (250 - 1.520)	615	5,75	2,40	3,00	5,40 (1,10 - 7,00)	4,62 A	1.170 (210 - 1.670)	585	5,20						
20 + 35	1,75	2,75	4,50 (1,50 - 5,20)	3,66 A	1.230 (250 - 1.520)	615	5,75	2,10	3,30	5,40 (1,10 - 7,00)	4,62 A	1.170 (210 - 1.670)	585	5,20						
25 + 25	2,25	2,25	4,50 (1,50 - 5,20)	3,66 A	1.230 (250 - 1.520)	615	5,75	2,70	2,70	5,40 (1,10 - 7,00)	4,62 A	1.170 (210 - 1.670)	585	5,20						
25 + 35	2,00	2,50	4,50 (1,50 - 5,20)	3,66 A	1.230 (250 - 1.520)	615	5,75	2,40	3,00	5,40 (1,10 - 7,00)	4,62 A	1.170 (210 - 1.670)	585	5,20						

1) Showing SEER and Pdesign (kWh) / SCOP and Pdesign at -10°C (kWh): Using EN 14825. Other: A.E.C. using internal procedure (only for reference).  
 \* EER, COP, SEER, SCOP, Input Power, Annual consumption is show following the ErP directive only on the 100% capacity combination as requested by the ErP directive.  
 \* Data for not simultaneous operation.

Free Multi 2x1 CU-2E18SBE. Minimum capacity connected: 3,2kW. Maximum capacity connected: 7,5kW • R410 GAS

Indoor unit capacity	Cooling capacity (kW)			EER	Input power rating		A.E.C.	Current	Heating capacity (kW)			COP	Input power rating		A.E.C.	Current				
	Rooms				W/W	W			kWh	230V	Rooms			W/W			W	kWh	230V	
	A	B	Total (Min - Max)								A		B							Total (Min - Max)
<b>1 Room</b>																				
16	1,60		1,60 (1,10 - 2,30)	3,90 A	410 (220 - 600)	205	1,95	2,60	2,60 (0,70 - 3,80)	3,77 A	690 (170 - 1.110)	345	3,05							
20	2,00		2,00 (1,10 - 2,90)	3,85 A	520 (220 - 750)	260	2,45	3,20	3,20 (0,70 - 4,80)	3,76 A	850 (170 - 1.410)	425	3,75							
25	2,50		2,50 (1,10 - 3,50)	3,73 A	670 (220 - 1.000)	335	3,15	3,60	3,60 (0,70 - 5,50)	3,50 B	1.030 (170 - 1.700)	515	4,55							
35	3,20		3,20 (1,10 - 4,00)	3,48 A	920 (220 - 1.220)	460	4,30	4,50	4,50 (0,70 - 6,20)	3,60 B	1.250 (170 - 1.810)	625	5,55							
42	4,00		4,00 (1,10 - 4,20)	3,13 B	1.280 (220 - 1.390)	640	6,00	5,00	5,00 (1,10 - 6,40)	3,23 C	1.550 (210 - 2.180)	775	6,90							
50	5,00		5,00 (1,20 - 5,10)	2,96 C	1.690 (230 - 1.790)	845	7,80	5,30	5,30 (1,10 - 6,80)	3,23 C	1.640 (210 - 2.290)	820	7,30							
<b>2 Rooms</b>																				
16 + 16	1,60	1,60	3,20 (1,50 - 4,00)	3,76 A	850 (250 - 1.100)	425	4,00	2,60	2,60	5,20 (1,10 - 7,00)	4,60 A	1.130 (210 - 1.710)	565	5,00						
16 + 20	1,60	2,00	3,60 (1,50 - 4,50)	3,71 A	970 (250 - 1.280)	485	4,55	2,40	3,00	5,40 (1,10 - 7,00)	4,58 A	1.180 (210 - 1.690)	590	5,25						
16 + 25	1,60	2,50	4,10 (1,50 - 5,10)	3,63 A	1.130 (250 - 1.480)	565	5,30	2,11	3,29	5,40 (1,10 - 7,00)	4,58 A	1.180 (210 - 1.690)	590	5,25						
16 + 35	1,50	3,00	4,50 (1,50 - 5,20)	3,66 A	1.230 (250 - 1.520)	615	5,75	1,80	3,60	5,40 (1,10 - 7,00)	4,58 A	1.180 (210 - 1.690)	590	5,25						
16 + 42	1,50	3,70	5,20 (1,50 - 5,40)	3,42 A	1.520 (250 - 1.580)	760	7,10	1,60	4,00	5,60 (1,10 - 7,20)	4,63 A	1.210 (210 - 1.700)	605	5,35						
16 + 50	1,25	3,95	5,20 (1,50 - 5,40)	3,42 A	1.520 (250 - 1.580)	760	7,10	1,35	4,25	5,60 (1,10 - 7,20)	4,63 A	1.210 (210 - 1.700)	605	5,35						
20 + 20	2,00	2,00	4,00 (1,50 - 5,00)	3,67 A	1.090 (250 - 1.460)	545	5,10	2,70	2,70	5,40 (1,10 - 7,00)	4,62 A	1.170 (210 - 1.670)	585	5,20						
20 + 25	2,00	2,50	4,50 (1,50 - 5,20)	3,66 A	1.230 (250 - 1.520)	615	5,75	2,40	3,00	5,40 (1,10 - 7,00)	4,62 A	1.170 (210 - 1.670)	585	5,20						
20 + 35	2,00	3,20	5,20 (1,50 - 5,40)	3,42 A	1.520 (250 - 1.580)	760	7,10	2,15	3,45	5,60 (1,10 - 7,20)	4,63 A	1.210 (210 - 1.700)	605	5,35						
20 + 42	1,75	3,45	5,20 (1,50 - 5,40)	3,42 A	1.520 (250 - 1.580)	760	7,10	1,85	3,75	5,60 (1,10 - 7,20)	4,63 A	1.210 (210 - 1.700)	605	5,35						
20 + 50	1,50	3,70	5,20 (1,50 - 5,40)	3,42 A	1.520 (250 - 1.580)	760	7,10	1,60	4,00	5,60 (1,10 - 7,20)	4,63 A	1.210 (210 - 1.700)	605	5,35						
25 + 25	2,50	2,50	5,00 (1,50 - 5,20)	3,47 A	1.440 (250 - 1.520)	720	6,70	2,80	2,80	5,60 (1,10 - 7,20)	4,63 A	1.210 (210 - 1.700)	605	5,35						
25 + 35	2,30	2,90	5,20 (1,50 - 5,40)	3,42 A	1.520 (250 - 1.580)	760	7,10	2,45	3,15	5,60 (1,10 - 7,20)	4,63 A	1.210 (210 - 1.700)	605	5,35						
25 + 42	2,00	3,20	5,20 (1,50 - 5,40)	3,42 A	1.520 (250 - 1.580)	760	7,10	2,15	3,45	5,60 (1,10 - 7,20)	4,63 A	1.210 (210 - 1.700)	605	5,35						
25 + 50	1,75	3,45	5,20 (1,50 - 5,40)	3,42 A	1.520 (250 - 1.580)	760	7,10	1,85	3,75	5,60 (1,10 - 7,20)	4,63 A	1.210 (210 - 1.700)	605	5,35						
35 + 35	2,60	2,60	5,20 (1,50 - 5,40)	3,42 A	1.520 (250 - 1.580)	760	7,10	2,80	2,80	5,60 (1,10 - 7,20)	4,63 A	1.210 (210 - 1.700)	605	5,35						
35 + 42	2,30	2,90	5,20 (1,50 - 5,40)	3,42 A	1.520 (250 - 1.580)	760	7,10	2,50	3,10	5,60 (1,10 - 7,20)	4,63 A	1.210 (210 - 1.700)	605	5,35						

1) Showing SEER and Pdesign (kWh) / SCOP and Pdesign at -10°C (kWh): Using EN 14825. Other: A.E.C. using internal procedure (only for reference).  
 \* EER, COP, SEER, SCOP, Input Power, Annual consumption is show following the ErP directive only on the 100% capacity combination as requested by the ErP directive.  
 \* Data for not simultaneous operation.

# FREE MULTI 3X1 COMBINATIONS TABLE

Free Multi 3x1 CU-3E18PBE. Minimum capacity connected: 4,5kW. Maximum capacity connected: 9,0kW • R410 GAS

Indoor unit capacity	Cooling capacity (kW)				EER	Input power rating		A.E.C.	Current	Heating capacity (kW)				COP	Input power rating		A.E.C.	Current
	Rooms					W/W	W			kWh	230V	Rooms				W/W		
	A	B	C	Total (Min - Max)						A	B	C	Total (Min - Max)					
<b>1 Room</b>																		
16	1,60			1,60 (1,30 - 2,30)	3,40 A	470 (250 - 710)	235	2,30	2,60				2,60 (1,20 - 3,20)	3,88 A	670 (300 - 1030)	335	3,20	
20	2,00			2,00 (1,80 - 2,90)	3,51 A	570 (340 - 880)	285	2,80	3,20				3,20 (1,20 - 4,10)	3,95 A	810 (300 - 1300)	405	4,00	
25	2,50			2,50 (1,80 - 2,90)	3,57 A	700 (340 - 880)	350	3,30	3,60				3,60 (1,20 - 4,30)	3,56 B	1.010 (300 - 1300)	505	4,80	
35	3,20			3,20 (1,80 - 3,80)	3,68 A	870 (340 - 1.430)	435	4,00	4,50				4,50 (1,20 - 5,80)	3,46 B	1.300 (300 - 2170)	650	6,20	
42	4,00			4,00 (1,80 - 4,30)	3,05 B	1.310 (340 - 2.060)	655	5,90	5,60				5,60 (1,20 - 6,80)	3,13 D	1.790 (300 - 3000)	895	7,90	
50	5,00			5,00 (1,90 - 5,70)	2,90 C	1.725 (340 - 2.305)	863	7,60	6,80				6,80 (1,20 - 6,90)	2,99 D	2.275 (300 - 2695)	1.138	10,00	
<b>2 Rooms</b>																		
16 + 16	1,60	1,60		3,20 (1,80 - 6,20)	4,05 A	790 (330 - 2.230)	395	3,60	2,60	2,60			5,20 (1,40 - 7,00)	3,77 A	1.380 (340 - 2070)	690	6,40	
16 + 20	1,60	2,00		3,60 (1,80 - 6,20)	3,83 A	940 (330 - 2.190)	470	4,20	2,49	3,11			5,60 (1,40 - 7,00)	3,73 A	1.500 (330 - 2040)	750	6,90	
16 + 25	1,60	2,50		4,10 (1,80 - 6,20)	3,73 A	1.100 (330 - 2.190)	550	4,90	2,42	3,78			6,20 (1,40 - 7,00)	3,69 A	1.680 (330 - 2040)	840	7,80	
16 + 35	1,60	3,20		4,80 (1,80 - 6,30)	3,36 A	1.430 (330 - 2.200)	715	6,30	2,13	4,27			6,40 (1,40 - 7,30)	3,76 A	1.700 (310 - 2130)	850	7,80	
16 + 42	1,49	3,71		5,20 (1,90 - 6,40)	3,21 A	1.620 (350 - 2.240)	810	7,10	1,94	4,86			6,80 (1,40 - 7,30)	3,74 A	1.820 (310 - 2120)	910	8,30	
16 + 50	1,26	3,94		5,20 (1,90 - 6,80)	3,41 A	1.525 (340 - 2.285)	763	6,70	1,65	5,15			6,80 (1,40 - 8,00)	3,81 A	1.785 (240 - 2335)	893	8,20	
20 + 20	2,00	2,00		4,00 (1,80 - 6,20)	3,74 A	1.070 (330 - 2.150)	535	4,70	2,90	2,90			5,80 (1,40 - 7,00)	3,82 A	1.520 (320 - 2030)	760	7,00	
20 + 25	2,00	2,50		4,50 (1,80 - 6,20)	3,52 A	1.280 (330 - 2.150)	640	5,60	2,84	3,56			6,40 (1,40 - 7,00)	3,68 A	1.740 (320 - 2030)	870	8,00	
20 + 35	2,00	3,20		5,20 (1,80 - 6,30)	3,21 A	1.620 (330 - 2.160)	810	7,10	2,62	4,18			6,80 (1,40 - 7,30)	3,74 A	1.820 (310 - 2120)	910	8,30	
20 + 42	1,73	3,47		5,20 (1,90 - 6,40)	3,29 A	1.580 (350 - 2.200)	790	6,90	2,27	4,53			6,80 (1,40 - 7,30)	3,74 A	1.820 (280 - 2080)	910	8,30	
20 + 50	1,49	3,71		5,20 (1,90 - 6,80)	3,41 A	1.525 (340 - 2.285)	763	6,70	1,94	4,86			6,80 (1,40 - 8,00)	3,83 A	1.775 (240 - 2325)	888	8,10	
25 + 25	2,50	2,50		5,00 (1,80 - 6,20)	3,25 A	1.540 (330 - 2.150)	770	6,80	3,40	3,40			6,80 (1,40 - 7,00)	3,64 A	1.870 (320 - 2030)	935	8,50	
25 + 35	2,28	2,92		5,20 (1,90 - 6,30)	3,21 A	1.620 (350 - 2.160)	810	7,10	2,98	3,82			6,80 (1,40 - 7,30)	3,74 A	1.820 (310 - 2120)	910	8,30	
25 + 42	2,00	3,20		5,20 (1,90 - 6,40)	3,29 A	1.580 (350 - 2.200)	790	6,90	2,62	4,18			6,80 (1,40 - 7,30)	3,74 A	1.820 (280 - 2080)	910	8,30	
25 + 50	1,73	3,47		5,20 (1,90 - 6,80)	3,41 A	1.525 (340 - 2.285)	763	6,70	2,27	4,53			6,80 (1,40 - 8,00)	3,83 A	1.775 (240 - 2325)	888	8,10	
35 + 35	2,60	2,60		5,20 (1,90 - 6,40)	3,38 A	1.540 (350 - 2.160)	770	6,80	3,40	3,40			6,80 (1,40 - 7,50)	3,76 A	1.810 (270 - 2140)	905	8,30	
35 + 42	2,31	2,89		5,20 (1,90 - 6,50)	3,38 A	1.540 (350 - 2.210)	770	6,80	3,02	3,78			6,80 (1,40 - 7,50)	3,78 A	1.800 (260 - 2140)	900	8,20	
35 + 50	2,03	3,17		5,20 (1,90 - 6,90)	3,50 A	1.485 (360 - 2.285)	743	6,50	2,65	4,15			6,80 (1,40 - 8,00)	3,87 A	1.755 (240 - 2265)	878	8,00	
42 + 42	2,60	2,60		5,20 (1,90 - 6,50)	3,38 A	1.540 (350 - 2.210)	770	6,80	3,40	3,40			6,80 (1,40 - 7,60)	3,86 A	1.760 (260 - 2170)	880	8,00	
42 + 50	2,31	2,89		5,20 (1,90 - 6,90)	3,50 A	1.485 (360 - 2.285)	743	6,50	3,02	3,78			6,80 (1,40 - 8,00)	3,90 A	1.745 (240 - 2265)	873	8,10	
<b>3 Rooms</b>																		
16 + 16 + 16	1,60	1,60	1,60	4,80 (1,80 - 7,20)	3,81 A	1.260 (360 - 2.340)	630	5,50	2,26	2,26	2,26		6,78 (1,50 - 8,10)	4,06 A	1.670 (290 - 2250)	835	7,70	
16 + 16 + 20	1,60	1,60	2,00	5,20 (1,80 - 7,30)	3,69 A	1.410 (360 - 2.390)	705	6,20	2,09	2,09	2,62		6,80 (1,60 - 8,30)	4,10 A	1.660 (320 - 2320)	830	7,70	
16 + 16 + 25	1,46	1,46	2,28	5,20 (1,90 - 7,20)	3,69 A	1.410 (390 - 2.300)	705	6,20	1,91	1,91	2,98		6,80 (1,60 - 8,30)	4,10 A	1.660 (320 - 2320)	830	7,70	
16 + 16 + 35	1,30	1,30	2,60	5,20 (1,90 - 7,20)	3,69 A	1.410 (390 - 2.250)	705	6,20	1,70	1,70	3,40		6,80 (1,60 - 8,30)	4,15 A	1.640 (310 - 2250)	820	7,60	
16 + 16 + 42	1,16	1,16	2,88	5,20 (1,80 - 7,30)	3,69 A	1.410 (390 - 2.300)	705	6,20	1,51	1,51	3,78		6,80 (1,60 - 8,30)	4,17 A	1.630 (310 - 2250)	815	7,50	
16 + 16 + 50	1,01	1,01	3,18	5,20 (1,80 - 7,30)	3,62 A	1.435 (420 - 2.225)	718	6,30	1,33	1,33	4,14		6,80 (1,60 - 8,30)	4,16 A	1.635 (360 - 2215)	818	7,50	
16 + 20 + 20	1,48	1,86	1,86	5,20 (1,90 - 7,20)	3,69 A	1.410 (390 - 2.300)	705	6,20	1,94	2,43	2,43		6,80 (1,60 - 8,30)	4,12 A	1.650 (310 - 2270)	825	7,60	
16 + 20 + 25	1,36	1,70	2,14	5,20 (1,90 - 7,20)	3,69 A	1.410 (390 - 2.300)	705	6,20	1,78	2,23	2,79		6,80 (1,60 - 8,30)	4,12 A	1.650 (310 - 2270)	825	7,60	
16 + 20 + 35	1,22	1,53	2,45	5,20 (1,90 - 7,20)	3,69 A	1.410 (390 - 2.210)	705	6,20	1,60	2,00	3,20		6,80 (1,60 - 8,30)	4,17 A	1.630 (310 - 2250)	815	7,50	
16 + 20 + 42	1,09	1,37	2,74	5,20 (1,80 - 7,30)	3,69 A	1.410 (390 - 2.300)	705	6,20	1,43	1,79	3,58		6,80 (1,60 - 8,30)	4,17 A	1.630 (310 - 2240)	815	7,50	
16 + 20 + 50	0,97	1,21	3,02	5,20 (1,80 - 7,30)	3,62 A	1.435 (420 - 2.175)	718	6,30	1,27	1,58	3,95		6,80 (1,60 - 8,30)	4,18 A	1.625 (360 - 2215)	813	7,50	
16 + 25 + 25	1,26	1,97	1,97	5,20 (1,90 - 7,20)	3,69 A	1.410 (390 - 2.300)	705	6,20	1,64	2,58	2,58		6,80 (1,60 - 8,30)	4,12 A	1.650 (310 - 2270)	825	7,60	
16 + 25 + 35	1,14	1,78	2,28	5,20 (1,80 - 7,30)	3,69 A	1.410 (390 - 2.300)	705	6,20	1,49	2,33	2,98		6,80 (1,60 - 8,30)	4,17 A	1.630 (310 - 2250)	815	7,50	
16 + 25 + 42	1,03	1,60	2,57	5,20 (1,80 - 7,30)	3,69 A	1.410 (390 - 2.300)	705	6,20	1,34	2,10	3,36		6,80 (1,60 - 8,30)	4,17 A	1.630 (310 - 2240)	815	7,50	
16 + 35 + 35	1,04	2,08	2,08	5,20 (1,80 - 7,30)	3,80 A	1.370 (390 - 2.250)	685	6,00	1,36	2,72	2,72		6,80 (1,60 - 8,30)	4,22 A	1.610 (320 - 2220)	805	7,40	
16 + 35 + 42	0,95	1,89	2,36	5,20 (1,80 - 7,30)	3,80 A	1.370 (390 - 2.250)	685	6,00	1,24	2,47	3,09		6,80 (1,60 - 8,30)	4,22 A	1.610 (320 - 2210)	805	7,40	
20 + 20 + 20	1,73	1,73	1,73	5,19 (1,90 - 7,20)	3,68 A	1.410 (390 - 2.250)	705	6,20	2,26	2,26	2,26		6,78 (1,60 - 8,30)	4,11 A	1.650 (310 - 2260)	825	7,60	
20 + 20 + 25	1,60	1,60	2,00	5,20 (1,90 - 7,20)	3,69 A	1.410 (390 - 2.250)	705	6,20	2,09	2,09	2,62		6,80 (1,60 - 8,30)	4,12 A	1.650 (310 - 2260)	825	7,60	
20 + 20 + 35	1,44	1,44	2,32	5,20 (1,90 - 7,20)	3,80 A	1.370 (390 - 2.210)	685	6,00	1,89	1,89	3,02		6,80 (1,60 - 8,30)	4,17 A	1.630 (310 - 2240)	815	7,50	
20 + 20 + 42	1,30	1,30	2,60	5,20 (1,80 - 7,30)	3,80 A	1.370 (390 - 2.250)	685	6,00	1,70	1,70	3,40		6,80 (1,60 - 8,30)	4,20 A	1.620 (320 - 2230)	810	7,50	
20 + 20 + 50	1,16	1,16	2,88	5,20 (1,80 - 7,30)	3,62 A	1.435 (420 - 2.175)	718	6,30	1,51	1,51	3,78		6,80 (1,60 - 8,30)	4,18 A	1.625 (360 - 2205)	813	7,50	
20 + 25 + 25	1,48	1,86	1,86	5,20 (1,90 - 7,20)	3,69 A	1.410 (390 - 2.250)	705	6,20	1,94	2,43	2,43		6,80 (1,60 - 8,30)	4,12 A	1.650 (310 - 2260)	825	7,60	
20 + 25 + 35	1,35	1,69	2,16	5,20 (1,90 - 7,20)	3,80 A	1.370 (390 - 2.210)	685	6,00	1,76	2,21	2,83		6,80 (1,60 - 8,30)	4,17 A	1.630 (310 - 2240)	815	7,50	
20 + 25 + 42	1,22	1,53	2,45	5,20 (1,80 - 7,30)	3,80 A	1.370 (390 - 2.250)	685	6,00	1,60	2,00	3,20		6,80 (1,60 - 8,30)	4,20 A	1.620 (320 - 2230)	810	7,50	
20 + 35 + 35	1,24	1,98	1,98	5,20 (1,80 - 7,30)	3,80 A	1.370 (390 - 2.210)	685	6,00	1,62	2,59	2,59		6,80 (1,60 - 8,30)	4,22 A	1.610 (320 - 2210)	805	7,40	
25 + 25 + 25	1,73	1,73	1,73	5,19 (1,90 - 7,20)	3,68 A	1.410 (390 - 2.250)	705	6,20	2,26	2,26	2,26		6,78 (1,60 - 8,30)	4,11 A	1.650 (310 - 2260)	825	7,60	
25 + 25 + 35	1,59	1,59	2,02	5,20 (1,90 - 7,20)	3,80 A	1.370 (390 - 2.210)	685	6,										

Free Multi 3x1 CU-3E23SBE. Minimum capacity connected: 4,5kW. Maximum capacity connected: 11,0kW • R410 GAS

Indoor unit capacity	Cooling capacity (kW)				EER	Input power rating	A.E.C.	Current	Heating capacity (kW)				COP	Input power rating	A.E.C.	Current								
	Rooms								W/W	W	kWh	230V					Rooms				W/W	W	kWh	230V
	A	B	C	Total (Min - Max)													A	B	C	Total (Min - Max)				
<b>1 Room</b>																								
16	1,60			1,60 (1,30 - 2,30)	3,40 A	470 (250 - 710)	235	2,30	2,60			2,60 (1,20 - 3,20)	3,88 A	670 (300 - 960)	335	3,20								
20	2,00			2,00 (1,80 - 2,90)	3,51 A	570 (340 - 880)	285	2,80	3,20			3,20 (1,20 - 4,10)	3,95 A	810 (300 - 1.300)	405	4,00								
25	2,50			2,50 (1,80 - 2,90)	3,57 A	700 (340 - 880)	350	3,40	3,60			3,60 (1,20 - 4,30)	3,56 B	1.010 (300 - 1.300)	505	5,00								
35	3,20			3,20 (1,80 - 3,80)	3,68 A	870 (340 - 1.430)	435	4,20	4,50			4,50 (1,20 - 5,80)	3,46 B	1.300 (300 - 2.170)	650	6,30								
42	4,00			4,00 (1,80 - 4,30)	3,05 B	1.310 (340 - 2.060)	655	6,10	5,60			5,60 (1,20 - 6,80)	3,13 D	1.790 (300 - 3.000)	895	8,30								
50	5,00			5,00 (1,90 - 5,70)	2,90 C	1.725 (340 - 2.305)	863	8,00	6,80			6,80 (1,20 - 6,90)	2,99 D	2.275 (300 - 2.695)	1.138	10,50								
<b>2 Rooms</b>																								
16 + 16	1,60	1,60		3,20 (1,90 - 6,40)	4,16 A	770 (270 - 2.150)	385	3,60	2,60	2,60		5,20 (2,70 - 9,80)	3,61 A	1.440 (660 - 3.060)	720	6,70								
16 + 20	1,60	2,00		3,60 (1,90 - 6,40)	3,96 A	910 (270 - 2.110)	455	4,10	2,58	3,22		5,80 (2,70 - 9,80)	3,58 B	1.620 (650 - 3.060)	810	7,50								
16 + 25	1,60	2,50		4,10 (1,90 - 6,40)	3,83 A	1.070 (270 - 2.110)	535	4,80	2,38	3,72		6,10 (2,70 - 9,80)	3,55 B	1.720 (650 - 3.060)	860	8,00								
16 + 35	1,60	3,20		4,80 (1,90 - 6,90)	3,48 A	1.380 (270 - 2.500)	690	6,10	2,13	4,27		6,40 (2,70 - 9,90)	3,64 A	1.760 (630 - 3.070)	880	8,10								
16 + 42	1,60	4,00		5,60 (1,90 - 6,90)	3,08 B	1.820 (270 - 2.460)	910	8,00	2,29	5,71		8,00 (2,70 - 9,90)	3,39 C	2.360 (630 - 3.070)	1.180	10,90								
16 + 50	1,60	5,00		6,60 (2,00 - 7,50)	2,89 C	2.285 (280 - 2.645)	1.143	10,00	2,06	6,44		8,50 (2,80 - 10,20)	3,39 C	2.505 (560 - 3.145)	1.253	11,60								
20 + 20	2,00	2,00		4,00 (1,90 - 6,40)	3,85 A	1.040 (270 - 2.080)	520	4,70	2,90	2,90		5,80 (2,70 - 9,80)	3,67 A	1.580 (640 - 3.070)	790	7,40								
20 + 25	2,00	2,50		4,50 (1,90 - 6,40)	3,63 A	1.240 (270 - 2.080)	620	5,50	2,71	3,39		6,10 (2,70 - 9,80)	3,57 B	1.710 (640 - 3.070)	855	8,00								
20 + 35	2,00	3,20		5,20 (1,90 - 6,90)	3,29 A	1.580 (270 - 2.460)	790	7,00	2,69	4,31		7,00 (2,70 - 9,90)	3,50 B	2.000 (630 - 3.070)	1.000	9,20								
20 + 42	2,00	4,00		6,00 (1,90 - 6,90)	2,96 C	2.030 (270 - 2.420)	1.015	8,90	2,73	5,47		8,20 (2,70 - 9,90)	3,37 C	2.430 (620 - 3.070)	1.215	11,20								
20 + 50	1,94	4,86		6,80 (2,00 - 7,50)	2,80 C	2.425 (280 - 2.595)	1.213	10,60	2,43	6,07		8,50 (2,80 - 10,20)	3,39 C	2.505 (560 - 3.145)	1.253	11,60								
25 + 25	2,50	2,50		5,00 (1,90 - 6,80)	3,33 A	1.500 (270 - 2.450)	750	6,70	3,20	3,20		6,40 (2,70 - 9,80)	3,54 B	1.810 (640 - 3.070)	905	8,30								
25 + 35	2,50	3,20		5,70 (1,90 - 6,90)	3,06 B	1.860 (270 - 2.460)	930	8,20	3,55	4,55		8,10 (2,70 - 9,90)	3,39 C	2.390 (630 - 3.070)	1.195	11,00								
25 + 42	2,50	4,00		6,50 (1,90 - 6,90)	2,65 D	2.450 (270 - 2.460)	1.225	10,80	3,27	5,23		8,50 (2,70 - 9,90)	3,29 C	2.580 (620 - 3.070)	1.290	11,90								
25 + 50	2,27	4,53		6,80 (1,90 - 7,50)	2,80 C	2.425 (260 - 2.595)	1.213	10,60	2,83	5,67		8,50 (2,80 - 10,20)	3,39 C	2.505 (560 - 3.145)	1.253	11,60								
35 + 35	3,20	3,20		6,40 (1,90 - 7,00)	2,77 D	2.310 (270 - 2.420)	1.195	10,10	4,25	4,25		8,50 (2,80 - 10,00)	3,36 C	2.530 (640 - 3.070)	1.265	11,70								
35 + 42	3,02	3,78		6,80 (1,90 - 7,10)	2,57 E	2.650 (270 - 2.660)	1.325	11,60	3,78	4,72		8,50 (2,80 - 10,00)	3,36 C	2.530 (640 - 3.070)	1.265	11,70								
35 + 50	2,65	4,15		6,80 (2,00 - 7,60)	2,91 C	2.335 (280 - 2.605)	1.168	10,30	3,32	5,18		8,50 (2,80 - 10,00)	3,48 B	2.445 (640 - 3.125)	1.223	11,30								
42 + 42	3,40	3,40		6,80 (1,90 - 7,10)	2,57 E	2.650 (260 - 2.660)	1.325	11,60	4,25	4,25		8,50 (2,80 - 10,00)	3,37 C	2.520 (600 - 3.030)	1.260	11,60								
42 + 50	3,02	3,78		6,80 (2,00 - 7,60)	2,91 C	2.335 (280 - 2.555)	1.168	10,30	3,78	4,72		8,50 (2,80 - 10,00)	3,49 B	2.435 (540 - 3.115)	1.218	11,20								
50 + 50	3,40	3,40		6,80 (2,10 - 8,10)	3,08 B	2.210 (320 - 2.720)	1.105	9,70	4,25	4,25		8,50 (2,80 - 10,50)	3,54 B	2.400 (510 - 3.130)	1.200	11,10								
<b>3 Rooms</b>																								
16 + 16 + 16	1,60	1,60	1,60	4,80 (1,90 - 8,00)	3,90 A	1.230 (270 - 2.710)	615	5,50	2,60	2,60	2,60	7,80 (3,30 - 10,40)	3,70 A	2.110 (640 - 3.070)	1.055	9,70								
16 + 16 + 20	1,60	1,60	2,00	5,20 (1,90 - 8,00)	3,80 A	1.370 (270 - 2.670)	685	6,10	2,58	2,58	3,24	8,40 (3,30 - 10,40)	3,61 A	2.330 (640 - 3.060)	1.165	10,70								
16 + 16 + 25	1,60	1,60	2,50	5,70 (1,90 - 8,00)	3,56 A	1.600 (270 - 2.670)	800	7,10	2,39	2,39	3,72	8,50 (3,30 - 10,40)	3,59 B	2.370 (640 - 3.060)	1.185	10,90								
16 + 16 + 35	1,60	1,60	3,20	6,40 (1,90 - 8,00)	3,39 A	1.890 (270 - 2.580)	945	8,30	2,13	2,13	4,24	8,50 (3,30 - 10,40)	3,68 A	2.310 (630 - 3.040)	1.155	10,70								
16 + 16 + 42	1,51	1,51	3,78	6,80 (1,90 - 8,10)	3,21 A	2.120 (270 - 2.670)	1.060	9,30	1,89	1,89	4,72	8,50 (3,30 - 10,50)	3,70 A	2.300 (620 - 3.070)	1.150	10,60								
16 + 16 + 50	1,33	1,33	4,14	6,80 (2,00 - 8,50)	3,26 A	2.085 (320 - 2.735)	1.043	9,20	1,66	1,66	5,18	8,50 (3,20 - 10,60)	3,74 A	2.275 (600 - 3.035)	1.138	10,50								
16 + 20 + 20	1,60	2,00	2,00	5,60 (1,90 - 8,00)	3,68 A	1.520 (270 - 2.670)	760	6,70	2,42	3,04	3,04	8,50 (3,30 - 10,40)	3,60 A	2.360 (630 - 3.050)	1.180	10,90								
16 + 20 + 25	1,60	2,00	2,50	6,10 (1,90 - 8,00)	3,45 A	1.770 (270 - 2.670)	885	7,80	2,23	2,79	3,48	8,50 (3,30 - 10,40)	3,60 A	2.360 (630 - 3.050)	1.180	10,90								
16 + 20 + 35	1,60	2,00	3,20	6,80 (1,90 - 8,00)	3,21 A	2.120 (270 - 2.580)	1.060	9,30	2,00	2,50	4,00	8,50 (3,30 - 10,40)	3,70 A	2.300 (620 - 2.990)	1.150	10,60								
16 + 20 + 42	1,43	1,79	3,58	6,80 (1,90 - 8,10)	3,21 A	2.120 (270 - 2.630)	1.060	9,30	1,79	2,24	4,47	8,50 (3,30 - 10,50)	3,71 A	2.290 (620 - 3.020)	1.145	10,60								
16 + 20 + 50	1,27	1,58	3,95	6,80 (2,00 - 8,50)	3,34 A	2.035 (320 - 2.735)	1.018	8,90	1,58	1,98	4,94	8,50 (3,20 - 10,60)	3,75 A	2.265 (600 - 3.025)	1.133	10,40								
16 + 25 + 25	1,60	2,50	2,50	6,60 (1,90 - 8,00)	3,25 A	2.030 (270 - 2.670)	1.015	8,90	2,06	3,22	3,22	8,50 (3,30 - 10,40)	3,60 A	2.360 (630 - 3.050)	1.180	10,90								
16 + 25 + 35	1,49	2,33	2,98	6,80 (1,90 - 8,00)	3,21 A	2.120 (270 - 2.580)	1.060	9,30	1,86	2,91	3,73	8,50 (3,30 - 10,40)	3,70 A	2.300 (620 - 2.990)	1.150	10,60								
16 + 25 + 42	1,34	2,10	3,36	6,80 (1,90 - 8,10)	3,21 A	2.120 (270 - 2.630)	1.060	9,30	1,68	2,62	4,20	8,50 (3,30 - 10,50)	3,71 A	2.290 (620 - 3.020)	1.145	10,60								
16 + 25 + 50	1,19	1,87	3,74	6,80 (2,00 - 8,50)	3,34 A	2.035 (320 - 2.735)	1.018	8,90	1,49	2,34	4,67	8,50 (3,20 - 10,60)	3,75 A	2.265 (600 - 3.025)	1.133	10,40								
16 + 35 + 35	1,36	2,72	2,72	6,80 (1,90 - 8,10)	3,29 A	2.070 (290 - 2.580)	1.035	9,10	1,70	3,40	3,40	8,50 (3,30 - 10,50)	3,73 A	2.280 (640 - 3.000)	1.140	10,50								
16 + 35 + 42	1,24	2,47	3,09	6,80 (1,90 - 8,20)	3,29 A	2.070 (290 - 2.630)	1.035	9,10	1,55	3,09	3,86	8,50 (3,30 - 10,50)	3,74 A	2.270 (640 - 3.000)	1.135	10,50								
16 + 35 + 50	1,11	2,22	3,47	6,80 (2,00 - 8,50)	3,34 A	2.035 (340 - 2.695)	1.018	8,90	1,38	2,78	4,34	8,50 (3,20 - 10,60)	3,79 A	2.245 (600 - 2.995)	1.123	10,40								
16 + 42 + 42	1,14	2,83	2,83	6,80 (1,90 - 8,20)	3,29 A	2.070 (290 - 2.630)	1.035	9,10	1,42	3,54	3,54	8,50 (3,30 - 10,50)	3,76 A	2.260 (640 - 2.990)	1.130	10,40								
16 + 42 + 50	1,02	2,57	3,21	6,80 (2,00 - 8,50)	3,34 A	2.035 (340 - 2.645)	1.018	8,90	1,28	3,21	4,01	8,50 (3,20 - 10,60)	3,80 A	2.235 (600 - 2.985)	1.118	10,30								
20 + 20 + 20	2,00	2,00	2,00	6,00 (1,90 - 8,00)	3,49 A	1.720 (270 - 2.620)	860	7,60	2,83	2,83	3,28	8,50 (3,30 - 10,40)	3,66 A	2.320 (630 - 3.040)	1.160	10,70								
20 + 20 + 25	2,00	2,00	2,50	6,50 (1,90 - 8,00)	3,28 A	1.980 (270 - 2.620)	990	8,70	2,62	2,62	3,26	8,50 (3,30 - 10,40)	3,66 A	2.320 (630 - 3.040)	1.160	10,70								
20 + 20 + 35	1,89	1,89	3,02	6,80 (1,90 - 8,00)	3,21 A	2.120 (270 - 2.530)	1.060	9,30	2,36	2,36	3,78	8,50 (3,30 - 10,40)	3,71 A	2.290 (620 - 2.980)	1.145	10,60								
20 + 20 + 42	1,70	1,70	3,40	6,80 (1,90 - 8,10)	3,29 A	2.070 (290 - 2.630)	1.035	9,10	2,13	2,13	4,24	8,50 (3,30 - 10,50)	3,73 A	2.280 (620 - 3.010)	1.140	10,50								
20 + 20 + 50	1,51	1,51	3,78	6,80 (2,00 - 8,50)	3,34 A	2.035 (340 - 2.695)	1.018	8,90	1,89	1,89	4,72	8,50 (3,20 - 10,60)	3,77 A	2.255 (600 - 3.015)	1.128	10,40								
20 + 25 + 25	1,94	2,43	2,43	6,80 (1,90 - 8,00)	3,21 A	2.120 (270 - 2.620)	1.060	9,30	2,42	3,04	3,04	8,50 (3,30 - 10,40)	3,66 A	2.										

# FREE MULTI 4X1 COMBINATIONS TABLE

Free Multi 4x1 CU-4E23PBE. Minimum capacity connected: 4,5kW. Maximum capacity connected: 11,0kW • R410 GAS

Indoor unit capacity Rooms	Cooling capacity (kW)					EER	Input power rating		A.E.C.	Current	Heating capacity (kW)					COP	Input power rating		A.E.C.	Current
	A	B	C	D	Total (Min - Max)		W/W	W			kWh	230V	A	B	C		D	Total (Min - Max)		
<b>1 Room</b>																				
16	1,60				1,60 (1,30 - 2,30)	3,40 A	470 (250 - 710)	235		2,30	2,60				2,60 (1,20 - 3,20)	3,88 A	670 (300 - 1.030)	335	3,20	
20	2,00				2,00 (1,80 - 2,90)	3,51 A	570 (340 - 880)	285		2,80	3,20				3,20 (1,20 - 4,10)	3,95 A	810 (300 - 1.300)	405	4,00	
25	2,50				2,50 (1,80 - 2,90)	3,57 A	700 (340 - 880)	350		3,40	3,60				3,60 (1,20 - 4,30)	3,56 B	1.010 (300 - 1.300)	505	5,00	
35	3,20				3,20 (1,80 - 3,80)	3,68 A	870 (340 - 1.430)	435		4,20	4,50				4,50 (1,20 - 5,80)	3,46 B	1.300 (300 - 2.170)	650	6,30	
42	4,00				4,00 (1,80 - 4,30)	3,05 B	1.310 (340 - 2.060)	655		6,10	5,60				5,60 (1,20 - 6,80)	3,13 D	1.790 (300 - 3.000)	895	8,30	
50	5,00				5,00 (1,90 - 5,70)	2,90 C	1.725 (340 - 2.305)	863		8,00	6,80				6,80 (1,20 - 6,90)	2,99 D	2.275 (300 - 2.695)	1.138	10,50	
<b>2 Rooms</b>																				
16 + 16	1,60	1,60			3,20 (1,90 - 6,40)	4,16 A	770 (270 - 2.150)	385		3,60	2,60	2,60			5,20 (2,70 - 9,80)	3,61 A	1.440 (660 - 3.060)	720	6,70	
16 + 20	1,60	2,00			3,60 (1,90 - 6,40)	3,96 A	910 (270 - 2.110)	455		4,10	2,58	3,22			5,80 (2,70 - 9,80)	3,58 B	1.620 (650 - 3.060)	810	7,50	
16 + 25	1,60	2,50			4,10 (1,90 - 6,40)	3,83 A	1.070 (270 - 2.110)	535		4,80	2,38	3,72			6,10 (2,70 - 9,80)	3,55 B	1.720 (650 - 3.060)	860	8,00	
16 + 35	1,60	3,20			4,80 (1,90 - 6,90)	3,48 A	1.380 (270 - 2.500)	690		6,10	2,13	4,27			6,40 (2,70 - 9,90)	3,64 A	1.760 (630 - 3.070)	880	8,10	
16 + 42	1,60	4,00			5,60 (1,90 - 6,90)	3,08 B	1.820 (270 - 2.460)	910		8,00	2,29	5,71			8,00 (2,70 - 9,90)	3,39 C	2.360 (630 - 3.070)	1.180	10,90	
16 + 50	1,60	5,00			6,60 (1,90 - 7,50)	2,89 C	2.285 (280 - 2.645)	1.143		10,00	2,06	6,44			8,50 (2,80 - 10,20)	3,39 C	2.505 (560 - 3.145)	1.253	11,60	
20 + 20	2,00	2,00			4,00 (1,90 - 6,40)	3,85 A	1.040 (270 - 2.080)	520		4,70	2,90	2,90			5,80 (2,70 - 9,80)	3,67 A	1.580 (640 - 3.070)	790	7,40	
20 + 25	2,00	2,50			4,50 (1,90 - 6,40)	3,63 A	1.240 (270 - 2.080)	620		5,50	2,71	3,39			6,10 (2,70 - 9,80)	3,57 B	1.710 (640 - 3.070)	855	8,00	
20 + 35	2,00	3,20			5,20 (1,90 - 6,90)	3,29 A	1.580 (270 - 2.460)	790		7,00	2,69	4,31			7,00 (2,70 - 9,90)	3,50 B	2.000 (630 - 3.070)	1.000	9,20	
20 + 42	2,00	4,00			6,00 (1,90 - 6,90)	2,96 C	2.030 (270 - 2.420)	1.015		8,90	2,73	5,47			8,20 (2,70 - 9,90)	3,37 C	2.430 (620 - 3.070)	1.215	11,20	
20 + 50	1,94	4,86			6,80 (2,00 - 7,50)	2,80 C	2.425 (280 - 2.595)	1.213		10,60	2,43	6,07			8,50 (2,80 - 10,20)	3,39 C	2.505 (560 - 3.145)	1.253	11,60	
25 + 25	2,50	2,50			5,00 (1,90 - 6,80)	3,33 A	1.500 (270 - 2.450)	750		6,70	3,20	3,20			6,40 (2,70 - 9,80)	3,54 B	1.810 (640 - 3.070)	905	8,30	
25 + 35	2,50	3,20			5,70 (1,90 - 6,90)	3,06 B	1.860 (270 - 2.460)	930		8,20	3,55	4,55			8,10 (2,70 - 9,90)	3,39 C	2.390 (630 - 3.070)	1.195	11,00	
25 + 42	2,50	4,00			6,50 (1,90 - 6,90)	2,65 D	2.450 (270 - 2.460)	1.225		10,80	3,27	5,23			8,50 (2,70 - 9,90)	3,29 C	2.580 (620 - 3.070)	1.290	11,90	
25 + 50	2,27	4,53			6,80 (1,90 - 7,50)	2,80 C	2.425 (260 - 2.595)	1.213		10,60	2,83	5,67			8,50 (2,80 - 10,20)	3,39 C	2.560 (560 - 3.135)	1.253	11,60	
35 + 35	3,20	3,20			6,40 (1,90 - 7,00)	2,77 D	2.310 (270 - 2.420)	1.155		10,10	4,25	4,25			8,50 (2,80 - 10,00)	3,36 C	2.530 (640 - 3.070)	1.265	11,70	
35 + 42	3,02	3,78			6,80 (1,90 - 7,10)	2,57 E	2.650 (270 - 2.660)	1.325		11,60	3,78	4,72			8,50 (2,80 - 10,00)	3,36 C	2.530 (630 - 3.070)	1.265	11,70	
35 + 50	2,65	4,15			6,80 (2,00 - 7,60)	2,91 C	2.335 (280 - 2.605)	1.168		10,30	3,32	5,18			8,50 (2,80 - 10,30)	3,48 B	2.445 (540 - 3.125)	1.223	11,30	
42 + 42	3,40	3,40			6,80 (1,90 - 7,10)	2,57 E	2.650 (260 - 2.660)	1.325		11,60	4,25	4,25			8,50 (2,80 - 10,00)	3,37 C	2.560 (600 - 3.030)	1.260	11,60	
42 + 50	3,02	3,78			6,80 (2,00 - 7,60)	2,91 C	2.335 (280 - 2.555)	1.168		10,30	3,78	4,72			8,50 (2,80 - 10,30)	3,49 B	2.435 (540 - 3.115)	1.218	11,20	
50 + 50	3,40	3,40			6,80 (2,10 - 8,10)	3,08 B	2.210 (320 - 2.720)	1.105		9,70	4,25	4,25			8,50 (2,80 - 10,50)	3,54 B	2.400 (510 - 3.130)	1.200	11,10	
<b>3 Rooms</b>																				
16 + 16 + 16	1,60	1,60	1,60		4,80 (1,90 - 8,00)	3,90 A	1.230 (270 - 2.710)	615		5,50	2,60	2,60			7,80 (3,30 - 10,40)	3,70 A	2.110 (640 - 3.070)	1.055	9,70	
16 + 16 + 20	1,60	1,60	2,00		5,20 (1,90 - 8,00)	3,80 A	1.370 (270 - 2.670)	685		6,10	2,58	2,58	3,20		8,40 (3,30 - 10,40)	3,61 A	2.260 (640 - 3.060)	1.165	10,70	
16 + 16 + 25	1,60	1,60	2,50		5,70 (1,90 - 8,00)	3,56 A	1.600 (270 - 2.670)	800		7,10	2,39	2,39	3,72		8,50 (3,30 - 10,40)	3,59 B	2.370 (640 - 3.060)	1.185	10,90	
16 + 16 + 35	1,60	1,60	3,20		6,40 (1,90 - 8,00)	3,39 A	1.890 (270 - 2.580)	945		8,30	2,13	2,13	4,24		8,50 (3,30 - 10,40)	3,68 A	2.310 (630 - 3.040)	1.155	10,60	
16 + 16 + 42	1,51	1,51	3,78		6,80 (1,90 - 8,10)	3,21 A	2.120 (270 - 2.670)	1.060		9,30	1,89	1,89	4,72		8,50 (3,30 - 10,50)	3,70 A	2.300 (620 - 3.070)	1.150	10,60	
16 + 16 + 50	1,33	1,33	4,14		6,80 (2,00 - 8,50)	3,26 A	2.085 (320 - 2.735)	1.043		9,20	1,66	1,66	5,18		8,50 (3,20 - 10,60)	3,74 A	2.275 (600 - 3.035)	1.138	10,50	
16 + 20 + 20	1,60	2,00	2,00		5,60 (1,90 - 8,00)	3,68 A	1.520 (270 - 2.670)	760		6,70	2,42	3,04	3,04		8,50 (3,30 - 10,40)	3,60 A	2.360 (630 - 3.050)	1.180	10,90	
16 + 20 + 25	1,60	2,00	2,50		6,10 (1,90 - 8,00)	3,45 A	1.770 (270 - 2.670)	885		7,80	2,23	2,79	3,48		8,50 (3,30 - 10,40)	3,60 A	2.360 (630 - 3.050)	1.180	10,90	
16 + 20 + 35	1,60	2,00	3,20		6,80 (1,90 - 8,00)	3,21 A	2.120 (270 - 2.580)	1.060		9,30	2,00	2,50	4,00		8,50 (3,30 - 10,40)	3,70 A	2.300 (620 - 2.990)	1.150	10,60	
16 + 20 + 42	1,43	1,79	3,58		6,80 (1,90 - 8,10)	3,21 A	2.120 (270 - 2.630)	1.060		9,30	1,79	2,24	4,47		8,50 (3,30 - 10,50)	3,71 A	2.290 (620 - 3.020)	1.145	10,60	
16 + 20 + 50	1,27	1,58	3,95		6,80 (2,00 - 8,50)	3,34 A	2.035 (320 - 2.735)	1.018		8,90	1,58	1,98	4,94		8,50 (3,20 - 10,60)	3,75 A	2.265 (600 - 3.025)	1.133	10,40	
16 + 25 + 25	1,60	2,50	2,50		6,60 (1,90 - 8,00)	3,25 A	2.030 (270 - 2.670)	1.015		8,90	2,06	3,22	3,22		8,50 (3,30 - 10,40)	3,60 A	2.360 (630 - 3.050)	1.180	10,90	
16 + 25 + 35	1,49	2,33	2,98		6,80 (1,90 - 8,00)	3,25 A	2.120 (270 - 2.580)	1.060		9,30	1,86	2,91	3,73		8,50 (3,30 - 10,40)	3,70 A	2.300 (620 - 2.990)	1.150	10,60	
16 + 25 + 42	1,34	2,10	3,36		6,80 (1,90 - 8,10)	3,21 A	2.120 (270 - 2.630)	1.060		9,30	1,68	2,62	4,20		8,50 (3,30 - 10,50)	3,71 A	2.290 (620 - 3.020)	1.145	10,60	
16 + 25 + 50	1,19	1,87	3,74		6,80 (2,00 - 8,50)	3,34 A	2.035 (320 - 2.735)	1.018		8,90	1,49	2,34	4,47		8,50 (3,20 - 10,60)	3,75 A	2.265 (600 - 3.025)	1.133	10,40	
16 + 35 + 35	1,36	2,72	2,72		6,80 (1,90 - 8,10)	3,29 A	2.070 (290 - 2.580)	1.035		9,10	1,70	3,40	3,40		8,50 (3,30 - 10,50)	3,73 A	2.280 (640 - 3.000)	1.140	10,50	
16 + 35 + 42	1,24	2,47	3,09		6,80 (1,90 - 8,20)	3,29 A	2.070 (290 - 2.630)	1.035		9,10	1,55	3,09	3,86		8,50 (3,30 - 10,50)	3,74 A	2.270 (640 - 3.000)	1.135	10,50	
16 + 35 + 50	1,11	2,22	3,47		6,80 (2,00 - 8,50)	3,34 A	2.035 (340 - 2.695)	1.018		8,90	1,38	2,78	4,34		8,50 (3,20 - 10,60)	3,79 A	2.245 (600 - 2.995)	1.123	10,40	
16 + 42 + 42	1,14	2,83	2,83		6,80 (1,90 - 8,20)	3,29 A	2.070 (290 - 2.630)	1.035		9,10	1,42	3,54	3,54		8,50 (3,30 - 10,50)	3,76 A	2.260 (640 - 2.990)	1.130	10,40	
16 + 42 + 50	1,02	2,57	3,21		6,80 (2,00 - 8,50)	3,34 A	2.035 (340 - 2.645)	1.018		8,90	1,28	3,21	4,01		8,50 (3,20 - 10,60)	3,80 A	2.235 (600 - 2.985)	1.118	10,30	
20 + 20 + 20	2,00	2,00	2,00		6,00 (1,90 - 8,00)	3,49 A	1.720 (270 - 2.670)	860		7,60	2,83	2,83	2,83		8,49 (3,30 - 10,40)	3,66 A	2.320 (630 - 3.040)	1.160	10,70	
20 + 20 + 25	2,00	2,00	2,50		6,50 (1,90 - 8,00)	3,28 A	1.980 (270 - 2.620)	990		8,70	2,62	2,62	3,26		8,50 (3,30 - 10,40)	3,66 A	2.320 (630 - 3.040)	1.160	10,70	
20 + 20 + 35	1,89	1,89	3,02		6,80 (1,90 - 8,00)	3,21 A	2.120 (270 - 2.530)	1.060		9,30	2,36	2,36	3,78							

**Free Multi 4x1 CU-4E23PBE. Minimum capacity connected: 4.5kW. Maximum capacity connected: 11,0kW • R410 GAS**

Indoor unit capacity	Cooling capacity (kW)					EER	Input power rating		A.E.C.	Current	Heating capacity (kW)					COP	Input power rating		A.E.C.	Current				
	Rooms						W/W	W			kWh	230V	Rooms					W/W			W	kWh	230V	
	A	B	C	D	Total (Min - Max)								A	B	C		D							Total (Min - Max)
16 + 20 + 20 + 25	1,34	1,68	1,68	2,10	6,80 (1,90 - 8,80)	3,47 A	1,960 (340 - 2,710)	980	8,60	1,68	2,10	2,10	2,62	8,50 (3,10 - 10,60)	3,94 A	2,160 (600 - 2,860)	1,080	10,00						
16 + 20 + 20 + 35	1,23	1,55	1,55	2,47	6,80 (1,90 - 8,80)	3,54 A	1,920 (370 - 2,660)	960	8,40	1,55	1,93	3,09	8,50 (3,00 - 10,60)	3,97 A	2,140 (600 - 2,840)	1,070	9,90							
16 + 20 + 20 + 42	1,13	1,42	1,42	2,83	6,80 (1,90 - 8,80)	3,54 A	1,920 (370 - 2,660)	960	8,40	1,42	1,77	3,54	8,50 (3,00 - 10,60)	3,97 A	2,140 (610 - 2,830)	1,070	9,90							
16 + 20 + 25 + 25	1,03	1,28	1,28	3,21	6,80 (1,90 - 8,80)	3,36 A	2,025 (420 - 2,585)	1,013	8,90	1,28	1,60	4,02	8,50 (3,00 - 10,60)	3,85 A	2,205 (680 - 2,835)	1,103	10,20							
16 + 20 + 25 + 35	1,26	1,58	1,58	1,98	6,80 (1,90 - 8,80)	3,47 A	1,960 (340 - 2,710)	980	8,60	1,58	1,98	2,47	8,50 (3,10 - 10,60)	3,94 A	2,160 (600 - 2,860)	1,080	10,00							
16 + 20 + 25 + 42	1,17	1,46	1,46	2,34	6,80 (1,90 - 8,80)	3,54 A	1,920 (370 - 2,660)	960	8,40	1,46	1,83	2,28	8,50 (3,00 - 10,60)	3,97 A	2,140 (600 - 2,840)	1,070	9,90							
16 + 20 + 35 + 35	1,08	1,35	1,35	1,68	6,80 (1,90 - 8,80)	3,54 A	1,920 (370 - 2,660)	960	8,40	1,35	1,68	2,10	8,50 (3,00 - 10,60)	3,97 A	2,140 (610 - 2,830)	1,070	9,90							
16 + 20 + 35 + 42	1,08	1,36	1,36	2,18	6,80 (1,90 - 8,80)	3,54 A	1,920 (370 - 2,660)	960	8,40	1,36	1,70	2,72	8,50 (3,00 - 10,60)	4,01 A	2,120 (610 - 2,810)	1,060	9,80							
16 + 25 + 25 + 25	1,01	1,26	1,26	2,52	6,80 (1,90 - 8,80)	3,54 A	1,920 (370 - 2,660)	960	8,40	1,26	1,57	3,15	8,50 (3,00 - 10,60)	4,01 A	2,120 (610 - 2,810)	1,060	9,80							
16 + 25 + 25 + 35	1,19	1,87	1,87	1,87	6,80 (1,90 - 8,80)	3,47 A	1,960 (340 - 2,710)	980	8,60	1,48	2,34	2,34	8,50 (3,10 - 10,60)	3,94 A	2,160 (600 - 2,860)	1,080	10,00							
16 + 25 + 25 + 42	1,11	1,73	1,73	2,23	6,80 (1,90 - 8,80)	3,54 A	1,920 (370 - 2,660)	960	8,40	1,38	2,17	2,17	8,50 (3,00 - 10,60)	3,97 A	2,140 (600 - 2,840)	1,070	9,90							
16 + 25 + 35 + 35	1,04	1,62	1,62	2,07	6,80 (1,90 - 8,80)	3,54 A	1,920 (370 - 2,660)	960	8,40	1,30	2,02	2,59	8,50 (3,00 - 10,60)	4,01 A	2,120 (610 - 2,810)	1,060	9,80							
20 + 20 + 20 + 20	1,70	1,70	1,70	1,70	6,80 (1,90 - 8,80)	3,47 A	1,960 (340 - 2,660)	980	8,60	2,12	2,12	2,12	8,50 (3,10 - 10,60)	3,94 A	2,160 (600 - 2,850)	1,080	10,00							
20 + 20 + 20 + 25	1,60	1,60	1,60	2,00	6,80 (1,90 - 8,80)	3,47 A	1,960 (340 - 2,660)	980	8,60	2,00	2,00	2,50	8,50 (3,10 - 10,60)	3,94 A	2,160 (600 - 2,850)	1,080	10,00							
20 + 20 + 20 + 35	1,48	1,48	1,48	2,36	6,80 (1,90 - 8,80)	3,54 A	1,920 (370 - 2,610)	960	8,40	1,85	1,85	2,95	8,50 (3,00 - 10,60)	3,97 A	2,140 (610 - 2,830)	1,070	9,90							
20 + 20 + 20 + 42	1,36	1,36	1,36	2,72	6,80 (1,90 - 8,80)	3,54 A	1,920 (370 - 2,610)	960	8,40	1,70	1,70	3,40	8,50 (3,00 - 10,60)	3,99 A	2,130 (610 - 2,820)	1,065	9,80							
20 + 20 + 25 + 25	1,24	1,24	1,24	3,08	6,80 (1,90 - 8,80)	3,36 A	2,025 (420 - 2,585)	1,013	8,90	1,55	1,55	3,85	8,50 (3,00 - 10,60)	3,87 A	2,195 (680 - 2,825)	1,098	10,10							
20 + 20 + 25 + 35	1,51	1,51	1,51	1,89	6,80 (1,90 - 8,80)	3,47 A	1,960 (340 - 2,660)	980	8,60	1,89	1,89	2,36	8,50 (3,10 - 10,60)	3,94 A	2,160 (600 - 2,850)	1,080	10,00							
20 + 20 + 25 + 42	1,40	1,40	1,40	2,25	6,80 (1,90 - 8,80)	3,54 A	1,920 (370 - 2,610)	960	8,40	1,75	1,75	2,19	8,50 (3,00 - 10,60)	3,97 A	2,140 (610 - 2,830)	1,070	9,90							
20 + 25 + 25 + 25	1,30	1,30	1,30	1,61	6,80 (1,90 - 8,80)	3,54 A	1,920 (370 - 2,610)	960	8,40	1,62	1,62	2,02	8,50 (3,00 - 10,60)	3,99 A	2,130 (610 - 2,820)	1,065	9,80							
20 + 25 + 25 + 35	1,31	1,31	1,31	2,09	6,80 (1,90 - 8,80)	3,54 A	1,920 (370 - 2,610)	960	8,40	1,63	1,63	2,62	8,50 (3,00 - 10,60)	4,01 A	2,120 (610 - 2,810)	1,060	9,80							
20 + 25 + 25 + 42	1,43	1,43	1,43	1,79	6,80 (1,90 - 8,80)	3,47 A	1,960 (340 - 2,660)	980	8,60	1,78	2,24	2,24	8,50 (3,10 - 10,60)	3,94 A	2,160 (600 - 2,850)	1,080	10,00							
20 + 25 + 35 + 35	1,33	1,67	1,67	2,13	6,80 (1,90 - 8,80)	3,54 A	1,920 (370 - 2,610)	960	8,40	1,67	2,08	2,08	8,50 (3,00 - 10,60)	3,97 A	2,140 (610 - 2,830)	1,070	9,90							
20 + 25 + 35 + 42	1,23	1,55	1,55	2,47	6,80 (1,90 - 8,80)	3,54 A	1,920 (370 - 2,610)	960	8,40	1,55	1,93	3,09	8,50 (3,00 - 10,60)	3,99 A	2,130 (610 - 2,820)	1,065	9,80							
20 + 25 + 42 + 25	1,24	1,56	1,56	2,00	6,80 (1,90 - 8,80)	3,54 A	1,920 (370 - 2,610)	960	8,40	1,55	1,95	2,50	8,50 (3,00 - 10,60)	4,01 A	2,120 (610 - 2,810)	1,060	9,80							
25 + 25 + 25 + 25	1,70	1,70	1,70	1,70	6,80 (1,90 - 8,80)	3,47 A	1,960 (340 - 2,660)	980	8,60	2,12	2,12	2,12	8,50 (3,10 - 10,60)	3,93 A	2,160 (600 - 2,850)	1,080	10,00							
25 + 25 + 25 + 35	1,59	1,59	1,59	2,03	6,80 (1,90 - 8,80)	3,54 A	1,920 (370 - 2,610)	960	8,40	1,99	1,99	2,12	8,50 (3,00 - 10,60)	3,97 A	2,140 (610 - 2,830)	1,070	9,90							
25 + 25 + 28 + 35	1,55	1,55	1,72	1,98	6,80 (1,90 - 8,80)	3,68 A	1,850 (370 - 2,510)	925	8,10	1,93	1,93	2,16	8,50 (3,00 - 10,60)	4,11 A	2,070 (610 - 2,760)	1,035	9,50							

1) Showing SEER and Pdesign (kWh) / SCOP and Pdesign at -10°C (kWh).  
 \* All combinations refer to New Etherea SKE and Wall Mounted T2 / RE indoor units.  
 \* EER, COP, SEER, SCOP, Input Power, Annual consumption is show following the ErP directive only on the 100% capacity combination as requested by the ErP directive.  
 \* Data for not simultaneous operation.

**Free Multi 4x1 CU-4E27PBE. Minimum capacity connected: 4.5kW. Maximum capacity connected: 13,6 kW • R410 GAS**

Indoor unit capacity	Cooling capacity (kW)					EER	Input power rating		A.E.C.	Current	Heating capacity (kW)					COP	Input power rating		A.E.C.	Current				
	Rooms						W/W	W			kWh	230V	Rooms					W/W			W	kWh	230V	
	A	B	C	D	Total (Min - Max)								A	B	C		D							Total (Min - Max)
<b>1 Room</b>																								
16	1,60				1,60 (1,30 - 2,30)	3,40 A	470 (250 - 710)	235	2,30	2,60				2,60 (1,20 - 3,20)	3,88 A	670 (300 - 1,030)	335	3,20						
20	2,00				2,00 (1,80 - 2,90)	3,51 A	570 (340 - 880)	285	2,80	3,20				3,20 (2,10 - 4,10)	3,95 A	810 (300 - 1,300)	405	4,00						
25	2,50				2,50 (1,80 - 2,90)	3,57 A	700 (340 - 880)	350	3,40	3,60				3,60 (1,20 - 4,30)	3,56 B	1,010 (300 - 1,300)	505	5,00						
35	3,20				3,20 (1,80 - 3,80)	3,68 A	870 (340 - 1,430)	435	4,20	4,50				4,50 (1,20 - 5,80)	3,46 B	1,300 (300 - 2,170)	650	6,30						
42	4,00				4,00 (1,80 - 4,30)	3,05 B	1,310 (340 - 2,060)	655	6,10	5,60				5,60 (1,20 - 6,80)	3,13 D	1,790 (300 - 3,000)	895	8,30						
50	5,00				5,00 (1,90 - 5,70)	2,90 C	1,725 (340 - 2,305)	863	8,00	6,80				6,80 (1,20 - 6,95)	2,99 D	2,275 (300 - 2,695)	1,138	10,50						
71	7,00				7,00 (2,00 - 7,20)	2,63 D	2,665 (370 - 2,945)	1,333	12,10	8,70				8,70 (1,40 - 9,20)	3,19 D	2,725 (680 - 2,895)	1,363	12,60						
<b>2 Rooms</b>																								
16 + 16	1,60	1,60			3,20 (2,40 - 5,80)	3,68 A	870 (380 - 2,130)	435	4,30	2,35	2,35			4,70 (2,20 - 8,20)	3,05 D	1,540 (440 - 3,050)	770	7,30						
16 + 20	1,60	2,00			3,60 (2,40 - 5,80)	3,56 A	1,010 (380 - 2,130)	505	4,90	2,31	2,89			5,20 (2,20 - 8,20)	3,02 D	1,720 (440 - 3,040)	860	8,20						
16 + 25	1,60	2,50			4,10 (2,40 - 5,80)	3,39 A	1,210 (380 - 2,130)	605	5,90	2,19	3,41			5,60 (2,20 - 8,20)	2,99 D	1,870 (440 - 3,040)	935	8,80						
16 + 35	1,60	3,20			4,80 (2,40 - 5,80)	3,29 A	1,460 (370 - 2,060)	730	7,00	2,13	4,27			6,40 (2,20 - 8,20)	3,17 D	2,020 (390 - 2,960)	1,010	9,50						
16 + 42	1,60	4,00			5,60 (2,40 - 5,80)	3,15 B	1,780 (370 - 2,000)	890	8,40	2,11	5,29			7,40 (2,20 - 10,00)	3,26 C	2,270 (380 - 3,060)	1,135	10,70						
16 + 50	1,60	5,00			6,60 (2,40 - 7,20)	2,97 C	2,225 (350 - 2,725)	1,113	10,60	2,06	6,44			8,50 (2,20 - 10,00)	3,28 C	2,595 (330 - 3,575)	1,298	12,20						
16 + 71	1,49	6,51			8,00 (2,40 - 8,50)	2,79 D	2,865 (350 - 3,585)	1,433	13,60	1,75	7,65			9,40 (2,20 - 10,30)	3,48 B	2,930 (330 - 3,745)	1,353	12,70						
20 + 20	2,00	2,00			4,00 (2,40 - 5,80)	3,48 A	1,150 (380 - 2,070)	575	5,60	2,90	2,90			5,80 (2,20 - 8,20)	3,14 D	1,850 (400 - 3,030)	925	8,70						
20 + 25	2,00	2,50			4,50 (2,40 - 5,80)	3,31 A	1,360 (380 - 2,070)	680	6,50	2,71	3,39			6,10 (2,20 - 8,20)	3,14 D	1,940 (400 - 3,030)	970	9,10						
20 + 35	2,00	3,20			5,20 (2,40 - 5,80)	3,33 A	1,560 (370 - 2,000)	780	7,50	2,65	4,25			6,90 (2,20 - 8,60)	3,33 C	2,070 (380 - 3,060)	1,035	9,70						
20 + 42	2,00	4,00			6,00 (2,40 - 6,70)	3,00 C	2,000 (370 - 2,620)	1,000	9,50	2,63	5,27			7,90 (2,20 - 9,80)	3,22 C	2,450 (380 - 3,650)	1,225	11,50						
20 + 50	2,00	5,00			7,00 (2,40 - 8,10)	3,02 B	2,315 (350 - 3,345)	1,158	11,00	2,57	6,43			9,00 (2,20 - 10,00)	3,51 B	2,565 (330 - 3,555)	1,283	12,10						
20 + 71	1,78	6,22			8,00 (2,50 - 8,50)	2,86 C	2,795 (380 - 3,585)	1,398	1															

# FREE MULTI 4X1 COMBINATIONS TABLE

Free Multi 4x1 CU-4E27PBE. Minimum capacity connected: 4.5kW. Maximum capacity connected: 13.6 kW = R410 GAS

Indoor unit capacity	Cooling capacity (kW)				EER	Input power rating		A.E.C.	Current	Heating capacity (kW)				COP	Input power rating		A.E.C.	Current				
	Rooms					W/W	W			kWh	230V	Rooms				W/W			W	kWh	230V	
	A	B	C	D								Total (Min - Max)	A		B							C
16 + 25 + 42	1.58	2.47	3.95		8.00 (3.00 - 8.60)	3.20	2.500 (480 - 3.240)	1.250	11.90	1.70	2.66	4.25		8.61 (3.20 - 10.40)	3.90	2.210 (500 - 3.490)	1.105	10.40				
16 + 25 + 50	1.40	2.20	4.40		8.00 (3.00 - 8.60)	3.31	2.415 (520 - 3.045)	1.208	11.50	1.51	2.37	4.73		8.61 (3.20 - 10.50)	3.89	2.215 (520 - 3.435)	1.108	10.40				
16 + 25 + 71	1.15	1.80	5.05		8.00 (3.00 - 8.80)	3.40	2.355 (520 - 3.115)	1.178	11.20	1.24	1.94	5.43		8.61 (3.20 - 10.60)	3.90	2.205 (520 - 3.485)	1.103	10.40				
16 + 35 + 35	1.60	3.20	3.20		8.00 (3.00 - 8.60)	3.28	2.440 (480 - 3.160)	1.220	11.60	1.73	3.44	3.44		8.61 (3.20 - 10.40)	3.93	2.190 (500 - 3.460)	1.095	10.30				
16 + 35 + 42	1.45	2.91	3.64		8.00 (3.00 - 8.60)	3.28	2.440 (480 - 3.160)	1.220	11.60	1.57	3.13	3.91		8.61 (3.20 - 10.50)	3.95	2.180 (490 - 3.450)	1.090	10.20				
16 + 35 + 50	1.31	2.61	4.08		8.00 (3.00 - 8.60)	3.40	2.355 (520 - 2.965)	1.178	11.20	1.41	2.81	4.39		8.61 (3.20 - 10.50)	3.94	2.185 (520 - 3.405)	1.093	10.30				
16 + 35 + 71	1.08	2.17	4.75		8.00 (3.00 - 9.00)	3.40	2.355 (520 - 3.185)	1.178	11.20	1.17	2.33	5.11		8.61 (3.20 - 10.60)	3.96	2.175 (520 - 3.445)	1.088	10.20				
16 + 42 + 42	1.34	3.33	3.33		8.00 (3.00 - 8.60)	3.28	2.440 (480 - 3.160)	1.220	11.60	1.43	3.59	3.59		8.61 (3.20 - 10.50)	3.95	2.180 (490 - 3.440)	1.090	10.20				
16 + 42 + 50	1.21	3.02	3.77		8.00 (3.00 - 8.80)	3.40	2.355 (520 - 3.115)	1.178	11.20	1.30	3.25	4.06		8.61 (3.20 - 10.50)	3.94	2.185 (520 - 3.385)	1.093	10.30				
16 + 42 + 71	1.02	2.54	4.44		8.00 (3.00 - 9.00)	3.49	2.295 (520 - 3.115)	1.148	10.90	1.09	2.73	4.79		8.61 (3.20 - 10.60)	3.96	2.175 (530 - 3.335)	1.088	10.20				
16 + 50 + 50	1.10	3.45	3.45		8.00 (3.00 - 8.80)	3.42	2.340 (570 - 3.000)	1.170	11.10	1.19	3.71	3.71		8.61 (3.20 - 10.60)	3.90	2.210 (580 - 3.420)	1.105	10.40				
16 + 50 + 71	0.94	2.94	4.12		8.00 (3.00 - 9.00)	3.42	2.340 (570 - 3.070)	1.170	11.10	1.01	3.17	4.43		8.61 (3.20 - 10.60)	3.84	2.240 (610 - 3.410)	1.120	10.50				
20 + 20 + 20	2.00	2.00	2.00		6.00 (3.00 - 8.50)	3.51	1.710 (480 - 3.240)	855	8.20	2.87	2.87	2.87		8.61 (3.20 - 10.40)	3.84	2.240 (500 - 3.530)	1.120	10.50				
20 + 20 + 25	2.00	2.00	2.50		6.50 (3.00 - 8.50)	3.35	1.940 (480 - 3.240)	970	9.20	2.77	2.77	3.46		9.40 (3.20 - 10.40)	3.78	2.250 (500 - 3.530)	1.190	11.20				
20 + 20 + 35	2.00	2.00	3.20		7.20 (3.00 - 8.50)	3.35	2.150 (480 - 3.160)	1.075	10.20	2.61	2.61	4.18		9.40 (3.20 - 10.40)	3.76	2.500 (500 - 3.490)	1.250	11.70				
20 + 20 + 42	2.00	2.00	4.00		8.00 (3.00 - 8.60)	3.20	2.500 (480 - 3.240)	1.250	11.90	2.35	2.35	4.70		9.40 (3.20 - 10.40)	3.78	2.490 (500 - 3.470)	1.245	11.70				
20 + 20 + 50	1.78	1.78	4.44		8.00 (3.00 - 8.60)	3.40	2.355 (520 - 2.965)	1.178	11.20	2.09	2.09	5.22		9.40 (3.20 - 10.50)	3.80	2.475 (520 - 3.425)	1.238	11.60				
20 + 20 + 71	1.45	1.45	5.10		8.00 (3.00 - 8.80)	3.40	2.355 (520 - 3.035)	1.178	11.20	1.71	1.71	5.98		9.40 (3.20 - 10.50)	3.81	2.465 (520 - 3.405)	1.233	11.60				
20 + 25 + 25	2.00	2.50	2.50		7.00 (3.00 - 8.50)	3.33	2.100 (480 - 3.240)	1.050	10.00	2.68	3.36	3.36		9.40 (3.20 - 10.40)	3.72	2.530 (500 - 3.530)	1.265	11.90				
20 + 25 + 35	2.00	2.50	3.20		7.70 (3.00 - 8.50)	3.32	2.320 (480 - 3.160)	1.160	11.00	2.44	3.05	3.91		9.40 (3.20 - 10.40)	3.76	2.500 (500 - 3.490)	1.250	11.70				
20 + 25 + 42	1.88	2.35	3.77		8.00 (3.00 - 8.60)	3.20	2.500 (480 - 3.240)	1.250	11.90	2.21	2.76	4.43		9.40 (3.20 - 10.40)	3.78	2.490 (500 - 3.470)	1.245	11.70				
20 + 25 + 50	1.68	2.11	4.21		8.00 (3.00 - 8.60)	3.40	2.355 (520 - 2.965)	1.178	11.20	1.98	2.47	4.95		9.40 (3.20 - 10.50)	3.80	2.475 (520 - 3.425)	1.238	11.60				
20 + 25 + 71	1.39	1.74	4.87		8.00 (3.00 - 8.80)	3.40	2.355 (520 - 3.035)	1.178	11.20	1.63	2.04	5.73		9.40 (3.20 - 10.60)	3.81	2.465 (520 - 3.465)	1.233	11.60				
20 + 35 + 35	1.90	3.05	3.05		8.00 (3.00 - 8.60)	3.28	2.440 (480 - 3.160)	1.220	11.60	2.24	3.58	3.58		9.40 (3.20 - 10.40)	3.81	2.470 (490 - 3.450)	1.235	11.60				
20 + 35 + 42	1.74	2.78	3.48		8.00 (3.00 - 8.60)	3.28	2.440 (480 - 3.160)	1.220	11.60	2.04	3.27	4.09		9.40 (3.20 - 10.50)	3.82	2.460 (490 - 3.440)	1.230	11.60				
20 + 35 + 50	1.57	2.51	3.92		8.00 (3.00 - 8.80)	3.40	2.355 (520 - 3.115)	1.178	11.20	1.84	2.95	4.61		9.40 (3.20 - 10.50)	3.83	2.455 (520 - 3.385)	1.228	11.50				
20 + 35 + 71	1.31	2.10	4.59		8.00 (3.00 - 9.00)	3.49	2.295 (520 - 3.115)	1.148	10.90	1.54	2.47	5.39		9.40 (3.20 - 10.60)	3.86	2.435 (530 - 3.435)	1.218	11.40				
20 + 42 + 42	1.60	3.20	3.20		8.00 (3.00 - 8.80)	3.28	2.440 (480 - 3.240)	1.220	11.60	1.88	3.76	3.76		9.40 (3.20 - 10.50)	3.84	2.450 (490 - 3.420)	1.225	11.50				
20 + 42 + 50	1.45	2.91	3.64		8.00 (3.00 - 8.80)	3.40	2.355 (520 - 3.035)	1.178	11.20	1.71	3.42	4.27		9.40 (3.20 - 10.50)	3.84	2.445 (530 - 3.375)	1.223	11.50				
20 + 42 + 71	1.23	2.46	4.31		8.00 (3.00 - 9.00)	3.49	2.295 (520 - 3.115)	1.148	10.90	1.45	2.89	5.06		9.40 (3.20 - 10.60)	3.86	2.435 (530 - 3.425)	1.218	11.40				
20 + 50 + 50	1.34	3.33	3.33		8.00 (3.00 - 9.00)	3.42	2.340 (570 - 3.070)	1.170	11.10	1.56	3.92	3.92		9.40 (3.20 - 10.60)	3.82	2.460 (600 - 3.410)	1.230	11.60				
25 + 25 + 25	2.50	2.50	2.50		7.50 (3.00 - 8.50)	3.21	2.340 (480 - 3.240)	1.170	11.10	3.13	3.13	3.13		9.39 (3.20 - 10.40)	3.71	2.530 (500 - 3.530)	1.265	11.90				
25 + 25 + 35	2.44	2.44	3.12		8.00 (3.00 - 8.60)	3.20	2.500 (480 - 3.240)	1.250	11.90	2.87	2.87	3.66		9.40 (3.20 - 10.40)	3.76	2.500 (500 - 3.490)	1.250	11.70				
25 + 25 + 42	2.22	2.22	3.56		8.00 (3.00 - 8.60)	3.20	2.500 (480 - 3.240)	1.250	11.90	2.61	2.61	4.18		9.40 (3.20 - 10.50)	3.78	2.490 (500 - 3.540)	1.245	11.70				
25 + 25 + 50	2.00	2.00	4.00		8.00 (3.00 - 8.80)	3.40	2.355 (520 - 3.115)	1.178	11.20	2.35	2.35	4.70		9.40 (3.20 - 10.50)	3.80	2.475 (520 - 3.425)	1.238	11.60				
25 + 25 + 71	1.67	1.67	4.66		8.00 (3.00 - 9.00)	3.40	2.355 (520 - 3.185)	1.178	11.20	1.96	1.96	5.48		9.40 (3.20 - 10.60)	3.81	2.465 (520 - 3.465)	1.233	11.60				
25 + 35 + 35	2.24	2.88	2.88		8.00 (3.00 - 8.60)	3.28	2.440 (480 - 3.160)	1.220	11.60	2.64	3.38	3.38		9.40 (3.20 - 10.50)	3.81	2.470 (490 - 3.450)	1.235	11.60				
25 + 35 + 42	2.06	2.64	3.80		8.00 (3.00 - 8.60)	3.28	2.440 (480 - 3.160)	1.220	11.60	2.42	3.10	3.88		9.40 (3.20 - 10.50)	3.82	2.460 (490 - 3.440)	1.230	11.60				
25 + 35 + 50	1.87	2.39	3.74		8.00 (3.00 - 8.80)	3.40	2.355 (520 - 3.115)	1.178	11.20	2.20	2.81	4.39		9.40 (3.20 - 10.50)	3.83	2.455 (520 - 3.385)	1.228	11.50				
25 + 35 + 71	1.57	2.02	4.41		8.00 (3.00 - 9.00)	3.49	2.295 (520 - 3.115)	1.148	10.90	1.85	2.37	5.18		9.40 (3.20 - 10.60)	3.86	2.435 (530 - 3.435)	1.218	11.40				
25 + 42 + 42	1.90	3.05	3.05		8.00 (3.00 - 8.80)	3.28	2.440 (480 - 3.240)	1.220	11.60	2.24	3.58	3.58		9.40 (3.20 - 10.50)	3.84	2.450 (490 - 3.420)	1.225	11.50				
25 + 42 + 50	1.74	2.78	3.48		8.00 (3.00 - 8.80)	3.40	2.355 (520 - 3.035)	1.178	11.20	2.04	3.27	4.09		9.40 (3.20 - 10.60)	3.84	2.445 (530 - 3.435)	1.223	11.50				
25 + 42 + 71	1.48	2.37	4.15		8.00 (3.00 - 9.00)	3.49	2.295 (520 - 3.115)	1.148	10.90	1.74	2.79	4.87		9.40 (3.20 - 10.60)	3.86	2.435 (530 - 3.425)	1.218	11.40				
25 + 50 + 50	1.60	3.20	3.20		8.00 (3.00 - 9.00)	3.42	2.340 (570 - 3.070)	1.170	11.10	1.88	3.76	3.76		9.40 (3.20 - 10.60)	3.82	2.460 (600 - 3.410)	1.230	11.60				
35 + 35 + 35	2.66	2.66	2.66		7.98 (3.00 - 8.60)	3.35	2.380 (480 - 3.090)	1.190	11.30	3.13	3.13	3.13		9.39 (3.20 - 10.50)	3.85	2.440 (490 - 3.410)	1.220	11.50				
35 + 35 + 42	2.46	2.46	3.08		8.00 (3.00 - 8.80)	3.36	2.380 (480 - 3.240)	1.190	11.30	2.89	2.89	3.62		9.40 (3.20 - 10.50)	3.87	2.430 (490 - 3.400)	1.215	11.40				
35 + 35 + 50	2.25	2.25	3.50		8.00 (3.00 - 8.80)	3.49	2.295 (520 - 3.035)	1.148	10.90	2.64	2.64	4.12		9.40 (3.20 - 10.60)	3.88	2.425 (530 - 3.415)	1.213	11.40				
35 + 35 + 71	1.91	1.91	4.18		8.00 (3.00 - 9.00)	3.49	2.295 (520 - 3.115)	1.148	10.90	2.24	2.24	4.92		9.40 (3.20 - 10.60)	3.89	2.415 (530 - 3.405)	1.208	11.30				
35 + 42 + 42	2.28	2.86	2.86		8.00 (3.00 - 8.80)	3.36	2.380 (480 - 3.160)	1.190	11.30	2.68												

Free Multi 4x1 CU-4E27PBE. Minimum capacity connected: 4,5kW. Maximum capacity connected: 13,6 kW = R410 GAS

Indoor unit capacity	Cooling capacity (kW)					EER	Input power rating		A.E.C.	Current	Heating capacity (kW)					COP	Input power rating		A.E.C.	Current				
	Rooms						W/W	W			kWh	230V	Rooms					W/W			W	kWh	230V	
	A	B	C	D	Total (Min - Max)								A	B	C		D							Total (Min - Max)
16 + 20 + 42 + 50	1,02	1,27	2,54	3,17	8,00 (3,00 - 9,20)	3,55 A	2,255 (630 - 3.045)	1,128	10,70	1,19	1,49	2,98	3,74	9,40 (4,20 - 10,60)	3,91 A	2,405 (830 - 3.325)	1,203	11,30						
16 + 20 + 50 + 50	0,94	1,18	2,94	2,94	8,00 (3,00 - 9,20)	3,36 A	2,380 (690 - 3.090)	1,190	11,30	1,10	1,38	3,46	3,46	9,40 (4,20 - 10,60)	3,69 A	2,550 (950 - 3.460)	1,275	12,00						
16 + 25 + 25 + 25	1,40	2,20	2,20	2,20	8,00 (3,00 - 9,20)	3,54 A	2,260 (530 - 3.150)	1,130	10,70	1,66	2,58	2,58	2,58	9,40 (4,20 - 10,60)	3,97 A	2,370 (700 - 3.350)	1,185	11,10						
16 + 25 + 25 + 35	1,31	2,04	2,04	2,61	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,53	2,40	2,40	3,07	9,40 (4,20 - 10,60)	4,00 A	2,350 (730 - 3.320)	1,175	11,00						
16 + 25 + 25 + 42	1,20	1,89	1,89	3,02	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,41	2,22	2,22	3,55	9,40 (4,20 - 10,60)	4,02 A	2,340 (730 - 3.310)	1,170	11,00						
16 + 25 + 25 + 50	1,10	1,72	1,72	3,46	8,00 (3,00 - 9,20)	3,55 A	2,255 (620 - 3.035)	1,128	10,70	1,29	2,03	2,03	4,05	9,40 (4,20 - 10,60)	3,89 A	2,415 (810 - 3.355)	1,208	11,30						
16 + 25 + 25 + 71	0,94	1,47	1,47	4,12	8,00 (3,00 - 9,20)	3,55 A	2,255 (630 - 3.045)	1,128	10,70	1,10	1,73	1,73	4,84	9,40 (4,20 - 10,60)	3,89 A	2,415 (820 - 3.345)	1,208	11,30						
16 + 25 + 35 + 35	1,22	1,90	2,44	2,44	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,43	2,25	2,86	2,86	9,40 (4,20 - 10,60)	4,03 A	2,330 (740 - 3.290)	1,165	10,90						
16 + 25 + 35 + 42	1,13	1,77	2,27	2,83	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,33	2,08	2,66	3,33	9,40 (4,20 - 10,60)	4,05 A	2,320 (740 - 3.280)	1,160	10,90						
16 + 25 + 35 + 50	1,04	1,63	2,08	3,25	8,00 (3,00 - 9,20)	3,55 A	2,255 (630 - 3.045)	1,128	10,70	1,22	1,91	2,45	3,82	9,40 (4,20 - 10,60)	3,91 A	2,405 (820 - 3.335)	1,203	11,30						
16 + 25 + 42 + 42	1,06	1,66	2,64	2,64	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,24	1,94	3,11	3,11	9,40 (4,20 - 10,60)	4,05 A	2,320 (740 - 3.270)	1,160	10,90						
16 + 25 + 42 + 50	0,98	1,53	2,44	3,05	8,00 (3,00 - 9,20)	3,55 A	2,255 (630 - 3.045)	1,128	10,70	1,15	1,79	2,87	3,59	9,40 (4,20 - 10,60)	3,91 A	2,405 (830 - 3.325)	1,203	11,30						
16 + 35 + 35 + 35	1,13	2,29	2,29	2,29	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,33	2,69	2,69	2,69	9,40 (4,20 - 10,60)	4,07 A	2,310 (740 - 3.260)	1,155	10,90						
16 + 35 + 35 + 42	1,07	2,13	2,13	2,67	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,25	2,51	2,51	3,13	9,40 (4,20 - 10,60)	4,07 A	2,310 (770 - 3.250)	1,155	10,90						
16 + 35 + 35 + 50	0,98	1,97	1,97	3,08	8,00 (3,00 - 9,20)	3,55 A	2,255 (630 - 3.045)	1,128	10,70	1,16	2,31	2,31	3,62	9,40 (4,20 - 10,60)	3,86 A	2,435 (860 - 3.315)	1,218	11,40						
16 + 35 + 42 + 42	1,00	2,00	2,50	2,50	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,17	2,35	2,94	2,94	9,40 (4,20 - 10,60)	4,09 A	2,300 (770 - 3.240)	1,150	10,80						
16 + 42 + 42 + 42	0,95	2,35	2,35	2,35	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,12	2,76	2,76	2,76	9,40 (4,20 - 10,60)	4,10 A	2,290 (770 - 3.230)	1,145	10,80						
20 + 20 + 20 + 20	2,00	2,00	2,00	2,00	8,00 (3,00 - 9,20)	3,54 A	2,260 (530 - 3.150)	1,130	10,70	2,35	2,35	2,35	2,35	9,40 (4,20 - 10,60)	3,98 A	2,360 (700 - 3.340)	1,180	11,10						
20 + 20 + 20 + 25	1,88	1,88	1,88	2,36	8,00 (3,00 - 9,20)	3,54 A	2,260 (530 - 3.150)	1,130	10,70	2,21	2,21	2,21	2,77	9,40 (4,20 - 10,60)	3,98 A	2,360 (700 - 3.340)	1,180	11,10						
20 + 20 + 20 + 35	1,74	1,74	1,74	2,78	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	2,04	2,04	2,04	3,28	9,40 (4,20 - 10,60)	4,02 A	2,340 (730 - 3.310)	1,170	11,00						
20 + 20 + 20 + 42	1,60	1,60	1,60	3,20	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,88	1,88	1,88	3,76	9,40 (4,20 - 10,60)	4,02 A	2,340 (730 - 3.300)	1,170	11,00						
20 + 20 + 20 + 50	1,45	1,45	1,45	3,65	8,00 (3,00 - 9,20)	3,55 A	2,255 (620 - 3.035)	1,128	10,70	1,71	1,71	1,71	4,27	9,40 (4,20 - 10,60)	3,89 A	2,415 (810 - 3.345)	1,208	11,30						
20 + 20 + 20 + 71	1,23	1,23	1,23	4,31	8,00 (3,00 - 9,20)	3,55 A	2,255 (630 - 3.045)	1,128	10,70	1,45	1,45	1,45	5,05	9,40 (4,20 - 10,60)	3,91 A	2,405 (820 - 3.335)	1,203	11,30						
20 + 20 + 25 + 25	1,78	1,78	2,22	2,22	8,00 (3,00 - 9,20)	3,54 A	2,260 (530 - 3.150)	1,130	10,70	2,09	2,09	2,61	2,61	9,40 (4,20 - 10,60)	3,98 A	2,360 (700 - 3.340)	1,180	11,10						
20 + 20 + 25 + 35	1,65	1,65	2,06	2,64	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,94	1,94	2,42	3,10	9,40 (4,20 - 10,60)	4,02 A	2,340 (730 - 3.310)	1,170	11,00						
20 + 20 + 25 + 42	1,52	1,52	1,90	3,06	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,79	1,79	2,24	3,58	9,40 (4,20 - 10,60)	4,02 A	2,340 (730 - 3.300)	1,170	11,00						
20 + 20 + 25 + 50	1,39	1,39	1,74	3,48	8,00 (3,00 - 9,20)	3,55 A	2,255 (620 - 3.035)	1,128	10,70	1,63	1,63	2,04	4,10	9,40 (4,20 - 10,60)	3,89 A	2,415 (810 - 3.345)	1,208	11,30						
20 + 20 + 25 + 71	1,19	1,19	1,47	4,15	8,00 (3,00 - 9,20)	3,55 A	2,255 (630 - 3.045)	1,128	10,70	1,39	1,39	1,74	4,88	9,40 (4,20 - 10,60)	3,91 A	2,405 (820 - 3.335)	1,203	11,30						
20 + 20 + 35 + 35	1,54	1,54	2,46	2,46	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,81	1,81	2,89	2,89	9,40 (4,20 - 10,60)	4,05 A	2,320 (740 - 3.280)	1,160	10,90						
20 + 20 + 35 + 42	1,43	1,43	2,28	2,86	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,68	1,68	2,68	3,36	9,40 (4,20 - 10,60)	4,05 A	2,320 (740 - 3.270)	1,160	10,90						
20 + 20 + 35 + 50	1,31	1,31	2,10	3,28	8,00 (3,00 - 9,20)	3,55 A	2,255 (630 - 3.045)	1,128	10,70	1,54	1,54	2,47	3,85	9,40 (4,20 - 10,60)	3,91 A	2,405 (830 - 3.325)	1,203	11,30						
20 + 20 + 42 + 42	1,33	1,33	2,67	2,67	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,57	1,57	3,13	3,13	9,40 (4,20 - 10,60)	4,07 A	2,310 (740 - 3.260)	1,155	10,90						
20 + 20 + 42 + 50	1,23	1,23	2,46	3,08	8,00 (3,00 - 9,20)	3,55 A	2,255 (630 - 3.045)	1,128	10,70	1,45	1,45	2,88	3,62	9,40 (4,20 - 10,60)	3,86 A	2,435 (830 - 3.315)	1,218	11,40						
20 + 25 + 25 + 25	1,67	2,11	2,11	2,11	8,00 (3,00 - 9,20)	3,54 A	2,260 (530 - 3.150)	1,130	10,70	1,99	2,47	2,47	2,47	9,40 (4,20 - 10,60)	3,98 A	2,360 (700 - 3.340)	1,180	11,10						
20 + 25 + 25 + 35	1,57	1,96	1,96	2,51	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,84	2,30	2,30	2,96	9,40 (4,20 - 10,60)	4,02 A	2,340 (730 - 3.310)	1,170	11,00						
20 + 25 + 25 + 42	1,45	1,82	1,82	2,91	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,70	2,14	2,14	3,42	9,40 (4,20 - 10,60)	4,02 A	2,340 (730 - 3.300)	1,170	11,00						
20 + 25 + 25 + 50	1,33	1,67	1,67	3,33	8,00 (3,00 - 9,20)	3,55 A	2,255 (620 - 3.035)	1,128	10,70	1,56	1,96	1,96	3,92	9,40 (4,20 - 10,60)	3,89 A	2,415 (810 - 3.345)	1,208	11,30						
20 + 25 + 35 + 35	1,47	1,83	2,35	2,35	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,72	2,16	2,76	2,76	9,40 (4,20 - 10,60)	4,05 A	2,320 (740 - 3.280)	1,160	10,90						
20 + 25 + 35 + 42	1,36	1,71	2,19	2,74	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,61	2,01	2,57	3,21	9,40 (4,20 - 10,60)	4,05 A	2,320 (740 - 3.270)	1,160	10,90						
20 + 25 + 35 + 50	1,26	1,57	2,02	3,15	8,00 (3,00 - 9,20)	3,55 A	2,255 (630 - 3.045)	1,128	10,70	1,48	1,85	2,37	3,70	9,40 (4,20 - 10,60)	3,91 A	2,405 (830 - 3.325)	1,203	11,30						
20 + 25 + 42 + 42	1,28	1,60	2,56	2,56	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,50	1,88	3,01	3,01	9,40 (4,20 - 10,60)	4,07 A	2,310 (740 - 3.260)	1,155	10,90						
20 + 25 + 42 + 50	1,19	1,48	2,37	2,96	8,00 (3,00 - 9,20)	3,55 A	2,255 (630 - 3.045)	1,128	10,70	1,39	1,74	2,79	3,48	9,40 (4,20 - 10,60)	3,86 A	2,435 (830 - 3.315)	1,218	11,40						
20 + 35 + 35 + 35	1,37	2,21	2,21	2,21	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,63	2,59	2,59	2,59	9,40 (4,20 - 10,60)	4,07 A	2,310 (770 - 3.250)	1,155	10,90						
20 + 35 + 35 + 42	1,29	2,06	2,06	2,59	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,51	2,43	2,43	3,03	9,40 (4,20 - 10,60)	4,09 A	2,300 (770 - 3.240)	1,150	10,80						
20 + 35 + 35 + 50	1,19	1,91	1,91	2,99	8,00 (3,00 - 9,20)	3,55 A	2,255 (630 - 3.045)	1,128	10,70	1,40	2,24	2,24	3,52	9,40 (4,20 - 10,60)	3,86 A	2,435 (860 - 3.305)	1,218	11,40						
20 + 35 + 42 + 42	1,21	1,95	2,42	2,42	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,42	2,28	2,85	2,85	9,40 (4,2										

# FREE MULTI 5X1 COMBINATIONS TABLE

Free Multi 5x1 CU-5E34PBE. Minimum capacity connected: 4.5kW. Maximum capacity connected: 17.5kW • R410 GAS

Indoor unit capacity	Cooling capacity (kW)					EER	Input power rating		A.E.C.	Current	Heating capacity (kW)					COP	Input power rating		A.E.C.	Current			
	Rooms						W/W	W			kWh	Rooms					W/W	W			kWh	230V	
	A	B	C	D	E							Total (Min - Max)	A	B	C								D
<b>1 Room</b>																							
16	1,60					1,60 (1,30 - 2,30)	3,40 A	470 (250 - 710)	235	2,30	2,60				2,60 (1,20 - 3,20)	3,88 A	670 (300 - 1.030)	335	3,20				
20	2,00					2,00 (1,80 - 2,90)	3,51 A	570 (340 - 880)	285	2,80	3,20				3,20 (2,20 - 4,10)	4,21 A	760 (300 - 1.250)	380	3,70				
25	2,50					2,50 (1,80 - 2,90)	3,57 A	700 (340 - 880)	350	3,40	3,60				3,60 (1,20 - 4,30)	3,75 A	960 (300 - 1.250)	480	4,80				
35	3,20					3,20 (1,80 - 3,80)	3,68 A	870 (340 - 1.430)	435	4,20	4,50				4,50 (1,20 - 5,80)	3,60 B	1.250 (300 - 2.120)	625	6,10				
42	4,00					4,00 (1,80 - 4,30)	3,05 B	1.310 (340 - 2.060)	455	6,10	5,60				5,60 (1,20 - 6,80)	3,22 C	1.740 (300 - 2.950)	870	8,10				
50	5,00					5,00 (1,90 - 5,70)	2,90 C	1.725 (340 - 2.305)	863	8,00	6,80				6,80 (1,20 - 6,90)	3,16 D	2.150 (300 - 2.570)	1.075	9,90				
71	7,00					7,00 (2,00 - 7,20)	2,63 D	2.665 (370 - 2.945)	1.333	12,10	8,70				8,70 (1,40 - 9,20)	3,35 C	2.600 (680 - 2.770)	1.300	12,00				
<b>2 Rooms</b>																							
16 + 16	1,60	1,60				3,20 (2,40 - 5,80)	3,68 A	870 (300 - 2.060)	435	4,20	2,35	2,35			4,70 (2,00 - 8,20)	3,05 D	1.540 (260 - 2.920)	770	7,30				
16 + 20	1,60	2,00				3,60 (2,40 - 5,80)	3,56 A	1.010 (300 - 2.060)	505	4,80	2,31	2,89			5,20 (2,00 - 8,20)	3,11 D	1.670 (250 - 2.860)	835	7,90				
16 + 25	1,60	2,50				4,10 (2,40 - 5,80)	3,39 A	1.210 (300 - 2.060)	605	5,70	2,19	3,41			5,60 (2,00 - 8,20)	3,08 D	1.820 (250 - 2.860)	910	8,60				
16 + 35	1,60	3,20				4,80 (2,40 - 5,80)	3,24 A	1.480 (300 - 2.000)	740	6,90	2,13	4,27			6,40 (2,00 - 8,20)	3,14 D	2.040 (240 - 2.780)	1.020	9,60				
16 + 42	1,60	4,00				5,60 (2,40 - 5,80)	3,08 B	1.820 (300 - 1.940)	910	8,40	2,11	5,29			7,40 (2,00 - 8,60)	3,11 D	2.380 (240 - 2.840)	1.190	11,20				
16 + 50	1,60	5,00				6,60 (2,40 - 7,20)	2,90 C	2.275 (280 - 2.605)	1.138	10,50	2,06	6,44			8,50 (2,00 - 11,00)	3,21 C	2.650 (190 - 3.630)	1.325	12,50				
16 + 71	1,60	7,00				8,60 (2,50 - 9,10)	2,45 E	3.505 (310 - 3.735)	1.753	16,20	1,90	8,30			10,20 (2,00 - 13,00)	3,19 D	3.200 (190 - 4.540)	1.600	15,00				
20 + 20	2,00	2,00				4,00 (2,40 - 5,80)	3,48 A	1.150 (300 - 2.000)	575	5,40	2,90	2,90			5,00 (2,00 - 8,20)	3,20 C	1.810 (250 - 2.800)	905	8,50				
20 + 25	2,00	2,50				4,50 (2,40 - 5,80)	3,26 A	1.380 (300 - 2.000)	690	6,40	2,71	3,39			6,10 (2,00 - 8,20)	3,19 D	1.910 (250 - 2.800)	955	9,00				
20 + 35	2,00	3,20				5,20 (2,40 - 5,80)	3,25 A	1.600 (300 - 1.940)	800	7,50	2,65	4,25			6,90 (2,00 - 8,60)	3,25 C	2.120 (240 - 2.840)	1.060	10,00				
20 + 42	2,00	4,00				6,00 (2,40 - 6,70)	2,91 C	2.060 (300 - 2.500)	1.030	9,50	2,63	5,27			7,90 (2,00 - 11,00)	3,12 D	2.530 (230 - 3.530)	1.265	11,90				
20 + 50	2,00	5,00				7,00 (2,40 - 8,10)	2,91 C	2.405 (280 - 3.135)	1.203	11,10	2,57	6,43			9,00 (2,00 - 11,00)	3,36 C	2.680 (190 - 3.510)	1.340	12,60				
20 + 71	2,00	7,00				9,00 (2,50 - 10,00)	2,43 E	3.705 (310 - 4.705)	1.853	17,10	2,38	8,32			10,70 (2,00 - 13,00)	3,28 C	3.260 (190 - 4.480)	1.630	15,30				
25 + 25	2,50	2,50				5,00 (2,40 - 5,80)	3,23 A	1.550 (300 - 2.000)	775	7,20	3,25	3,25			6,50 (2,00 - 8,60)	3,25 C	2.000 (250 - 2.920)	1.000	9,40				
25 + 35	2,50	3,20				5,70 (2,40 - 6,70)	3,03 B	1.880 (300 - 2.500)	940	8,70	3,20	4,10			7,30 (2,00 - 10,10)	3,20 C	2.280 (240 - 3.530)	1.140	10,70				
25 + 42	2,50	4,00				6,50 (2,40 - 7,20)	2,74 D	2.370 (300 - 2.900)	1.185	10,90	3,19	5,11			8,30 (2,00 - 11,00)	3,07 D	2.700 (230 - 3.760)	1.350	12,70				
25 + 50	2,50	5,00				7,50 (2,40 - 8,60)	2,74 D	2.735 (280 - 3.575)	1.368	12,60	3,13	6,27			9,40 (2,00 - 11,00)	3,24 C	2.900 (190 - 3.510)	1.450	13,60				
25 + 71	2,50	7,00				9,50 (2,50 - 10,10)	2,30 F	4.125 (310 - 4.840)	2.063	19,00	2,92	8,18			11,10 (2,00 - 13,00)	3,33 C	3.330 (190 - 4.480)	1.665	15,60				
35 + 35	3,20	3,20				6,40 (2,40 - 7,20)	2,86 C	2.240 (290 - 2.760)	1.120	10,30	4,05	4,05			8,10 (2,00 - 11,00)	3,15 D	2.570 (230 - 3.750)	1.285	12,10				
35 + 42	3,20	4,00				7,20 (2,40 - 8,10)	2,61 D	2.760 (290 - 3.530)	1.380	12,70	4,04	5,06			9,10 (2,00 - 11,00)	3,12 D	2.920 (230 - 3.680)	1.460	13,70				
35 + 50	3,20	5,00				8,20 (2,50 - 9,10)	2,62 D	3.135 (310 - 3.735)	1.568	14,50	3,98	6,22			10,20 (2,00 - 11,90)	3,33 C	3.060 (180 - 3.820)	1.530	14,40				
35 + 71	3,14	6,86				10,00 (2,50 - 10,40)	2,24 F	4.465 (310 - 4.840)	2.233	20,60	3,76	8,24			12,00 (2,00 - 13,80)	3,35 C	3.580 (180 - 4.840)	1.790	16,80				
42 + 42	4,00	4,00				8,00 (2,50 - 8,60)	5,60  (10,00) <sup>1</sup>	2,37 F	3.380 (320 - 4.070)	1.690	15,60	5,05	5,05		10,10 (2,00 - 11,90)	3,10 D	3.260 (220 - 4.080)	1.630	15,30				
42 + 50	4,00	5,00				9,00 (2,50 - 10,00)	2,43 E	3.705 (310 - 4.705)	1.853	17,10	4,98	6,22			11,20 (2,00 - 13,00)	3,51 B	3.190 (180 - 4.380)	1.595	15,00				
42 + 60							5,60  (10,00) <sup>1</sup>	2,28 F	4.395 (310 - 4.840)	2.198	20,30	4,36	7,64		12,00 (2,00 - 13,80)	3,37 C	3.560 (180 - 4.840)	1.780	16,70				
42 + 71	3,64	6,36				10,00 (2,50 - 10,40)	2,53 E	3.960 (300 - 4.350)	1.980	18,30	6,00	6,00			12,00 (2,00 - 13,80)	3,57 B	3.360 (200 - 4.600)	1.680	15,80				
50 + 50	5,00	5,00				10,00 (2,50 - 10,40)	5,60  (10,00) <sup>1</sup>	2,62 D	3.820 (300 - 4.200)	1.910	17,60	5,00	7,00		12,00 (2,00 - 13,80)	3,59 B	3.340 (200 - 4.580)	1.670	15,70				
71 + 71	5,00	5,00				10,00 (2,50 - 10,40)	2,72 D	3.670 (330 - 4.040)	1.835	16,90	6,00	6,00			12,00 (2,00 - 13,80)	3,60 A	3.330 (200 - 4.560)	1.665	15,60				
<b>3 Rooms</b>																							
16 + 16 + 16	1,60	1,60	1,60			4,80 (2,90 - 8,50)	3,66 A	1.310 (360 - 3.100)	655	6,10	2,33	2,33	2,33	6,99 (2,70 - 12,30)	3,53 B	1.980 (270 - 4.110)	1.090	9,30					
16 + 16 + 20	1,60	1,60	2,00			5,20 (2,90 - 8,50)	3,64 A	1.430 (360 - 3.100)	715	6,70	2,34	2,34	2,92	7,60 (2,70 - 12,30)	3,50 B	2.170 (270 - 4.050)	1.085	10,20					
16 + 16 + 25	1,60	1,60	2,50			5,70 (2,90 - 8,50)	3,68 A	1.640 (360 - 3.100)	820	7,60	2,22	2,22	3,66	7,90 (2,70 - 12,30)	3,46 B	2.280 (270 - 4.050)	1.140	10,70					
16 + 16 + 35	1,60	1,60	3,20			6,40 (2,90 - 8,50)	3,32 A	1.930 (360 - 3.030)	965	8,90	2,18	2,18	4,34	8,70 (2,70 - 12,30)	3,49 B	2.490 (270 - 3.950)	1.245	11,70					
16 + 16 + 42	1,60	1,60	4,00			7,20 (2,90 - 8,50)	3,21 A	2.240 (390 - 2.960)	1.120	10,30	2,16	2,16	5,38	9,70 (2,70 - 12,30)	3,32 C	2.920 (270 - 3.940)	1.460	13,70					
16 + 16 + 50	1,60	1,60	5,00			8,20 (2,90 - 8,70)	3,09 B	2.655 (390 - 2.845)	1.328	12,20	2,11	2,11	6,58	10,80 (2,70 - 12,90)	3,70 A	2.920 (290 - 4.060)	1.460	13,70					
16 + 16 + 71	1,57	1,57	6,86			10,00 (2,90 - 10,70)	2,92 C	3.425 (390 - 4.015)	1.713	15,80	1,88	1,88	8,24	12,00 (2,70 - 13,60)	3,58 B	3.350 (290 - 4.370)	1.675	15,70					
16 + 20 + 20	1,60	2,00	2,00			5,60 (2,90 - 8,50)	3,52 A	1.590 (360 - 3.030)	795	7,40	2,32	2,89	2,89	8,10 (2,70 - 12,30)	3,57 B	2.270 (270 - 3.990)	1.135	10,70					
16 + 20 + 25	1,60	2,00	2,50			6,10 (2,90 - 8,50)	3,37 A	1.810 (360 - 3.030)	905	8,30	2,23	2,79	3,48	8,50 (2,70 - 12,30)	3,43 B	2.480 (270 - 3.990)	1.240	11,70					
16 + 20 + 35	1,60	2,00	3,20			6,80 (2,90 - 8,50)	3,32 A	2.050 (390 - 2.960)	1.025	9,50	2,18	2,74	4,38	9,30 (2,70 - 12,30)	3,52 B	2.640 (270 - 3.890)	1.320	12,40					
16 + 20 + 42	1,60	2,00	4,00			7,60 (2,90 - 8,50)	3,13 B	2.430 (390 - 2.960)	1.215	11,20	2,17	2,71	5,42	10,30 (2,70 - 13,60)	3,55 B	2.900 (270 - 3.870)	1.450	13,60					
16 + 20 + 50	1,60	2,00	5,00			8,60 (2,90 - 9,60)	3,01 B	2.855 (390 - 3.215)	1.428	13,20	2,10	2,63	6,57	11,30 (2,70 - 12,30)	3,79 A	2.980 (290 - 4.330)	1.490	14,00					
16 + 20 + 71	1,51	1,89	6,60			10,00 (2,90 - 10,70)	2,92 C	3.425 (390 - 4.015)	1.713	15,80	1,81	2,26	7,93	12,00 (2,70 - 13,80)	3,65 A	3.290 (290 - 4.440)	1.645	15,50					
16 + 25 + 25	1,60	2,50	2,50			6,60 (2,90 - 8,50)	3,22 A	2.050 (360 - 3.030)	1.025	9,50	2,14	3,33	3,33	8,80 (2,70 - 12,30)	3,51 B	2.510 (270 - 3.990)	1.265	11,80					
16 + 25 + 35	1,60	2,50	3,20			7,30 (2,90 - 8,50)	3,17 B	2.300 (390 - 2.960)	1.150	10,60													

Free Multi 5x1 CU-5E34PBE. Minimum capacity connected: 4.5kW. Maximum capacity connected: 17,5kW • R410 GAS

Indoor unit capacity	Cooling capacity (kW)					EER	Input power rating		A.E.C.	Current		Heating capacity (kW)					COP	Input power rating		A.E.C.	Current	
	Rooms						W/W	W		kWh	230V	Rooms						W/W	W		kWh	230V
	A	B	C	D	E							Total (Min - Max)	A	B	C	D						
25 + 25 + 50	2,50	2,50	5,00			10,00 (2,90 - 10,70)	5,60	2,86 C	3,495 (390 - 4.085)	1,748	16,10	3,00	3,00	6,00			12,00 (2,70 - 13,60)	3,80	3,70 A	3,240 (290 - 4.260)	1,620	15,20
25 + 25 + 71	2,08	2,08	5,84			10,00 (2,90 - 10,70)		2,92 C	3,425 (390 - 3.935)	1,713	15,80	2,50	2,50	7,00			12,00 (2,70 - 13,80)		3,79 A	3,170 (290 - 4.380)	1,585	14,90
25 + 35 + 35	2,50	3,20	3,20			8,90 (2,90 - 9,60)		2,88 C	3,090 (390 - 3.460)	1,545	14,20	3,18	4,06	4,06			11,30 (2,70 - 13,60)		3,70 A	3,050 (280 - 4.510)	1,525	14,30
25 + 35 + 42	2,50	3,20	4,00			9,70 (2,90 - 10,70)		2,80 C	3,460 (390 - 4.530)	1,730	16,00	3,09	3,96	4,95			12,00 (2,70 - 13,60)		3,61 A	3,320 (280 - 4.420)	1,660	15,60
25 + 35 + 50	2,34	2,99	4,67			10,00 (2,90 - 10,70)		2,92 C	3,425 (390 - 4.015)	1,713	15,80	2,80	3,59	5,61			12,00 (2,70 - 13,80)		3,81 A	3,150 (310 - 4.360)	1,575	14,80
25 + 35 + 71	1,97	2,52	5,51			10,00 (2,90 - 10,70)		2,98 C	3,355 (420 - 3.855)	1,678	15,50	2,36	3,02	6,62			12,00 (2,70 - 14,10)		3,82 A	3,140 (310 - 4.470)	1,570	14,80
25 + 42 + 42	2,38	3,81	3,81			10,00 (2,90 - 10,70)		2,67 D	3,750 (390 - 4.530)	1,875	17,30	2,86	4,57	4,57			12,00 (2,70 - 13,80)		3,63 A	3,310 (280 - 4.550)	1,655	15,60
25 + 42 + 50	2,17	3,48	4,35			10,00 (2,90 - 10,70)		2,92 C	3,425 (390 - 3.935)	1,713	15,80	2,61	4,17	5,22			12,00 (2,70 - 13,80)		3,82 A	3,140 (310 - 4.460)	1,570	14,80
25 + 42 + 71	1,85	2,96	5,19			10,00 (2,90 - 10,70)		3,04 B	3,285 (420 - 3.855)	1,643	15,10	2,22	3,56	6,22			12,00 (2,70 - 14,10)		3,85 A	3,120 (310 - 4.340)	1,560	14,70
25 + 50 + 50	2,00	4,00	4,00			10,00 (2,90 - 10,70)		3,08 B	3,250 (430 - 3.670)	1,625	15,00	2,40	4,80	4,80			12,00 (2,70 - 13,80)		3,95 A	3,040 (350 - 4.140)	1,520	14,30
25 + 50 + 71	1,72	3,45	4,83			10,00 (2,90 - 10,70)		3,14 B	3,180 (460 - 3.600)	1,590	14,70	2,07	4,14	5,79			12,00 (2,70 - 14,10)		3,96 A	3,030 (370 - 4.320)	1,515	14,20
25 + 71 + 71	1,52	4,24	4,24			10,00 (2,90 - 10,70)		3,22 A	3,110 (460 - 3.530)	1,555	14,30	1,82	5,09	5,09			12,00 (2,70 - 14,10)		3,91 A	3,070 (380 - 4.430)	1,535	14,40
35 + 35 + 35	3,20	3,20	3,20			9,60 (2,90 - 10,10)		2,89 C	3,320 (390 - 3.750)	1,660	15,30	4,00	4,00	4,00			12,00 (2,70 - 13,60)		3,64 A	3,300 (280 - 4.400)	1,650	15,50
35 + 35 + 42	3,08	3,08	3,84			10,00 (2,90 - 10,70)		2,72 D	3,680 (390 - 4.370)	1,840	17,00	3,69	3,69	4,62			12,00 (2,70 - 13,60)		3,66 A	3,280 (280 - 4.390)	1,640	15,40
35 + 35 + 50	2,81	2,81	3,84			10,00 (2,90 - 10,70)		2,98 C	3,355 (390 - 3.855)	1,678	15,50	3,37	3,37	5,26			12,00 (2,70 - 13,80)		3,85 A	3,120 (310 - 4.320)	1,560	14,70
35 + 35 + 71	2,39	2,39	5,22			10,00 (2,90 - 10,70)		3,04 B	3,285 (420 - 3.785)	1,643	15,10	2,87	2,87	6,26			12,00 (2,70 - 14,10)		3,86 A	3,110 (320 - 4.430)	1,555	14,60
35 + 42 + 42	2,86	3,57	3,57			10,00 (2,90 - 10,70)		2,78 D	3,600 (390 - 4.370)	1,800	16,60	3,42	4,29	4,29			12,00 (2,70 - 13,80)		3,67 A	3,270 (280 - 4.510)	1,635	15,40
35 + 42 + 50	2,62	3,28	4,10			10,00 (2,90 - 10,70)		2,98 C	3,355 (420 - 3.855)	1,678	15,50	3,15	3,93	4,92			12,00 (2,70 - 13,80)		3,86 A	3,110 (320 - 4.300)	1,555	14,60
35 + 42 + 71	2,25	2,82	4,93			10,00 (2,90 - 10,70)		3,04 B	3,285 (420 - 3.785)	1,643	15,10	2,70	3,38	5,92			12,00 (2,70 - 14,10)		3,88 A	3,090 (320 - 4.410)	1,545	14,50
35 + 50 + 50	2,42	3,79	3,79			10,00 (2,90 - 10,70)		3,14 B	3,180 (460 - 3.600)	1,590	14,70	2,90	4,55	4,55			12,00 (2,70 - 14,10)		3,91 A	3,070 (380 - 4.300)	1,535	14,40
35 + 50 + 71	2,10	3,29	4,61			10,00 (2,90 - 10,70)		3,22 A	3,110 (460 - 3.530)	1,555	14,30	2,52	3,95	5,53			12,00 (2,70 - 14,10)		3,93 A	3,050 (380 - 4.410)	1,525	14,30
35 + 71 + 71	1,86	4,07	4,07			10,00 (2,90 - 10,70)		3,21 A	3,120 (470 - 3.530)	1,560	14,40	2,24	4,88	4,88			12,00 (2,70 - 14,10)		3,95 A	3,040 (390 - 4.390)	1,520	14,30
42 + 42 + 42	3,33	3,33	3,33			9,99 (2,90 - 10,70)		2,78 D	3,600 (390 - 4.290)	1,800	16,60	4,00	4,00	4,00			12,00 (2,70 - 13,80)		3,68 A	3,260 (280 - 4.420)	1,630	15,30
42 + 42 + 50	3,08	3,08	3,84			10,00 (2,90 - 10,70)		3,04 B	3,285 (420 - 3.855)	1,643	15,10	3,69	3,69	4,62			12,00 (2,70 - 14,10)		3,87 A	3,100 (320 - 4.420)	1,550	14,60
42 + 42 + 71	2,67	2,67	4,66			10,00 (2,90 - 10,70)		3,11 B	3,215 (420 - 3.715)	1,608	14,80	3,20	3,20	5,60			12,00 (2,70 - 14,10)		3,90 A	3,080 (320 - 4.540)	1,540	14,50
42 + 50 + 50	2,86	3,57	3,57			10,00 (2,90 - 10,70)		3,14 B	3,180 (460 - 3.600)	1,590	14,70	3,42	4,29	4,29			12,00 (2,70 - 14,10)		3,92 A	3,060 (380 - 4.280)	1,530	14,40
42 + 50 + 71	2,49	3,13	3,48			10,00 (2,90 - 10,70)		3,22 A	3,110 (460 - 3.530)	1,555	14,30	3,00	3,75	5,25			12,00 (2,70 - 14,40)		3,95 A	3,040 (390 - 4.400)	1,520	14,30
50 + 50 + 50	3,33	3,33	3,33			9,99 (2,90 - 10,70)		2,78 D	3,600 (390 - 4.290)	1,800	16,60	4,00	4,00	4,00			12,00 (2,70 - 14,40)		3,96 A	3,030 (460 - 4.350)	1,515	14,20
50 + 50 + 71	2,94	2,94	4,12			10,00 (2,90 - 10,70)		3,23 A	3,095 (510 - 3.495)	1,548	14,30	3,53	3,53	4,94			12,00 (2,70 - 14,40)		3,97 A	3,020 (480 - 4.340)	1,510	14,20
4 Rooms																						
16 + 16 + 16 + 16	1,60	1,60	1,60	1,60		6,40 (2,90 - 10,60)		3,50 A	1,830 (420 - 4.130)	915	8,40	2,88	2,88	2,88	2,88		11,52 (3,40 - 14,20)		3,65 A	3,160 (390 - 4.720)	1,580	14,80
16 + 16 + 16 + 20	1,60	1,60	1,60	2,00		6,80 (2,90 - 10,60)		3,43 A	1,980 (420 - 4.130)	990	9,10	2,71	2,71	2,71	3,39		11,52 (3,40 - 14,20)		3,73 A	3,090 (390 - 4.650)	1,545	14,40
16 + 16 + 16 + 25	1,60	1,60	1,60	2,50		7,30 (2,90 - 10,60)		3,36 A	2,170 (420 - 4.130)	1,085	10,00	2,52	2,52	2,52	3,96		11,52 (3,40 - 14,20)		3,73 A	3,090 (390 - 4.650)	1,545	14,50
16 + 16 + 16 + 30	1,60	1,60	1,60	3,20		8,00 (2,90 - 10,60)		3,25 A	2,460 (420 - 4.050)	1,230	11,30	2,30	2,30	2,30	4,62		11,52 (3,40 - 14,20)		3,76 A	3,060 (390 - 4.610)	1,530	14,40
16 + 16 + 16 + 42	1,60	1,60	1,60	4,00		8,80 (2,90 - 10,60)		3,10 B	2,840 (420 - 4.050)	1,420	12,10	2,09	2,09	2,09	5,25		11,52 (3,40 - 14,20)		3,78 A	3,050 (400 - 4.610)	1,525	14,30
16 + 16 + 16 + 50	1,60	1,60	1,60	5,00		9,80 (2,90 - 10,60)		3,03 B	3,235 (470 - 3.825)	1,618	14,90	1,88	1,88	1,88	5,88		11,52 (3,40 - 14,20)		3,88 A	2,970 (460 - 4.460)	1,485	14,00
16 + 16 + 16 + 71	1,36	1,36	1,36	5,92		10,00 (2,90 - 10,60)		3,02 B	3,315 (470 - 3.745)	1,658	15,30	1,56	1,56	1,56	6,84		11,52 (3,40 - 14,20)		3,89 A	2,960 (460 - 4.440)	1,480	13,90
16 + 16 + 20 + 20	1,60	1,60	2,00	2,00		7,20 (2,90 - 10,60)		3,43 A	2,100 (420 - 4.040)	1,050	9,70	2,56	2,56	3,20	3,20		11,52 (3,40 - 14,20)		3,80 A	3,030 (390 - 4.590)	1,515	14,10
16 + 16 + 20 + 25	1,60	1,60	2,00	2,50		7,70 (2,90 - 10,60)		3,30 A	2,330 (420 - 4.040)	1,165	10,70	2,39	2,39	2,99	3,75		11,52 (3,40 - 14,20)		3,80 A	3,030 (390 - 4.590)	1,515	14,10
16 + 16 + 20 + 35	1,60	1,60	2,00	3,20		8,40 (2,90 - 10,60)		3,24 A	2,590 (420 - 3.960)	1,295	11,90	2,19	2,19	2,74	4,40		11,52 (3,40 - 14,20)		3,84 A	3,000 (400 - 4.550)	1,500	14,10
16 + 16 + 20 + 42	1,60	1,60	2,00	4,00		9,20 (2,90 - 10,60)		3,05 B	3,020 (420 - 3.960)	1,510	13,90	2,00	2,00	2,50	5,02		11,52 (3,40 - 14,20)		3,85 A	2,990 (400 - 4.530)	1,495	14,10
16 + 16 + 20 + 50	1,57	1,57	1,96	4,90		10,00 (2,90 - 10,60)		2,95 C	3,385 (470 - 3.825)	1,693	15,60	1,81	1,81	2,25	5,65		11,52 (3,40 - 14,20)		3,96 A	2,910 (460 - 4.400)	1,455	13,70
16 + 16 + 20 + 71	1,31	1,31	1,64	5,74		10,00 (2,90 - 10,80)		3,02 B	3,315 (470 - 3.905)	1,658	15,30	1,51	1,51	1,89	6,61		11,52 (3,40 - 14,20)		3,97 A	2,900 (460 - 4.380)	1,450	13,60
16 + 16 + 25 + 25	1,60	1,60	2,50	2,50		8,20 (2,90 - 10,60)		3,24 A	2,530 (420 - 4.040)	1,265	11,70	2,25	2,25	3,51	3,51		11,52 (3,40 - 14,20)		3,80 A	3,030 (390 - 4.590)	1,515	14,10
16 + 16 + 25 + 35	1,60	1,60	2,50	3,20		8,90 (2,90 - 10,60)		3,13 B														

# FREE MULTI 5X1 COMBINATIONS TABLE

Free Multi 5x1 CU-5E34PBE. Minimum capacity connected: 4.5kW. Maximum capacity connected: 17.5kW • R410 GAS

Indoor unit capacity Rooms	Cooling capacity (kW)					EER	Input power rating			A.E.C.	Current	Heating capacity (kW)					COP	Input power rating			A.E.C.	Current				
	A	B	C	D	E		Total (Min - Max)	W/W	W			kWh	230V	A	B	C		D	E	Total (Min - Max)			W/W	W	kWh	230V
16 + 35 + 35 + 50	1.23	2.46	2.46	3.85		10.00	3.02 B	3.315 (510 - 3.835)	1.658	15.30	1.41	2.84	2.84	4.43		11.52	4.03 A	2.860 (500 - 4.320)	1.430	13.40						
16 + 35 + 35 + 71	1.07	2.13	2.13	4.67		10.00	3.08 B	3.245 (540 - 3.915)	1.623	15.00	1.22	2.46	2.46	5.38		11.52	4.04 A	2.850 (520 - 4.370)	1.425	13.40						
16 + 35 + 42 + 42	1.24	2.50	3.13	3.13		10.00	2.99 C	3.350 (460 - 3.960)	1.675	15.40	1.44	2.88	3.60	3.60		11.52	4.01 A	2.870 (430 - 4.440)	1.435	13.50						
16 + 35 + 42 + 50	1.16	2.32	2.90	3.62		10.00	3.08 B	3.245 (510 - 3.835)	1.623	15.00	1.34	2.67	3.34	4.17		11.52	4.04 A	2.850 (510 - 4.380)	1.425	13.40						
16 + 35 + 42 + 71	1.01	2.03	2.53	4.43		10.00	3.08 B	3.245 (540 - 4.075)	1.623	15.00	1.17	2.33	2.92	5.10		11.52	4.06 A	2.840 (520 - 4.360)	1.420	13.30						
16 + 35 + 50 + 50	1.08	2.16	3.38	3.38		10.00	3.04 B	3.290 (590 - 3.870)	1.645	15.20	1.25	2.49	3.89	3.89		11.52	3.97 A	2.900 (600 - 4.330)	1.450	13.60						
16 + 35 + 50 + 71	0.95	1.90	2.98	4.17		10.00	3.04 B	3.290 (600 - 4.030)	1.645	15.20	1.10	2.19	3.43	4.80		11.52	3.99 A	2.890 (620 - 4.310)	1.445	13.60						
16 + 42 + 42 + 42	1.18	2.94	2.94	2.94		10.00	2.99 C	3.350 (460 - 3.960)	1.675	15.40	1.35	3.39	3.39	3.39		11.52	4.03 A	2.860 (450 - 4.420)	1.430	13.40						
16 + 42 + 42 + 50	1.10	2.74	2.74	3.42		10.00	3.08 B	3.245 (510 - 3.915)	1.623	15.00	1.25	3.16	3.16	3.95		11.52	4.06 A	2.840 (520 - 4.360)	1.420	13.30						
16 + 42 + 42 + 71	0.96	2.41	2.41	4.22		10.00	3.08 B	3.245 (540 - 4.075)	1.623	15.00	1.10	2.78	2.78	4.86		11.52	4.07 A	2.830 (530 - 4.340)	1.415	13.30						
16 + 42 + 50 + 50	1.02	2.56	3.21	3.21		10.00	3.04 B	3.290 (590 - 3.870)	1.645	15.20	1.18	2.96	3.69	3.69		11.52	3.99 A	2.890 (620 - 4.320)	1.445	13.60						
16 + 50 + 50 + 50	0.97	3.01	3.01	3.01		10.00	2.99 C	3.345 (650 - 4.075)	1.673	15.40	1.11	3.47	3.47	3.47		11.52	3.89 A	2.960 (720 - 4.350)	1.480	13.90						
20 + 20 + 20 + 20	2.00	2.00	2.00	2.00		8.00	3.25 A	2.460 (420 - 0.050)	1.230	11.30	2.88	2.88	2.88	2.88		11.52	3.96 A	2.910 (390 - 4.460)	1.455	13.70						
20 + 20 + 20 + 25	2.00	2.00	2.00	2.50		8.50	3.20 B	2.660 (420 - 4.050)	1.330	12.30	3.80	2.80	2.80	3.50		11.90	3.88 A	3.070 (390 - 4.460)	1.535	14.40						
20 + 20 + 20 + 35	2.00	2.00	2.00	3.20		9.20	3.12 B	2.950 (420 - 3.960)	1.475	13.60	2.61	2.61	2.61	4.17		12.00	3.95 A	3.040 (400 - 4.420)	1.520	14.30						
20 + 20 + 20 + 42	2.00	2.00	2.00	4.00		10.00	2.92 C	3.430 (430 - 3.960)	1.715	15.80	2.40	2.40	2.40	4.80		12.00	3.96 A	3.030 (420 - 4.400)	1.515	14.20						
20 + 20 + 20 + 50	1.82	1.82	1.82	4.54		10.00	3.02 B	3.315 (470 - 3.745)	1.658	15.30	2.18	2.18	2.18	5.46		12.00	4.00 A	3.000 (480 - 4.270)	1.500	14.10						
20 + 20 + 20 + 71	1.54	1.54	1.54	5.38		10.00	3.02 B	3.315 (500 - 3.835)	1.658	15.30	1.85	1.85	1.85	6.45		12.00	4.01 A	2.990 (480 - 4.310)	1.495	14.10						
20 + 20 + 25 + 25	2.00	2.00	2.50	2.50		9.00	3.09 B	2.910 (420 - 4.050)	1.455	13.40	2.67	2.67	3.33	3.33		12.00	3.91 A	3.070 (390 - 4.460)	1.535	14.40						
20 + 20 + 25 + 35	2.00	2.00	2.50	3.20		9.70	3.03 B	3.200 (420 - 3.960)	1.600	14.80	2.47	2.47	3.09	3.97		12.00	3.95 A	3.040 (400 - 4.420)	1.520	14.30						
20 + 20 + 25 + 42	1.90	1.90	2.38	3.82		10.00	2.92 C	3.430 (430 - 3.960)	1.715	15.80	2.29	2.29	2.85	4.57		12.00	3.96 A	3.030 (420 - 4.400)	1.515	14.20						
20 + 20 + 25 + 50	1.74	1.74	1.74	4.35		10.00	3.02 B	3.315 (470 - 3.745)	1.658	15.30	2.09	2.09	2.60	5.22		12.00	4.00 A	3.000 (480 - 4.270)	1.500	14.10						
20 + 20 + 25 + 71	1.48	1.48	1.85	5.19		10.00	3.02 B	3.315 (500 - 3.835)	1.658	15.30	1.78	1.78	2.22	6.22		12.00	4.01 A	2.990 (480 - 4.310)	1.495	14.10						
20 + 20 + 35 + 35	1.92	1.92	3.08	3.08		10.00	2.99 C	3.350 (430 - 3.880)	1.675	15.40	2.31	2.31	3.69	3.69		12.00	3.99 A	3.010 (420 - 4.310)	1.505	14.10						
20 + 20 + 35 + 42	1.79	1.79	2.85	3.57		10.00	2.99 C	3.350 (430 - 3.880)	1.675	15.40	2.14	2.14	3.43	4.29		12.00	4.00 A	3.000 (420 - 4.290)	1.500	14.10						
20 + 20 + 35 + 50	1.64	1.64	2.62	4.10		10.00	3.02 B	3.315 (500 - 3.825)	1.658	15.30	1.97	1.97	3.14	4.92		12.00	4.04 A	2.970 (490 - 4.230)	1.485	14.00						
20 + 20 + 35 + 71	1.41	1.41	2.25	4.93		10.00	3.08 B	3.245 (510 - 3.915)	1.623	15.00	1.69	1.69	2.70	5.92		12.00	4.05 A	2.960 (500 - 4.280)	1.480	13.90						
20 + 20 + 42 + 42	1.67	1.67	3.33	3.33		10.00	2.99 C	3.350 (430 - 3.880)	1.675	15.40	2.00	2.00	4.00	4.00		12.00	4.01 A	2.990 (430 - 4.280)	1.495	14.10						
20 + 20 + 42 + 50	1.54	1.54	3.07	3.85		10.00	3.02 B	3.315 (500 - 3.835)	1.658	15.30	1.85	1.85	3.68	4.62		12.00	4.05 A	2.960 (490 - 4.280)	1.480	13.90						
20 + 20 + 42 + 71	1.33	1.33	2.67	4.67		10.00	3.08 B	3.245 (510 - 3.915)	1.623	15.00	1.60	1.60	3.20	5.60		12.00	4.07 A	2.950 (510 - 4.330)	1.475	13.90						
20 + 20 + 50 + 50	1.43	1.43	3.57	3.57		10.00	3.04 B	3.290 (560 - 3.790)	1.645	15.20	1.71	1.71	4.29	4.29		12.00	4.00 A	3.000 (590 - 4.300)	1.500	14.10						
20 + 20 + 50 + 71	1.25	1.25	3.12	4.38		10.00	3.04 B	3.290 (560 - 4.030)	1.645	15.20	1.50	1.50	3.75	5.25		12.00	4.00 A	3.000 (600 - 4.280)	1.500	14.10						
20 + 25 + 25 + 25	2.00	2.50	2.50	2.50		9.50	3.00 C	3.170 (420 - 4.050)	1.585	14.60	2.52	3.16	3.16	3.16		12.00	3.91 A	3.070 (390 - 4.460)	1.535	14.40						
20 + 25 + 25 + 28	2.00	2.50	2.50	2.80		9.80	2.99 C	3.280 (420 - 3.980)	1.640	15.10	2.45	3.06	3.06	3.43		12.00	3.93 A	3.050 (390 - 4.440)	1.525	14.30						
20 + 25 + 25 + 35	1.96	2.45	2.45	3.14		10.00	2.92 C	3.430 (420 - 3.960)	1.715	15.80	2.35	2.94	2.94	3.77		12.00	3.95 A	3.040 (400 - 4.420)	1.520	14.30						
20 + 25 + 25 + 42	1.82	2.27	2.27	3.64		10.00	2.92 C	3.430 (430 - 3.960)	1.715	15.80	2.18	2.73	2.73	4.36		12.00	3.96 A	3.030 (420 - 4.400)	1.515	14.20						
20 + 25 + 25 + 50	1.67	2.08	2.08	4.17		10.00	3.02 B	3.315 (470 - 3.745)	1.658	15.30	2.00	2.50	2.50	5.00		12.00	4.00 A	3.000 (480 - 4.270)	1.500	14.10						
20 + 25 + 25 + 71	1.42	1.79	1.79	5.00		10.00	3.02 B	3.315 (500 - 3.835)	1.658	15.30	1.71	2.14	2.14	6.01		12.00	4.01 A	2.990 (480 - 4.310)	1.495	14.10						
20 + 25 + 35 + 35	1.83	2.29	2.94	2.94		10.00	2.99 C	3.350 (430 - 3.880)	1.675	15.40	2.20	2.76	3.52	3.52		12.00	3.99 A	3.010 (420 - 4.310)	1.505	14.10						
20 + 25 + 35 + 42	1.70	2.14	2.74	3.42		10.00	2.99 C	3.350 (430 - 3.880)	1.675	15.40	2.05	2.56	3.28	4.11		12.00	4.00 A	3.000 (420 - 4.290)	1.500	14.10						
20 + 25 + 35 + 50	1.57	1.97	2.52	3.94		10.00	3.02 B	3.315 (500 - 3.825)	1.658	15.30	1.89	2.36	3.02	4.73		12.00	4.04 A	2.970 (490 - 4.230)	1.485	14.00						
20 + 25 + 35 + 71	1.36	1.70	2.18	4.76		10.00	3.08 B	3.245 (510 - 3.915)	1.623	15.00	1.63	2.04	2.61	5.72		12.00	4.05 A	2.960 (500 - 4.280)	1.480	13.90						
20 + 25 + 42 + 42	1.60	2.00	3.20	3.20		10.00	2.99 C	3.350 (430 - 4.050)	1.675	15.40	1.92	2.40	3.84	3.84		12.00	4.01 A	2.990 (430 - 4.280)	1.495	14.10						
20 + 25 + 42 + 50	1.48	1.85	2.96	3.71		10.00	3.02 B	3.315 (500 - 3.835)	1.658	15.30	1.78	2.22	3.56	4.44		12.00	4.05 A	2.960 (490 - 4.280)	1.480	13.90						
20 + 25 + 42 + 71	1.29	1.61	2.58	4.52		10.00	3.08 B	3.245 (510 - 3.915)	1.623	15.00	1.54	1.94	3.10	5.42		12.00	4.07 A	2.950 (510 - 4.330)	1.475	13.90						
20 + 25 + 50 + 50	1.38	1.72	3.45	3.45		10.00	3.04 B	3.290 (560 - 3.950)	1.645	15.20	1.65	2.07	4.14	4.14		12.00	4.00 A	3.000 (590 - 4.300)	1.500	14.10						
20 + 25 + 50 + 71	1.21	1.52	3.03	4.24		10.00	3.04 B	3.290 (560 - 4.030)	1.645	15.20	1.45	1.82	3.64	5.09		12.00	4.00 A	3.000 (600 - 4.280)	1.500	14.10						
20 + 35 + 35 + 35	1.72	2.76	2.76	2.76		10.00	2.99 C	3.350 (460 - 3.800)	1.675	15.40	2.07	3.31	3.31	3.31		12.00	4.03 A	2.980 (430 - 4.270)	1.490	14.00						
20 + 35 + 35 + 42	1.61	2.58	2.58	3.23		10.00	2.99 C	3.350 (460 - 3.960)	1.675	15.40	1.93	3.10	3.10	3.87		12.00	3.96 A	3.030 (430 - 4.250)	1.515	14.20						
20 + 35 + 35 + 50	1.49	2.39	3.29	3.73		10.00	3.08 B	3.245 (510 - 3.835)	1.623	15.00	1.78	2.87	2.87	4.48		12.00	4.07 A	2.950 (510 - 4.330)	1.475	13.90						
20 + 35 + 35 + 71	1.29	2.08	2.08	4.55		10.00	3.08 B	3.245 (510 - 3.915)	1.623	15.00	1.56	2.49	2.49	5.46		12.00	4.01 A	2.990 (520 - 4.310)	1.495	14.10						
20 + 35 + 42 + 42	1.52	2.42	3.03	3.03		10.00	2.99 C	3.350 (460 - 3.960)	1.675	15.40	1.81	2.91	3.64	3.64		12.00	3.97 A	3.020 (450 - 4.370)	1.510	14.20						
20 + 35 + 42 + 50	1.41	2.25	2.82	3.52		10.00	3.08 B	3.245 (510 - 3.915)	1.623	15																

Free Multi 5x1 CU-5E34PBE. Minimum capacity connected: 4.5kW. Maximum capacity connected: 17,5kW • R410 GAS

Table with columns: Indoor unit capacity, Cooling capacity (kW) Rooms, EER, Input power rating, A.E.C., Current, Heating capacity (kW) Rooms, COP, Input power rating, A.E.C., Current. Rows include various room configurations like 35+35+50, 16+16+16+16, etc.

# FREE MULTI 5X1 COMBINATIONS TABLE

Free Multi 5x1 CU-5E34PBE. Minimum capacity connected: 4.5kW. Maximum capacity connected: 17.5kW • R410 GAS

Indoor unit capacity	Cooling capacity (kW)					EER	Input power rating	A.E.C.	Current	Heating capacity (kW)					COP	Input power rating	A.E.C.	Current				
	Rooms									Rooms												
	A	B	C	D	E					Total (Min - Max)	W/W	W	kWh	230V					A	B	C	D
16 + 20 + 20 + 35 + 71	1.00	1.27	1.27	2.03	4.43	10.00	(2.90 - 11.50)	3.12 B	3.205 (660 - 4.095)	1.603	14.80	1.21	1.52	1.52	2.43	5.32	12.00	(3.40 - 14.50)	3.91 A	3.070 (700 - 4.330)	1.535	14.40
16 + 20 + 25 + 42 + 71	1.18	1.47	1.47	2.94	2.94	10.00	(2.90 - 11.50)	3.17 B	3.150 (560 - 4.130)	1.575	14.50	1.42	1.76	1.76	3.53	3.53	12.00	(3.40 - 14.50)	3.99 A	3.010 (590 - 4.310)	1.505	14.10
16 + 20 + 20 + 42 + 50	1.10	1.37	1.37	2.74	3.42	10.00	(2.90 - 11.50)	3.12 B	3.205 (650 - 4.085)	1.603	14.80	1.32	1.64	1.64	3.29	4.11	12.00	(3.40 - 14.50)	3.91 A	3.070 (690 - 4.330)	1.535	14.40
16 + 20 + 20 + 42 + 71	0.96	1.20	1.20	2.41	4.23	10.00	(2.90 - 11.50)	3.11 B	3.215 (660 - 4.095)	1.608	14.80	1.15	1.45	1.45	2.89	5.06	12.00	(3.40 - 14.50)	3.92 A	3.060 (710 - 4.320)	1.530	14.40
16 + 20 + 20 + 50 + 50	1.02	1.28	1.28	3.21	3.21	10.00	(2.90 - 11.50)	2.99 C	3.340 (720 - 4.140)	1.670	15.40	1.22	1.54	1.54	3.85	3.85	12.00	(3.40 - 14.50)	3.76 A	3.190 (820 - 4.380)	1.595	15.00
16 + 20 + 25 + 25 + 25	1.44	1.81	2.25	2.25	2.25	10.00	(2.90 - 11.50)	3.12 B	3.210 (520 - 4.210)	1.605	14.80	1.73	2.17	2.17	2.70	2.70	12.00	(3.40 - 14.50)	3.97 A	3.020 (530 - 4.400)	1.510	14.20
16 + 20 + 25 + 25 + 35	1.36	1.69	2.12	2.12	2.71	10.00	(2.90 - 11.50)	3.11 B	3.220 (550 - 4.130)	1.610	14.80	1.63	2.03	2.54	2.54	3.26	12.00	(3.40 - 14.50)	4.00 A	3.000 (550 - 4.360)	1.500	14.10
16 + 20 + 25 + 25 + 42	1.27	1.59	1.98	1.98	3.18	10.00	(2.90 - 11.50)	3.18 B	3.140 (550 - 4.130)	1.570	14.50	1.52	1.90	2.38	2.38	3.82	12.00	(3.40 - 14.50)	4.01 A	2.990 (560 - 4.350)	1.495	14.10
16 + 20 + 25 + 25 + 50	1.17	1.47	1.84	1.84	3.68	10.00	(2.90 - 11.50)	3.06 B	3.265 (610 - 4.085)	1.633	15.10	1.41	1.76	2.21	2.21	4.41	12.00	(3.40 - 14.50)	3.95 A	3.040 (660 - 4.310)	1.520	14.30
16 + 20 + 25 + 25 + 71	1.03	1.28	1.60	1.60	4.49	10.00	(2.90 - 11.50)	3.12 B	3.205 (650 - 4.085)	1.603	14.80	1.23	1.54	1.92	1.92	5.39	12.00	(3.40 - 14.50)	3.95 A	3.040 (670 - 4.360)	1.520	14.30
16 + 20 + 25 + 35 + 35	1.28	1.60	2.00	2.56	2.56	10.00	(2.90 - 11.50)	3.17 B	3.150 (560 - 4.130)	1.575	14.50	1.54	1.92	2.40	3.07	3.07	12.00	(3.40 - 14.50)	4.03 A	2.980 (580 - 4.330)	1.490	14.00
16 + 20 + 25 + 35 + 42	1.20	1.50	1.88	2.41	3.01	10.00	(2.90 - 11.50)	3.17 B	3.150 (560 - 4.130)	1.575	14.50	1.44	1.80	2.26	2.89	3.61	12.00	(3.40 - 14.50)	3.97 A	3.020 (580 - 4.320)	1.510	14.20
16 + 20 + 25 + 35 + 50	1.11	1.40	1.75	2.24	3.50	10.00	(2.90 - 11.50)	3.05 B	3.275 (650 - 4.085)	1.638	15.10	1.33	1.68	2.10	2.69	4.20	12.00	(3.40 - 14.50)	3.90 A	3.080 (690 - 4.340)	1.540	14.50
16 + 20 + 25 + 35 + 71	0.98	1.23	1.53	1.96	4.30	10.00	(2.90 - 11.50)	3.12 B	3.205 (660 - 4.095)	1.603	14.80	1.18	1.47	1.84	2.36	5.15	12.00	(3.40 - 14.50)	3.91 A	3.070 (700 - 4.330)	1.535	14.40
16 + 20 + 25 + 42 + 42	1.13	1.42	1.77	2.84	2.84	10.00	(2.90 - 11.50)	3.17 B	3.150 (560 - 4.130)	1.575	14.50	1.36	1.70	2.14	3.40	3.40	12.00	(3.40 - 14.50)	3.99 A	3.010 (590 - 4.310)	1.505	14.10
16 + 20 + 25 + 42 + 50	1.06	1.32	1.66	2.65	3.31	10.00	(2.90 - 11.50)	3.12 B	3.205 (650 - 4.085)	1.603	14.80	1.27	1.59	1.99	3.18	3.97	12.00	(3.40 - 14.50)	3.91 A	3.070 (690 - 4.330)	1.535	14.40
16 + 20 + 25 + 42 + 71	0.94	1.17	1.46	2.34	4.09	10.00	(2.90 - 11.50)	3.11 B	3.215 (660 - 4.095)	1.608	14.80	1.12	1.40	1.75	2.81	4.92	12.00	(3.40 - 14.50)	3.92 A	3.060 (710 - 4.320)	1.530	14.40
16 + 20 + 25 + 50 + 50	0.99	1.24	1.55	3.11	3.11	10.00	(2.90 - 11.50)	2.99 C	3.340 (720 - 4.140)	1.670	15.40	1.19	1.49	1.86	3.73	3.73	12.00	(3.40 - 14.50)	3.76 A	3.190 (820 - 4.380)	1.595	15.00
16 + 20 + 25 + 35 + 35	1.21	1.53	2.42	2.42	4.22	10.00	(2.90 - 11.50)	3.17 B	3.150 (560 - 4.050)	1.575	14.50	1.45	1.82	2.91	2.91	2.91	12.00	(3.40 - 14.50)	3.99 A	3.010 (590 - 4.300)	1.505	14.10
16 + 20 + 35 + 35 + 42	1.13	1.43	2.29	2.29	2.86	10.00	(2.90 - 11.50)	3.17 B	3.150 (560 - 4.050)	1.575	14.50	1.37	1.71	2.74	2.74	3.44	12.00	(3.40 - 14.50)	4.00 A	3.000 (660 - 4.350)	1.500	14.10
16 + 20 + 35 + 35 + 50	1.07	1.33	2.13	2.13	3.34	10.00	(2.90 - 11.50)	3.12 B	3.205 (660 - 4.095)	1.603	14.80	1.28	1.60	2.56	2.56	4.00	12.00	(3.40 - 14.50)	3.92 A	3.060 (720 - 4.320)	1.530	14.40
16 + 20 + 35 + 35 + 71	0.94	1.18	1.88	1.88	4.12	10.00	(2.90 - 11.50)	3.11 B	3.215 (670 - 4.095)	1.608	14.80	1.13	1.41	2.26	2.26	4.94	12.00	(3.40 - 14.50)	3.87 A	3.100 (730 - 4.370)	1.550	14.60
16 + 20 + 35 + 42 + 42	1.08	1.35	2.17	2.70	2.70	10.00	(2.90 - 11.50)	3.17 B	3.150 (570 - 4.050)	1.575	14.50	1.30	1.62	2.60	3.24	3.24	12.00	(3.40 - 14.50)	4.00 A	3.000 (620 - 4.340)	1.500	14.10
16 + 20 + 35 + 42 + 50	1.01	1.27	2.03	2.53	3.16	10.00	(2.90 - 11.50)	3.12 B	3.205 (660 - 4.095)	1.603	14.80	1.21	1.52	2.43	3.04	3.80	12.00	(3.40 - 14.50)	3.86 A	3.110 (720 - 4.370)	1.555	14.60
16 + 20 + 35 + 42 + 71	0.95	1.19	1.90	2.98	2.98	10.00	(2.90 - 11.50)	2.99 C	3.340 (760 - 4.140)	1.670	15.40	1.14	1.43	2.29	3.57	3.57	12.00	(3.40 - 14.50)	3.77 A	3.180 (850 - 4.420)	1.590	14.90
16 + 20 + 42 + 42 + 42	1.03	1.29	2.56	2.56	2.56	10.00	(2.90 - 11.50)	3.17 B	3.150 (600 - 4.050)	1.575	14.50	1.22	1.54	3.08	3.08	3.08	12.00	(3.40 - 14.50)	4.01 A	2.990 (620 - 4.330)	1.495	14.10
16 + 20 + 42 + 42 + 50	0.96	1.20	2.41	2.41	3.02	10.00	(2.90 - 11.50)	3.11 B	3.215 (660 - 4.095)	1.608	14.80	1.16	1.45	2.89	2.89	3.61	12.00	(3.40 - 14.50)	3.87 A	3.100 (730 - 4.360)	1.550	14.60
16 + 20 + 42 + 42 + 71	1.36	2.16	2.16	2.16	2.16	10.00	(2.90 - 11.50)	3.12 B	3.210 (520 - 4.210)	1.605	14.80	1.64	2.59	2.59	2.59	2.59	12.00	(3.40 - 14.50)	3.97 A	3.020 (530 - 4.400)	1.510	14.20
16 + 25 + 25 + 25 + 35	1.30	2.03	2.03	2.61	2.61	10.00	(2.90 - 11.50)	3.11 B	3.220 (550 - 4.130)	1.610	14.80	1.56	2.44	2.44	2.44	3.12	12.00	(3.40 - 14.50)	4.00 A	3.000 (550 - 4.360)	1.500	14.10
16 + 25 + 25 + 25 + 42	1.22	1.91	1.91	3.05	3.05	10.00	(2.90 - 11.50)	3.18 B	3.140 (550 - 4.130)	1.570	14.50	1.47	2.29	2.29	2.29	3.66	12.00	(3.40 - 14.50)	4.01 A	2.990 (560 - 4.350)	1.495	14.10
16 + 25 + 25 + 25 + 50	1.13	1.77	1.77	3.56	3.56	10.00	(2.90 - 11.50)	3.06 B	3.265 (610 - 4.085)	1.633	15.10	1.35	2.13	2.13	2.13	4.26	12.00	(3.40 - 14.50)	3.95 A	3.040 (660 - 4.310)	1.520	14.30
16 + 25 + 25 + 25 + 71	0.99	1.55	1.55	4.36	4.36	10.00	(2.90 - 11.50)	3.12 B	3.205 (650 - 4.085)	1.603	14.80	1.19	1.86	1.86	1.86	5.23	12.00	(3.40 - 14.50)	3.95 A	3.040 (670 - 4.360)	1.520	14.30
16 + 25 + 25 + 35 + 35	1.24	1.92	1.92	2.46	2.46	10.00	(2.90 - 11.50)	3.17 B	3.150 (560 - 4.130)	1.575	14.50	1.48	2.31	2.31	2.95	2.95	12.00	(3.40 - 14.50)	4.03 A	2.980 (580 - 4.330)	1.490	14.00
16 + 25 + 25 + 35 + 42	1.16	1.81	1.81	2.32	2.90	10.00	(2.90 - 11.50)	3.17 B	3.150 (560 - 4.130)	1.575	14.50	1.39	2.17	2.17	2.78	3.49	12.00	(3.40 - 14.50)	3.97 A	3.020 (580 - 4.320)	1.510	14.20
16 + 25 + 25 + 35 + 50	1.08	1.69	1.69	2.16	3.38	10.00	(2.90 - 11.50)	3.05 B	3.275 (650 - 4.085)	1.638	15.10	1.30	2.03	2.03	2.59	4.05	12.00	(3.40 - 14.50)	3.90 A	3.080 (690 - 4.340)	1.540	14.50
16 + 25 + 25 + 35 + 71	0.95	1.49	1.49	1.90	4.17	10.00	(2.90 - 11.50)	3.12 B	3.205 (660 - 4.095)	1.603	14.80	1.13	1.79	1.79	2.29	5.00	12.00	(3.40 - 14.50)	3.91 A	3.070 (700 - 4.330)	1.535	14.40
16 + 25 + 25 + 42 + 42	1.10	1.71	1.71	2.74	2.74	10.00	(2.90 - 11.50)	3.17 B	3.150 (560 - 4.130)	1.575	14.50	1.32	2.05	2.05	2.29	3.29	12.00	(3.40 - 14.50)	3.99 A	3.010 (590 - 4.310)	1.505	14.10
16 + 25 + 25 + 42 + 50	1.03	1.60	1.60	2.56	3.21	10.00	(2.90 - 11.50)	3.12 B	3.205 (650 - 4.085)	1.603	14.80	1.23	1.92	1.92	3.08	3.85	12.00	(3.40 - 14.50)	3.91 A	3.070 (690 - 4.330)	1.535	14.40
16 + 25 + 25 + 50 + 50	0.96	1.51	1.51	3.01	3.01	10.00	(2.90 - 11.50)	2.99 C	3.340 (720 - 4.140)	1.670	15.40	1.16	1.81	1.81	3.61	3.61	12.00	(3.40 - 14.50)	3.76 A	3.190 (820 - 4.380)	1.595	15.00
16 + 25 + 35 + 35 + 35	1.16	1.82	2.34	2.34	2.34	10.00	(2.90 - 11.50)	3.17 B	3.150 (560 - 4.050)	1.575	14.50	1.40	2.20	2.80	2.80	2.80	12.00	(3.40 - 14.50)	3.99 A	3.010 (590 - 4.300)	1.5	

Free Multi 5x1 CU-5E34PBE. Minimum capacity connected: 4,5kW. Maximum capacity connected: 17,5kW • R410 GAS

Indoor unit capacity	Cooling capacity (kW)						EER	Input power rating		A.E.C.	Current		Heating capacity (kW)						COP	Input power rating		A.E.C.	Current	
	Rooms							W/W	W		kWh	230V	Rooms							W/W	W		kWh	230V
	A	B	C	D	E	Total (Min - Max)							A	B	C	D	E	Total (Min - Max)						
20 + 25 + 25 + 25 + 25	1,68	2,08	2,08	2,08	2,08	10,00 (2,90 - 11,50)	3,12	B	3,210 (550 - 4.210)	1,605	14,80	2,00	2,50	2,50	2,50	12,00 (3,40 - 14,50)	4,05	A	2,960 (530 - 4.340)	1,480	13,90			
20 + 25 + 25 + 25 + 35	1,57	1,97	1,97	1,97	2,52	10,00 (2,90 - 11,50)	3,17	B	3,150 (550 - 4.130)	1,575	14,50	1,89	2,36	2,36	3,03	12,00 (3,40 - 14,50)	4,08	A	2,940 (560 - 4.300)	1,470	13,80			
20 + 25 + 25 + 25 + 42	1,48	1,85	1,85	1,85	2,97	10,00 (2,90 - 11,50)	3,17	B	3,150 (550 - 4.130)	1,575	14,50	1,78	2,22	2,22	2,22	3,56	12,00 (3,40 - 14,50)	4,10	A	2,930 (560 - 4.290)	1,465	13,80		
20 + 25 + 25 + 25 + 50	1,38	1,72	1,72	1,72	3,46	10,00 (2,90 - 11,50)	3,06	B	3,265 (610 - 4.085)	1,633	15,10	1,65	2,07	2,07	2,07	4,14	12,00 (3,40 - 14,50)	4,01	A	2,990 (670 - 4.310)	1,495	14,10		
20 + 25 + 25 + 25 + 71	1,20	1,52	1,52	1,52	4,24	10,00 (2,90 - 11,50)	3,12	B	3,205 (650 - 4.095)	1,603	14,80	1,45	1,82	1,82	1,82	5,09	12,00 (3,40 - 14,50)	3,96	A	3,030 (680 - 4.300)	1,515	14,20		
20 + 25 + 25 + 35 + 35	1,48	1,87	1,87	2,39	2,39	10,00 (2,90 - 11,50)	3,17	B	3,150 (560 - 4.130)	1,575	14,50	1,78	2,24	2,24	2,87	2,87	12,00 (3,40 - 14,50)	4,04	A	2,970 (580 - 4.270)	1,485	14,00		
20 + 25 + 25 + 35 + 42	1,41	1,76	1,76	2,25	2,82	10,00 (2,90 - 11,50)	3,17	B	3,150 (560 - 4.130)	1,575	14,50	1,69	2,11	2,11	2,70	3,39	12,00 (3,40 - 14,50)	4,05	A	2,960 (590 - 4.260)	1,480	13,90		
20 + 25 + 25 + 35 + 50	1,32	1,64	1,64	2,11	3,29	10,00 (2,90 - 11,50)	3,12	B	3,205 (650 - 4.085)	1,603	14,80	1,58	1,97	1,97	2,53	3,95	12,00 (3,40 - 14,50)	3,97	A	3,020 (690 - 4.280)	1,510	14,20		
20 + 25 + 25 + 35 + 71	1,16	1,45	1,45	1,86	4,08	10,00 (2,90 - 11,50)	3,11	B	3,215 (660 - 4.095)	1,608	14,80	1,40	1,74	1,74	2,23	4,89	12,00 (3,40 - 14,50)	3,99	A	3,010 (710 - 4.270)	1,505	14,10		
20 + 25 + 25 + 42 + 42	1,32	1,67	1,67	2,67	2,67	10,00 (2,90 - 11,50)	3,17	B	3,150 (560 - 4.130)	1,575	14,50	1,60	2,00	2,00	3,20	3,20	12,00 (3,40 - 14,50)	4,05	A	2,960 (600 - 4.240)	1,480	13,90		
20 + 25 + 25 + 42 + 50	1,25	1,56	1,56	2,50	3,13	10,00 (2,90 - 11,50)	3,12	B	3,205 (650 - 4.095)	1,603	14,80	1,49	1,88	1,88	3,00	3,75	12,00 (3,40 - 14,50)	3,97	A	3,020 (700 - 4.270)	1,510	14,20		
20 + 25 + 25 + 50 + 50	1,18	1,47	1,47	2,94	2,94	10,00 (2,90 - 11,50)	2,99	C	3,340 (750 - 4.140)	1,670	15,40	1,42	1,76	1,76	3,53	3,53	12,00 (3,40 - 14,50)	3,82	A	3,140 (830 - 4.380)	1,570	14,80		
20 + 25 + 35 + 35 + 35	1,42	1,77	2,27	2,27	2,27	10,00 (2,90 - 11,50)	3,17	B	3,150 (560 - 4.050)	1,575	14,50	1,70	2,14	2,72	2,72	2,72	12,00 (3,40 - 14,50)	4,07	A	2,950 (600 - 4.300)	1,475	13,90		
20 + 25 + 35 + 35 + 42	1,34	1,68	2,15	2,15	2,68	10,00 (2,90 - 11,50)	3,17	B	3,150 (570 - 4.050)	1,575	14,50	1,61	2,01	2,58	2,58	3,22	12,00 (3,40 - 14,50)	4,07	A	2,950 (620 - 4.290)	1,475	13,90		
20 + 25 + 35 + 35 + 50	1,26	1,57	2,01	2,01	3,15	10,00 (2,90 - 11,50)	3,12	B	3,205 (660 - 4.095)	1,603	14,80	1,50	1,89	2,42	2,42	3,77	12,00 (3,40 - 14,50)	3,92	A	3,060 (720 - 4.320)	1,530	14,40		
20 + 25 + 35 + 42 + 42	1,27	1,59	2,04	2,55	2,55	10,00 (2,90 - 11,50)	3,17	B	3,150 (600 - 4.050)	1,575	14,50	1,52	1,91	2,45	3,06	3,06	12,00 (3,40 - 14,50)	4,08	A	2,940 (620 - 4.280)	1,470	13,80		
20 + 25 + 35 + 42 + 50	1,19	1,50	1,92	2,40	2,99	10,00 (2,90 - 11,50)	3,11	B	3,215 (660 - 4.095)	1,608	14,80	1,44	1,80	2,30	2,87	3,59	12,00 (3,40 - 14,50)	3,93	A	3,050 (730 - 4.310)	1,525	14,30		
20 + 25 + 42 + 42 + 42	1,21	1,53	2,42	2,42	2,42	10,00 (2,90 - 11,50)	3,17	B	3,150 (600 - 4.050)	1,575	14,50	1,45	1,82	2,91	2,91	2,91	12,00 (3,40 - 14,50)	4,03	A	2,980 (630 - 4.260)	1,490	14,00		
20 + 25 + 42 + 42 + 50	1,13	1,43	2,29	2,29	2,86	10,00 (2,90 - 11,50)	3,11	B	3,215 (670 - 4.095)	1,608	14,80	1,37	1,71	2,74	2,74	3,44	12,00 (3,40 - 14,50)	3,93	A	3,050 (650 - 4.300)	1,525	14,30		
20 + 35 + 35 + 35 + 35	1,36	2,16	2,16	2,16	2,16	10,00 (2,90 - 11,50)	3,16	B	3,160 (600 - 4.050)	1,580	14,60	1,64	2,59	2,59	2,59	2,59	12,00 (3,40 - 14,50)	4,03	A	2,980 (630 - 4.260)	1,490	14,00		
20 + 35 + 35 + 35 + 42	1,28	2,05	2,05	2,05	2,57	10,00 (2,90 - 11,50)	3,12	B	3,160 (600 - 4.050)	1,580	14,60	1,54	2,46	2,46	3,08	3,08	12,00 (3,40 - 14,50)	4,03	A	2,980 (630 - 4.260)	1,490	14,00		
20 + 35 + 35 + 35 + 50	1,20	1,93	1,93	1,93	3,01	10,00 (2,90 - 11,50)	3,11	B	3,215 (670 - 4.095)	1,608	14,80	1,45	2,31	2,31	3,62	3,62	12,00 (3,40 - 14,50)	3,95	A	3,040 (750 - 4.290)	1,520	14,30		
20 + 35 + 35 + 42 + 42	1,22	1,95	1,95	2,44	2,44	10,00 (2,90 - 11,50)	3,16	B	3,160 (600 - 4.060)	1,580	14,60	1,46	2,34	2,34	2,93	2,93	12,00 (3,40 - 14,50)	4,04	A	2,970 (650 - 4.240)	1,485	14,00		
20 + 35 + 35 + 42 + 50	1,15	1,84	1,84	2,30	2,87	10,00 (2,90 - 11,50)	3,11	B	3,215 (670 - 4.095)	1,608	14,80	1,37	2,21	2,21	2,76	3,45	12,00 (3,40 - 14,50)	3,95	A	3,040 (670 - 4.280)	1,520	14,30		
20 + 35 + 42 + 42 + 42	1,15	1,86	2,33	2,33	2,33	10,00 (2,90 - 11,50)	3,16	B	3,160 (600 - 4.060)	1,580	14,60	1,40	2,23	2,79	2,79	2,79	12,00 (3,40 - 14,50)	4,05	A	2,960 (660 - 4.230)	1,480	13,90		
25 + 25 + 25 + 25 + 25	2,00	2,00	2,00	2,00	2,00	10,00 (2,90 - 11,50)	3,12	B	3,210 (550 - 4.210)	1,605	14,80	2,40	2,40	2,40	2,40	2,40	12,00 (3,40 - 14,50)	4,05	A	2,960 (530 - 4.340)	1,480	13,90		
25 + 25 + 25 + 25 + 35	1,89	1,89	1,89	1,89	2,44	10,00 (2,90 - 11,50)	3,17	B	3,150 (550 - 4.130)	1,575	14,50	2,27	2,27	2,27	2,27	2,92	12,00 (3,40 - 14,50)	4,08	A	2,940 (560 - 4.300)	1,470	13,80		
25 + 25 + 25 + 25 + 42	1,79	1,79	1,79	1,79	2,84	10,00 (2,90 - 11,50)	3,17	B	3,150 (550 - 4.130)	1,575	14,50	2,14	2,14	2,14	2,14	3,44	12,00 (3,40 - 14,50)	4,10	A	2,930 (560 - 4.290)	1,465	13,80		
25 + 25 + 25 + 25 + 50	1,67	1,67	1,67	1,67	3,32	10,00 (2,90 - 11,50)	3,06	B	3,265 (610 - 4.085)	1,633	15,10	2,00	2,00	2,00	2,00	4,00	12,00 (3,40 - 14,50)	4,01	A	2,990 (670 - 4.310)	1,495	14,10		
25 + 25 + 25 + 25 + 71	1,47	1,47	1,47	1,47	4,12	10,00 (2,90 - 11,50)	3,12	B	3,205 (650 - 4.095)	1,603	14,80	1,76	1,76	1,76	1,76	4,96	12,00 (3,40 - 14,50)	3,96	A	3,030 (680 - 4.300)	1,515	14,20		
25 + 25 + 25 + 35 + 35	1,80	1,80	1,80	2,30	2,30	10,00 (2,90 - 11,50)	3,17	B	3,150 (560 - 4.130)	1,575	14,50	2,16	2,16	2,16	2,76	2,76	12,00 (3,40 - 14,50)	4,04	A	2,970 (580 - 4.270)	1,485	14,00		
25 + 25 + 25 + 35 + 42	1,70	1,70	1,70	2,18	2,72	10,00 (2,90 - 11,50)	3,17	B	3,150 (560 - 4.130)	1,575	14,50	2,04	2,04	2,04	2,61	3,27	12,00 (3,40 - 14,50)	4,05	A	2,960 (590 - 4.260)	1,480	13,90		
25 + 25 + 25 + 35 + 50	1,59	1,59	1,59	2,04	3,19	10,00 (2,90 - 11,50)	3,12	B	3,205 (650 - 4.085)	1,603	14,80	1,91	1,91	1,91	2,45	3,82	12,00 (3,40 - 14,50)	3,97	A	3,020 (690 - 4.280)	1,510	14,20		
25 + 25 + 25 + 42 + 42	1,62	1,62	1,62	2,57	2,57	10,00 (2,90 - 11,50)	3,17	B	3,150 (560 - 4.130)	1,575	14,50	1,94	1,94	1,94	3,09	3,09	12,00 (3,40 - 14,50)	4,05	A	2,960 (600 - 4.240)	1,480	13,90		
25 + 25 + 25 + 42 + 50	1,52	1,52	1,52	2,41	3,03	10,00 (2,90 - 11,50)	3,12	B	3,205 (650 - 4.095)	1,603	14,80	1,82	1,82	1,82	2,90	3,64	12,00 (3,40 - 14,50)	3,97	A	3,020 (700 - 4.270)	1,510	14,20		
25 + 25 + 35 + 50 + 50	1,42	1,42	1,42	2,87	2,87	10,00 (2,90 - 11,50)	2,99	C	3,340 (750 - 4.140)	1,670	15,40	1,72	1,72	1,72	3,42	3,42	12,00 (3,40 - 14,50)	3,82	A	3,140 (830 - 4.380)	1,570	14,80		
25 + 25 + 35 + 35 + 35	1,70	1,70	2,20	2,20	2,20	10,00 (2,90 - 11,50)	3,17	B	3,150 (560 - 4.050)	1,575	14,50	2,04	2,04	2,64	2,64	2,64	12,00 (3,40 - 14,50)	4,07	A	2,950 (600 - 4.300)	1,475	13,90		
25 + 25 + 35 + 35 + 42	1,62	1,62	2,08	2,08	2,60	10,00 (2,90 - 11,50)	3,17	B	3,150 (570 - 4.050)	1,575	14,50	1,95	1,95	2,49	2,49	3,12	12,00 (3,40 - 14,50)	4,07	A	2,950 (620 - 4.290)	1,475	13,90		
25 + 25 + 35 + 35 + 50	1,52	1,52	1,95	1,95	3,06	10,00 (2,90 - 11,50)	3,12	B	3,205 (660 - 4.095)	1,603	14,80	1,83	1,83	2,34	2,34	3,66	12,00 (3,40 - 14,50)	3,92	A	3,060 (720 - 4.320)	1,530	14,40		
25 + 25 + 35 + 42 + 42	1,54	1,54	1,98	2,47	2,47	10,00 (2,90 - 11,50)	3,17	B	3,150 (600 - 4.050)	1,575	14,50	1,85	1,85	2,38	2,96	2,96	12,00 (3,40 - 14,50)	4,08	A	2,940 (620 - 4.280)	1,470	13,80		
25 + 25 + 35 + 42 + 50	1,45	1,45	1,86	2,33	2,91	10,00 (2,90 - 11,50)	3,11	B	3,215 (660 - 4.095)	1,608	14,80	1,74	1,74	2,23	2,79	3,50	12,00 (3,40 - 14,50)	3,93	A	3,050 (730 - 4.310)	1,525	14,30		
25 + 25 + 42 + 42 + 42	1,46	1,46	2,36	2,36	2,36	10,00 (2,90 - 11,50)	3,17	B	3,150 (600 - 4.050)	1,575	14,50	1,77	1,77	2,82	2,82	2,82	12,00 (3,40 - 14,50)	4,03	A	2,980 (630 - 4.260)	1,490	14,00		
25 + 35 + 35 + 35 + 35	1,64	2,09	2,09	2,09	2,09	10,00 (2,90 - 11,50)	3,16	B	3,160 (600 - 4.050)	1,580	14,60	1,96	2,51	2,51	2,51	2,51	12,00 (3,40 - 14,50)	4,03	A	2,980 (630 - 4.270)	1,490	14,00		
25 + 35 + 35 + 35 + 42	1,55	1,99	1,99	1,99	2,48	10,00 (2,90 - 11,50)	3,16	B	3,160 (600 - 4.050)	1,580	14,60	1,85	2,39	2,39	2,98	2,98	12,							

# FREE MULTI R32 COMBINATIONS TABLE



Free Multi R32 2x1 CU-2Z35TBE. Minimum capacity connected: 3,2kW. Maximum capacity connected: 5,7kW • R32 GAS

Indoor unit capacity	Cooling capacity (kW) Rooms			EER	SEER	Input power rating	A.E.C.	Current	Heating capacity (kW) Rooms			COP	SCOP	Input power rating	A.E.C.	Current										
	A	B	Total (Min - Max)						W/W	W/W	W						kWh	230V	A	B	Total (Min - Max)	W/W	W/W	W	kWh	230V
	<b>1 Room</b>																									
16	1,60		1,60 (1,1 - 2,3)	<b>3,90 A</b>	—	410 (220 - 600)	205	1,95	2,60		2,60 (0,7 - 3,8)	<b>3,77 A</b>	—	690 (170 - 1.110)	345	3,20										
20	2,00		2,00 (1,1 - 2,9)	<b>3,85 A</b>	—	520 (220 - 770)	260	2,45	3,20		3,20 (0,7 - 4,8)	<b>3,76 A</b>	—	850 (170 - 1.410)	425	3,95										
25	2,50		2,50 (1,1 - 3,5)	<b>3,73 A</b>	—	670 (220 - 1.000)	335	3,15	3,60		3,60 (0,7 - 5,5)	<b>3,50 B</b>	—	1.030 (170 - 1.700)	515	4,75										
35	3,50		3,50 (1,1 - 4,0)	<b>3,47 A</b>	—	1010 (220 - 1.220)	505	4,70	4,20		4,20 (0,7 - 5,6)	<b>3,44 B</b>	—	1.220 (170 - 1.680)	610	5,65										
<b>2 Rooms</b>																										
16 + 16	1,60	1,60	3,20 (1,5 - 4,0)	<b>4,92 A</b>	8,50	650 (250 - 1.000)	325	3,05	2,10	2,10	4,20 (1,1 - 5,6)	<b>4,88 A</b>	<b>4,60</b>	860 (210 - 1.340)	430	4,00										
16 + 20	1,55	1,95	3,50 (1,5 - 4,5)	<b>4,86 A</b>	8,50	720 (250 - 1.100)	360	3,35	1,85	2,35	4,20 (1,1 - 5,6)	<b>4,88 A</b>	<b>4,60</b>	860 (210 - 1.340)	430	4,00										
16 + 25	1,35	2,15	3,50 (1,5 - 4,5)	<b>4,86 A</b>	8,50	720 (250 - 1.100)	360	3,35	1,65	2,55	4,20 (1,1 - 5,6)	<b>4,88 A</b>	<b>4,60</b>	860 (210 - 1.340)	430	4,00										
16 + 35	1,10	2,40	3,50 (1,5 - 4,5)	<b>4,86 A</b>	8,50	720 (250 - 1.100)	360	3,35	1,30	2,90	4,20 (1,1 - 5,6)	<b>4,88 A</b>	<b>4,60</b>	860 (210 - 1.340)	430	4,00										
20 + 20	1,75	1,75	3,50 (1,5 - 4,5)	<b>4,86 A</b>	8,50	720 (250 - 1.100)	360	3,35	2,10	2,10	4,20 (1,1 - 5,6)	<b>4,88 A</b>	<b>4,60</b>	860 (210 - 1.340)	430	4,00										
20 + 25	1,55	1,95	3,50 (1,5 - 4,5)	<b>4,86 A</b>	8,50	720 (250 - 1.100)	360	3,35	1,85	2,35	4,20 (1,1 - 5,6)	<b>4,88 A</b>	<b>4,60</b>	860 (210 - 1.340)	430	4,00										
20 + 35	1,25	2,25	3,50 (1,5 - 4,5)	<b>5,07 A</b>	8,50	690 (250 - 1.050)	345	3,25	1,55	2,65	4,20 (1,1 - 5,6)	<b>5,00 A</b>	<b>4,60</b>	840 (210 - 1.290)	420	3,90										
25 + 25	1,75	1,75	3,50 (1,5 - 4,5)	<b>5,07 A</b>	8,50	690 (250 - 1.050)	345	3,25	2,10	2,10	4,20 (1,1 - 5,6)	<b>5,00 A</b>	<b>4,60</b>	840 (210 - 1.290)	420	3,90										
25 + 35	1,45	2,05	3,50 (1,5 - 4,5)	<b>5,07 A</b>	8,50	690 (250 - 1.050)	345	3,25	1,75	2,45	4,20 (1,1 - 5,6)	<b>5,00 A</b>	<b>4,60</b>	840 (210 - 1.290)	420	3,90										

Free Multi R32 2x1 CU-2Z41TBE. Minimum capacity connected: 3,2kW. Maximum capacity connected: 6,0kW • R32 GAS

Indoor unit capacity	Cooling capacity (kW) Rooms			EER	SEER	Input power rating	A.E.C.	Current	Heating capacity (kW) Rooms			COP	SCOP	Input power rating	A.E.C.	Current										
	A	B	Total (Min - Max)						W/W	W/W	W						kWh	230V	A	B	Total (Min - Max)	W/W	W/W	W	kWh	230V
	<b>1 Room</b>																									
16	1,60		1,60 (1,1 - 2,3)	<b>3,90 A</b>	—	410 (220 - 600)	205	1,95	2,60		2,60 (0,7 - 3,8)	<b>3,77 A</b>	—	690 (170 - 1.110)	345	3,20										
20	2,00		2,00 (1,1 - 2,9)	<b>3,85 A</b>	—	520 (220 - 770)	260	2,45	3,20		3,20 (0,7 - 4,8)	<b>3,76 A</b>	—	850 (170 - 1.410)	425	3,95										
25	2,50		2,50 (1,1 - 3,5)	<b>3,73 A</b>	—	670 (220 - 1.000)	335	3,15	3,60		3,60 (0,7 - 5,5)	<b>3,50 B</b>	—	1.030 (170 - 1.700)	515	4,75										
35	3,50		3,50 (1,1 - 4,0)	<b>3,47 A</b>	—	1.010 (220 - 1.220)	505	4,70	4,60		4,50 (0,7 - 6,2)	<b>3,60 B</b>	—	1.250 (170 - 1.810)	625	5,80										
<b>2 Rooms</b>																										
16 + 16	1,60	1,60	3,20 (1,5 - 4,0)	<b>4,71 A</b>	8,50	680 (250 - 990)	340	3,15	2,20	2,20	4,40 (1,1 - 7,0)	<b>4,68 A</b>	<b>4,60</b>	940 (210 - 1.810)	470	4,35										
16 + 20	1,60	2,00	3,60 (1,5 - 4,5)	<b>4,62 A</b>	8,50	780 (250 - 1.150)	390	3,60	2,05	2,55	4,60 (1,1 - 7,0)	<b>4,79 A</b>	<b>4,60</b>	960 (210 - 1.790)	480	4,45										
16 + 25	1,60	2,50	4,10 (1,5 - 5,2)	<b>4,56 A</b>	8,50	900 (250 - 1.370)	450	4,15	1,80	2,80	4,60 (1,1 - 7,0)	<b>4,79 A</b>	<b>4,60</b>	960 (210 - 1.790)	480	4,45										
16 + 35	1,30	2,80	4,10 (1,5 - 5,2)	<b>4,56 A</b>	8,50	900 (250 - 1.370)	450	4,15	1,45	3,15	4,60 (1,1 - 7,0)	<b>4,79 A</b>	<b>4,60</b>	960 (210 - 1.790)	480	4,45										
20 + 20	2,00	2,00	4,00 (1,5 - 5,0)	<b>4,49 A</b>	8,50	890 (250 - 1.310)	445	4,10	2,30	2,30	4,60 (1,1 - 7,0)	<b>4,84 A</b>	<b>4,60</b>	950 (210 - 1.770)	475	4,40										
20 + 25	1,80	2,30	4,10 (1,5 - 5,2)	<b>4,56 A</b>	8,50	900 (250 - 1.370)	450	4,15	2,05	2,55	4,60 (1,1 - 7,0)	<b>4,84 A</b>	<b>4,60</b>	950 (210 - 1.770)	475	4,40										
20 + 35	1,50	2,60	4,10 (1,5 - 5,2)	<b>4,56 A</b>	8,50	900 (250 - 1.370)	450	4,15	1,65	2,95	4,60 (1,1 - 7,0)	<b>4,84 A</b>	<b>4,60</b>	950 (210 - 1.770)	475	4,40										
25 + 25	2,05	2,05	4,10 (1,5 - 5,2)	<b>4,56 A</b>	8,50	900 (250 - 1.370)	450	4,15	2,30	2,30	4,60 (1,1 - 7,0)	<b>4,84 A</b>	<b>4,60</b>	950 (210 - 1.770)	475	4,40										
25 + 35	1,70	2,40	4,10 (1,5 - 5,2)	<b>4,56 A</b>	8,50	900 (250 - 1.370)	450	4,15	1,90	2,70	4,60 (1,1 - 7,0)	<b>4,84 A</b>	<b>4,60</b>	950 (210 - 1.770)	475	4,40										

Free Multi R32 2x1 CU-2Z50TBE. Minimum capacity connected: 3,2kW. Maximum capacity connected: 7,7kW • R32 GAS

Indoor unit capacity	Cooling capacity (kW) Rooms			EER	SEER	Input power rating	A.E.C.	Current	Heating capacity (kW) Rooms			COP	SCOP	Input power rating	A.E.C.	Current										
	A	B	Total (Min - Max)						W/W	W/W	W						kWh	230V	A	B	Total (Min - Max)	W/W	W/W	W	kWh	230V
	<b>1 Room</b>																									
16	2,60		2,60 (1,1 - 2,3)	<b>3,90 A</b>	—	410 (220-600)	205	1,95	2,60		2,60 (0,7 - 3,8)	<b>3,77 A</b>	—	690 (170 - 1.110)	345	3,20										
20	3,20		3,20 (1,1 - 2,9)	<b>3,85 A</b>	—	520 (220-770)	260	2,45	3,20		3,20 (0,7 - 4,8)	<b>3,76 A</b>	—	850 (170 - 1.410)	425	3,95										
25	3,60		3,60 (1,1 - 3,5)	<b>3,73 A</b>	—	670 (220-1.000)	335	3,15	3,60		3,60 (0,7 - 5,5)	<b>3,50 B</b>	—	1.030 (170 - 1.700)	515	4,75										
35	4,50		4,50 (1,1 - 4,0)	<b>3,47 A</b>	—	1.010 (220-1.220)	505	4,70	4,50		4,50 (0,7 - 6,2)	<b>3,60 B</b>	—	1.250 (170 - 1.810)	625	5,80										
42	5,00		5,00 (1,1 - 4,5)	<b>3,09 B</b>	—	1.360 (220-1.500)	680	6,35	5,00		5,00 (1,1 - 6,4)	<b>3,23 C</b>	—	1.550 (210 - 2.180)	775	7,15										
50	5,30		5,30 (1,2 - 5,1)	<b>2,96 C</b>	—	1.690 (230-1.790)	845	7,80	5,30		5,30 (1,1 - 6,8)	<b>3,23 C</b>	—	1.640 (210 - 2.290)	820	7,60										
<b>2 Rooms</b>																										
16 + 16	2,60	2,60	3,20 (1,5 - 4,0)	<b>4,71 A</b>	8,50	680 (250-990)	340	3,15	2,60	2,60	5,20 (1,1 - 7,0)	<b>4,60 A</b>	<b>4,60</b>	1.130 (210 - 1.810)	565	5,10										
16 + 20	2,40	3,00	3,60 (1,5 - 4,5)	<b>4,62 A</b>	8,50	780 (250-1.150)	390	3,60	2,40	3,00	5,40 (1,1 - 7,0)	<b>4,58 A</b>	<b>4,60</b>	1.180 (210 - 1.790)	590	5,35										
16 + 25	2,10	3,30	4,10 (1,5 - 5,2)	<b>4,56 A</b>	8,50	900 (250-1.370)	450	4,15	2,10	3,30	5,40 (1,1 - 7,0)	<b>4,58 A</b>	<b>4,60</b>	1.180 (210 - 1.790)	590	5,35										
16 + 35	1,70	3,70	5,00 (1,5 - 5,2)	<b>4,24 A</b>	8,50	1.180 (250-1.370)	590	5,35	1,70	3,70	5,40 (1,1 - 7,0)	<b>4,58 A</b>	<b>4,60</b>	1.180 (210 - 1.790)	590	5,35										
16 + 42	1,55	4,05	5,00 (1,5 - 5,4)	<b>4,24 A</b>	8,50	1.180 (250-1.490)	590	5,35	1,55	4,05	5,60 (1,1 - 7,2)	<b>4,63 A</b>	<b>4,60</b>	1.210 (210 - 1.800)	605	5,50										
16 + 50	1,35	4,25	5,00 (1,5 - 5,4)	<b>4,24 A</b>	8,50	1.180 (250-1.490)	590	5,35	1,35	4,25	5,60 (1,1 - 7,2)	<b>4,63 A</b>	<b>4,60</b>	1.210 (210 - 1.800)	605	5,50										
20 + 20	2,70	2,70	4,00 (1,5 - 5,0)	<b>4,49 A</b>	8,50	890 (250-1.310)	445	4,10	2,70	2,70	5,40 (1,1 - 7,0)	<b>4,62 A</b>	<b>4,60</b>	1.170 (210 - 1.770)	585	5,30										
20 + 25	2,40	3,00	4,50 (1,5 - 5,2)	<b>4,37 A</b>	8,50	1.030 (250-1.370)	515	4,65	2,40	3,00	5,40 (1,1 - 7,0)	<b>4,62 A</b>	<b>4,60</b>	1.170 (210 - 1.770)	585	5,30										
20 + 35	2,05	3,55	5,00 (1,5 - 5,4)	<b>4,24 A</b>	8,50	1.180 (250-1.490)	590	5,35	2,05	3,55	5,60 (1,1 - 7,2)	<b>4,63 A</b>	<b>4,60</b>	1.210 (210 - 1.800)	605	5,50										
20 + 42	1,80	3,80	5,00 (1,5 - 5,4)	<b>4,24 A</b>	8,50	1.180 (250-1.490)	590	5,35	1,80	3,80	5,60 (1,1 - 7,2)	<b>4,63 A</b>	<b>4,60</b>	1.210 (210 - 1.800)	605	5,50										
20 + 50	1,60	4,00	5,00 (1,5 - 5,4)	<b>4,24 A</b>	8,50	1.180 (250-1.490)	590	5,35	1,60	4,00	5,60 (1,1 - 7,2)	<b>4,63 A</b>	<b>4,60</b>	1.210 (210 - 1.800)	605	5,50										
25 + 25	2,80	2,80	5,00 (1,5 - 5,4)	<b>4,24 A</b>	8,50	1.180 (250-1.490)	590	5,35	2,80	2,80	5,60 (1,1 - 7,2)	<b>4,63 A</b>	<b>4,60</b>	1.210 (210 - 1.800)	605	5,50										
25 + 35	2,35	3,25	5,00 (1,5 - 5,4)	<b>4,24 A</b>	8,50	1.180 (250-1.490)	590	5,35	2,35	3,25	5,60 (1,1 - 7,2)	<b>4,63 A</b>	<b>4,60</b>	1.210 (210 - 1.800)	605	5,50										
25 + 42	2,10	3,50	5,00 (1,5 - 5,4)	<b>4,24 A</b>	8,50	1.180 (250-1.490)	590	5,35	2,10	3,50	5,60 (1,1 - 7,2)	<b>4,63 A</b>	<b>4,60</b>	1.210 (210 - 1.800)	605	5,50										
25 + 50	1,85	3,75	5,00 (1,5 - 5,4)	<b>4,24 A</b>	8,50	1.180 (250-1.490)	590	5,35	1,85	3,75	5,60 (1,1 - 7,2)	<b>4,63 A</b>	<b>4,60</b>	1.210 (210 - 1.800)	605	5,50										
35 + 35	2,80	2,80	5,00 (1,5 - 5,4)	<b>4,24 A</b>	8,50	1.180 (250-1.490)	590	5,35	2,80	2,80	5,60 (1,1 - 7,2)	<b>4,63 A</b>	<b>4,60</b>	1.210 (210 - 1.800)	605	5,50										
35 + 42	2,55	3,05	5,00 (1,5 - 5,4)	<b>4,24 A</b>	8,50	1.180 (250-1.490)	590	5,35	2,55	3,05	5,60 (1,1 -															

# FREE MULTI R32 COMBINATIONS TABLE



Free Multi R32 3x1 CU-3Z52TBE. Minimum capacity connected: 4,5kW. Maximum capacity connected: 9,5kW • R32 GAS

Indoor unit capacity	Cooling capacity (kW)Rooms				EER	SEER	Input power rating	A.E.C.	Current	Heating capacity (kW)Rooms				COP	SCOP	Input power rating	A.E.C.	Current
	A	B	C	Total (Min - Max)						W/W	W/W	W	kWh					
<b>3 Rooms</b>																		
16 + 16 + 16	1,60	1,60	1,60	4,80 (1,8 - 7,2)	5,05 A	8,50	1,480 (290 - 2.100)	475	4,4	2,26	2,26	2,26	1,480 (290 - 2.100)	4,58 A	4,20	1,480 (290 - 2.100)	740	6,8
16 + 16 + 20	1,60	1,60	2,00	5,20 (1,8 - 7,3)	4,77 A	8,50	1,470 (320 - 2.170)	545	5,0	2,09	2,09	2,62	1,470 (320 - 2.170)	4,63 A	4,20	1,470 (320 - 2.170)	735	6,7
16 + 16 + 25	1,46	1,46	2,28	5,20 (1,9 - 7,2)	4,77 A	8,50	1,470 (320 - 2.170)	545	5,0	1,91	1,91	2,98	1,470 (320 - 2.170)	4,63 A	4,20	1,470 (320 - 2.170)	735	6,7
16 + 16 + 35	1,24	1,24	2,72	5,20 (1,9 - 7,2)	4,77 A	8,50	1,450 (340 - 2.100)	545	5,0	1,62	1,62	3,56	1,450 (340 - 2.100)	4,69 A	4,20	1,450 (340 - 2.100)	725	6,6
16 + 16 + 42	1,12	1,12	2,96	5,20 (1,8 - 7,3)	4,77 A	8,50	1,450 (310 - 2.100)	545	5,0	1,47	1,47	3,86	1,450 (310 - 2.100)	4,69 A	4,20	1,450 (310 - 2.100)	725	6,6
16 + 16 + 50	1,01	1,01	3,18	5,20 (1,8 - 7,3)	5,15 A	8,50	1,340 (330 - 1.960)	505	4,7	1,33	1,33	4,14	1,340 (330 - 1.960)	5,07 A	4,20	1,340 (330 - 1.960)	670	6,1
16 + 20 + 20	1,48	1,86	1,86	5,20 (1,9 - 7,2)	4,77 A	8,50	1,460 (310 - 2.120)	545	5,0	1,94	2,43	2,43	1,460 (310 - 2.120)	4,66 A	4,20	1,460 (310 - 2.120)	730	6,7
16 + 20 + 25	1,36	1,70	2,14	5,20 (1,9 - 7,2)	4,77 A	8,50	1,460 (310 - 2.120)	545	5,0	1,78	2,23	2,79	1,460 (310 - 2.120)	4,66 A	4,20	1,460 (310 - 2.120)	730	6,7
16 + 20 + 35	1,17	1,46	2,57	5,20 (1,9 - 7,2)	4,77 A	8,50	1,450 (340 - 2.100)	545	5,0	1,53	1,92	3,35	1,450 (340 - 2.100)	4,69 A	4,20	1,450 (340 - 2.100)	725	6,6
16 + 20 + 42	1,07	1,33	2,80	5,20 (1,8 - 7,3)	4,77 A	8,50	1,440 (310 - 2.090)	545	5,0	1,39	1,74	3,67	1,440 (310 - 2.090)	4,72 A	4,20	1,440 (310 - 2.090)	720	6,6
16 + 20 + 50	0,97	1,21	3,02	5,20 (1,8 - 7,3)	5,15 A	8,50	1,330 (340 - 1.950)	505	4,7	1,27	1,58	3,95	1,330 (340 - 1.950)	5,11 A	4,20	1,330 (340 - 1.950)	665	6,1
16 + 25 + 25	1,26	1,97	1,97	5,20 (1,9 - 7,2)	4,77 A	8,50	1,460 (310 - 2.120)	545	5,0	1,64	2,25	2,58	1,460 (310 - 2.120)	4,66 A	4,20	1,460 (310 - 2.120)	730	6,7
16 + 25 + 35	1,09	1,71	2,40	5,20 (1,8 - 7,3)	4,77 A	8,50	1,450 (340 - 2.100)	545	5,0	1,43	2,24	3,13	1,450 (340 - 2.100)	4,69 A	4,20	1,450 (340 - 2.100)	725	6,6
16 + 25 + 42	1,00	1,57	2,63	5,20 (1,8 - 7,3)	4,77 A	8,50	1,440 (310 - 2.090)	545	5,0	1,31	2,05	3,44	1,440 (310 - 2.090)	4,72 A	4,20	1,440 (310 - 2.090)	720	6,6
16 + 25 + 50	0,91	1,43	2,86	5,20 (1,8 - 7,3)	5,15 A	8,50	1,330 (340 - 1.950)	505	4,7	1,19	1,87	3,74	1,330 (340 - 1.950)	5,11 A	4,20	1,330 (340 - 1.950)	665	6,1
16 + 35 + 35	0,96	2,12	2,12	5,20 (1,8 - 7,3)	4,95 A	8,50	1,430 (320 - 2.070)	525	4,8	1,26	2,77	2,77	1,430 (320 - 2.070)	4,76 A	4,20	1,430 (320 - 2.070)	715	6,5
16 + 35 + 42	0,89	1,96	2,35	5,20 (1,8 - 7,3)	4,95 A	8,50	1,420 (320 - 2.060)	525	4,8	1,17	2,56	3,07	1,420 (320 - 2.060)	4,79 A	4,20	1,420 (320 - 2.060)	710	6,5
20 + 20 + 20	1,73	1,73	1,73	5,19 (1,9 - 7,2)	4,76 A	8,50	1,460 (310 - 2.110)	545	5,0	2,26	2,26	2,26	1,460 (310 - 2.110)	4,66 A	4,20	1,460 (310 - 2.110)	730	6,7
20 + 20 + 25	1,60	1,60	2,00	5,20 (1,9 - 7,2)	4,77 A	8,50	1,460 (310 - 2.110)	545	5,0	2,09	2,09	2,62	1,460 (310 - 2.110)	4,66 A	4,20	1,460 (310 - 2.110)	730	6,7
20 + 20 + 35	1,39	1,39	2,42	5,20 (1,9 - 7,2)	4,95 A	8,50	1,440 (340 - 2.090)	525	4,8	1,81	1,81	3,18	1,440 (340 - 2.090)	4,72 A	4,20	1,440 (340 - 2.090)	720	6,6
20 + 20 + 42	1,27	1,27	2,66	5,20 (1,8 - 7,3)	4,95 A	8,50	1,430 (320 - 2.080)	525	4,8	1,66	1,66	3,48	1,430 (320 - 2.080)	4,76 A	4,20	1,430 (320 - 2.080)	715	6,5
20 + 20 + 50	1,16	1,16	2,88	5,20 (1,8 - 7,3)	5,15 A	8,50	1,330 (340 - 1.940)	505	4,7	1,51	1,51	3,78	1,330 (340 - 1.940)	5,11 A	4,20	1,330 (340 - 1.940)	665	6,1
20 + 25 + 25	1,48	1,86	1,86	5,20 (1,9 - 7,2)	4,77 A	8,50	1,460 (310 - 2.110)	545	5,0	1,94	2,43	2,43	1,460 (310 - 2.110)	4,66 A	4,20	1,460 (310 - 2.110)	730	6,7
20 + 25 + 35	1,29	1,63	2,28	5,20 (1,9 - 7,2)	4,95 A	8,50	1,440 (340 - 2.090)	525	4,8	1,69	2,13	2,99	1,440 (340 - 2.090)	4,72 A	4,20	1,440 (340 - 2.090)	720	6,6
20 + 25 + 42	1,20	1,49	2,51	5,20 (1,8 - 7,3)	4,95 A	8,50	1,430 (320 - 2.080)	525	4,8	1,56	1,95	3,29	1,430 (320 - 2.080)	4,76 A	4,20	1,430 (320 - 2.080)	715	6,5
20 + 25 + 50	1,09	1,37	2,74	5,20 (1,8 - 7,3)	5,15 A	8,50	1,330 (340 - 1.940)	505	4,7	1,43	1,79	3,58	1,330 (340 - 1.940)	5,11 A	4,20	1,330 (340 - 1.940)	665	6,1
20 + 35 + 35	1,16	2,02	2,02	5,20 (1,8 - 7,3)	4,95 A	8,50	1,420 (320 - 2.060)	525	4,8	1,52	2,64	2,64	1,420 (320 - 2.060)	4,79 A	4,20	1,420 (320 - 2.060)	710	6,5
25 + 25 + 25	1,73	1,73	1,73	5,19 (1,9 - 7,2)	4,76 A	8,50	1,460 (310 - 2.110)	545	5,0	2,26	2,26	2,26	1,460 (310 - 2.110)	4,66 A	4,20	1,460 (310 - 2.110)	730	6,7
25 + 25 + 35	1,53	1,53	2,14	5,20 (1,9 - 7,2)	4,95 A	8,50	1,440 (310 - 2.090)	525	4,8	2,00	2,00	3,80	1,440 (310 - 2.090)	4,72 A	4,20	1,440 (310 - 2.090)	720	6,6
25 + 25 + 42	1,41	1,41	2,38	5,20 (1,8 - 7,3)	4,95 A	8,50	1,430 (680 - 2.080)	525	4,8	1,85	1,85	3,10	1,430 (680 - 2.080)	4,76 A	4,20	1,430 (680 - 2.080)	715	6,5
25 + 35 + 35	1,36	1,92	1,92	5,20 (1,8 - 7,3)	4,95 A	8,50	1,420 (680 - 2.060)	525	4,8	1,78	2,51	2,51	1,420 (680 - 2.060)	4,79 A	4,20	1,420 (680 - 2.060)	710	6,5

Free Multi R32 3x1 CU-3Z68TBE. Minimum capacity connected: 4,5kW. Maximum capacity connected: 11,2kW • R32 GAS

Indoor unit capacity	Cooling capacity (kW) Rooms				EER	SEER	Input power rating	A.E.C.	Current	Heating capacity (kW) Rooms				COP	SCOP	Input power rating	A.E.C.	Current
	A	B	C	Total (Min - Max)						W/W	W/W	W	kWh					
<b>1 Room</b>																		
16	1,60			1,60 (1,3 - 2,3)	4,00 A	—	400 (250 - 640)	200	2,0	2,60			2,60 (1,2 - 3,2)	4,33 A	—	600 (300 - 960)	300	3,0
20	2,00			2,00 (1,8 - 2,9)	4,00 A	—	500 (340 - 810)	250	2,5	3,20			3,20 (1,2 - 4,1)	4,32 A	—	740 (300 - 1.230)	370	3,7
25	2,50			2,50 (1,8 - 2,9)	3,97 A	—	630 (340 - 810)	315	3,2	3,60			3,60 (1,2 - 4,3)	3,83 A	—	940 (300 - 1.230)	470	4,7
35	3,50			3,50 (1,8 - 3,8)	3,72 A	—	940 (340 - 1.360)	470	4,5	4,50			4,50 (1,2 - 5,8)	3,66 A	—	1.230 (300 - 2.100)	615	6,0
42	4,20			4,20 (1,8 - 4,3)	3,07 B	—	1.370 (340 - 1.990)	685	6,4	5,60			5,60 (1,2 - 6,8)	3,26 C	—	1.720 (300 - 2.930)	860	8,0
50	5,00			5,00 (1,9 - 5,7)	3,23 A	—	1.550 (340 - 2.130)	775	7,2	6,80			6,80 (1,2 - 6,9)	3,24 C	—	2.100 (300 - 2.520)	1.050	9,7
60	6,00			6,00 (1,9 - 6,2)	2,96 C	—	2.030 (340 - 2.330)	1.015	9,2	8,50			8,50 (1,3 - 9,0)	3,54 B	—	2.400 (620 - 2.550)	1.200	11,1
<b>2 Rooms</b>																		
16 + 16	1,60	1,60		3,20 (1,9 - 6,4)	5,71 A	6,10	560 (270 - 2.120)	280	2,8	2,60	2,60		5,20 (2,7 - 9,8)	4,00 A	3,80	1.300 (660 - 3.010)	650	5,9
16 + 20	1,60	2,00		3,60 (1,9 - 6,4)	5,22 A	6,10	690 (270 - 2.080)	345	3,4	2,58	3,22		5,80 (2,7 - 9,8)	3,92 A	3,80	1.480 (650 - 3.020)	740	6,8
16 + 25	1,60	2,50		4,10 (1,9 - 6,4)	4,94 A	6,10	830 (270 - 2.080)	415	3,9	2,42	3,78		6,20 (2,7 - 9,8)	3,85 A	3,80	1.610 (650 - 3.020)	805	7,4
16 + 35	1,60	3,50		5,10 (1,9 - 6,9)	4,08 A	6,10	1.250 (270 - 2.480)	625	5,7	2,23	4,87		7,10 (2,7 - 9,9)	3,74 A	3,80	1.900 (630 - 3.020)	950	8,6
16 + 42	1,60	4,20		5,80 (1,9 - 6,9)	3,60 A	6,10	1.610 (270 - 2.440)	805	7,4	2,26	5,94		8,20 (2,7 - 9,9)	3,52 B	3,80	2.330 (630 - 3.020)	1.165	10,5
16 + 50	1,60	5,00		6,60 (2,0 - 7,5)	3,63 A	6,50	1.820 (280 - 2.520)	910	8,2	2,06	6,44		8,50 (2,8 - 10,2)	3,76 A	3,80	2.260 (560 - 2.990)	1.130	10,2
16 + 60	1,43	5,37		6,80 (2,0 - 7,5)	3,49 A	6,50	1.950 (280 - 2.520)	975	8,8	1,79	6,71		8,50 (2,8 - 10,2)	3,76 A	3,80	2.260 (560 - 2.990)	1.130	10,2
20 + 20	2,00	2,00		4,00 (1,9 - 6,4)	5,00 A	6,10	800 (270 - 2.040)	400	3,8	3,20	3,20		6,40 (2,7 - 9,8)	3,83 A	3,80	1.670 (640 - 3.020)	835	7,6
20 + 25	2,00	2,50		4,50 (1,9 - 6,4)	4,59 A	6,10	980 (270 - 2.040)	490	4,6	3,02	3,78		6,80 (2,7 - 9,8)	3,78 A	3,80	1.800 (640 - 3.020)	900	8,1
20 + 35	2,00	3,50		5,50 (1,9 - 6,9)	3,85 A	6,10	1.430 (270 - 2.440)	715	6,5	2,80	4,90		7,70 (2,7 - 9,9)	3,65 A	3,80			

# FREE MULTI R32 COMBINATIONS TABLE



Free Multi R32 3x1 CU-3Z68TBE. Minimum capacity connected: 4.5kW. Maximum capacity connected: 11,2kW • R32 GAS

Indoor unit capacity	Cooling capacity (kW)				EER	SEER	Input power rating			A.E.C.	Current	Heating capacity (kW)				COP	SCOP	Input power rating			A.E.C.	Current				
	Rooms						W/W	W/W	W			kWh	230V	Rooms				W/W	W/W	W			kWh	230V		
	A	B	C	Total (Min - Max)										A	B										C	Total (Min - Max)
<b>3 Room</b>																										
16 + 35 + 50	1,07	2,36	3,37	6,80 (2,0 - 8,5)	4,05 A	8,00	1,680 (340 - 2,380)	840	7,7	1,34	2,95	4,21	8,50 (3,2 - 10,6)	4,27 A	4,20	1,990 (600 - 2,770)	995	9,0								
16 + 35 + 60	0,98	2,14	3,68	6,80 (2,0 - 8,5)	4,05 A	8,00	1,680 (340 - 2,380)	840	7,7	1,23	2,68	4,59	8,50 (3,2 - 10,6)	4,27 A	4,20	1,990 (600 - 2,770)	995	9,0								
16 + 42 + 42	1,08	2,86	2,86	6,80 (1,9 - 8,2)	3,74 A	8,00	1,820 (290 - 2,420)	910	8,2	1,36	3,57	3,57	8,50 (3,3 - 10,5)	4,03 A	4,20	2,110 (640 - 2,860)	1,055	9,5								
16 + 42 + 50	1,01	2,64	3,15	6,80 (2,0 - 8,5)	4,05 A	8,00	1,680 (340 - 2,330)	840	7,7	1,25	3,31	3,94	8,50 (3,2 - 10,6)	4,29 A	4,20	1,980 (600 - 2,760)	990	9,0								
20 + 20 + 20	2,00	2,00	2,00	6,00 (1,9 - 8,0)	4,05 A	8,00	1,480 (270 - 2,410)	740	6,8	2,83	2,83	2,83	8,49 (3,3 - 10,4)	3,91 A	4,20	2,170 (630 - 2,920)	1,085	9,8								
20 + 20 + 25	2,00	2,00	2,50	6,50 (1,9 - 8,0)	3,76 A	8,00	1,730 (270 - 2,410)	865	7,9	2,62	2,62	3,26	8,50 (3,3 - 10,4)	3,92 A	4,20	2,170 (630 - 2,920)	1,085	9,8								
20 + 20 + 35	1,81	1,81	3,18	6,80 (1,9 - 8,1)	3,66 A	8,00	1,860 (270 - 2,320)	930	8,4	2,27	2,27	3,96	8,50 (3,3 - 10,4)	3,95 A	4,20	2,150 (620 - 2,850)	1,075	9,7								
20 + 20 + 42	1,66	1,66	3,48	6,80 (1,9 - 8,1)	3,74 A	8,00	1,820 (290 - 2,420)	910	8,2	2,07	2,07	4,36	8,50 (3,3 - 10,5)	3,97 A	4,20	2,140 (620 - 2,890)	1,070	9,7								
20 + 20 + 50	1,51	1,51	3,78	6,80 (2,0 - 8,5)	4,05 A	8,00	1,680 (340 - 2,380)	840	7,7	1,89	1,89	4,72	8,50 (3,2 - 10,6)	4,25 A	4,20	2,000 (600 - 2,780)	1,000	9,0								
20 + 20 + 60	1,36	1,36	4,08	6,80 (2,0 - 8,5)	4,05 A	8,00	1,680 (340 - 2,380)	840	7,7	1,70	1,70	5,10	8,50 (3,2 - 10,6)	4,25 A	4,20	2,000 (600 - 2,780)	1,000	9,0								
20 + 25 + 25	1,94	2,43	2,43	6,80 (1,9 - 8,0)	3,66 A	8,00	1,860 (270 - 2,410)	930	8,4	2,42	3,04	3,04	8,50 (3,3 - 10,4)	3,92 A	4,20	2,170 (630 - 2,920)	1,085	9,8								
20 + 25 + 35	1,69	2,13	2,98	6,80 (1,9 - 8,0)	3,66 A	8,00	1,860 (270 - 2,320)	930	8,4	2,12	2,66	3,72	8,50 (3,3 - 10,4)	3,95 A	4,20	2,150 (620 - 2,850)	1,075	9,7								
20 + 25 + 42	1,56	1,95	3,29	6,80 (1,9 - 8,1)	3,74 A	8,00	1,820 (290 - 2,420)	910	8,2	1,95	2,44	4,11	8,50 (3,3 - 10,5)	3,97 A	4,20	2,140 (620 - 2,890)	1,070	9,7								
20 + 25 + 50	1,43	1,79	3,58	6,80 (2,0 - 8,5)	4,05 A	8,00	1,680 (340 - 2,380)	840	7,7	1,79	2,24	4,47	8,50 (3,2 - 10,6)	4,25 A	4,20	2,000 (600 - 2,780)	1,000	9,0								
20 + 25 + 60	1,29	1,62	3,89	6,80 (2,0 - 8,5)	4,05 A	8,00	1,680 (340 - 2,380)	840	7,7	1,62	2,02	4,86	8,50 (3,2 - 10,6)	4,25 A	4,20	2,000 (600 - 2,780)	1,000	9,0								
20 + 35 + 35	1,52	2,64	2,64	6,80 (1,9 - 8,1)	3,74 A	8,00	1,820 (290 - 2,330)	910	8,2	1,88	3,31	3,31	8,50 (3,3 - 10,5)	4,01 A	4,20	2,120 (640 - 2,870)	1,060	9,6								
20 + 35 + 42	1,40	2,45	2,95	6,80 (1,9 - 8,2)	3,74 A	8,00	1,820 (290 - 2,420)	910	8,2	1,75	3,07	3,68	8,50 (3,3 - 10,5)	4,03 A	4,20	2,110 (640 - 2,860)	1,055	9,5								
20 + 35 + 50	1,29	2,27	3,24	6,80 (2,0 - 8,5)	4,05 A	8,00	1,680 (340 - 2,330)	840	7,7	1,62	2,83	4,05	8,50 (3,3 - 10,6)	4,29 A	4,20	1,980 (600 - 2,760)	990	9,0								
20 + 42 + 42	1,30	2,75	2,75	6,80 (1,9 - 8,2)	3,84 A	8,00	1,770 (290 - 2,370)	885	8,0	1,64	3,43	3,43	8,50 (3,3 - 10,5)	4,05 A	4,20	2,100 (630 - 2,860)	1,050	9,5								
20 + 42 + 50	1,21	2,55	3,04	6,80 (2,0 - 8,5)	4,05 A	8,00	1,680 (340 - 2,330)	840	7,7	1,52	3,19	3,79	8,50 (3,2 - 10,6)	4,31 A	4,20	1,970 (620 - 2,750)	985	8,9								
25 + 25 + 25	2,26	2,26	2,26	6,78 (1,9 - 8,0)	3,65 A	8,00	1,860 (270 - 2,410)	930	8,4	2,83	2,83	2,83	8,49 (3,3 - 10,4)	3,91 A	4,20	2,170 (630 - 2,920)	1,085	9,8								
25 + 25 + 35	2,00	2,00	2,80	6,80 (1,9 - 8,0)	3,66 A	8,00	1,860 (270 - 2,320)	930	8,4	2,50	2,50	3,50	8,50 (3,3 - 10,4)	3,95 A	4,20	2,150 (620 - 2,850)	1,075	9,7								
25 + 25 + 42	1,85	1,85	3,10	6,80 (1,9 - 8,1)	3,74 A	8,00	1,820 (290 - 2,420)	910	8,2	2,31	2,31	3,88	8,50 (3,3 - 10,5)	3,97 A	4,20	2,140 (620 - 2,890)	1,070	9,7								
25 + 25 + 50	1,70	1,70	3,40	6,80 (2,0 - 8,5)	4,05 A	8,00	1,680 (340 - 2,380)	840	7,7	2,13	2,13	4,24	8,50 (3,2 - 10,6)	4,25 A	4,20	2,000 (600 - 2,780)	1,000	9,0								
25 + 25 + 60	1,55	1,55	3,70	6,80 (2,0 - 8,5)	4,05 A	8,00	1,680 (340 - 2,380)	840	7,7	1,93	1,93	4,64	8,50 (3,2 - 10,6)	4,25 A	4,20	2,000 (600 - 2,780)	1,000	9,0								
25 + 35 + 35	1,78	2,51	2,51	6,80 (1,9 - 8,1)	3,74 A	8,00	1,820 (290 - 2,330)	910	8,2	2,24	3,13	3,13	8,50 (3,3 - 10,5)	4,01 A	4,20	2,120 (640 - 2,870)	1,060	9,6								
25 + 35 + 42	1,67	2,33	2,80	6,80 (1,9 - 8,2)	3,74 A	8,00	1,820 (290 - 2,420)	910	8,2	2,08	2,92	3,50	8,50 (3,3 - 10,5)	4,03 A	4,20	2,110 (640 - 2,860)	1,055	9,5								
25 + 35 + 50	1,55	2,16	3,09	6,80 (2,0 - 8,5)	4,05 A	8,00	1,680 (340 - 2,330)	840	7,7	1,93	2,70	3,87	8,50 (3,2 - 10,6)	4,29 A	4,20	1,980 (600 - 2,760)	990	9,0								
25 + 42 + 42	1,56	2,62	2,62	6,80 (1,9 - 8,2)	3,84 A	8,00	1,770 (290 - 2,370)	885	8,0	1,94	3,28	3,28	8,50 (3,3 - 10,5)	4,05 A	4,20	2,100 (630 - 2,860)	1,050	9,5								
35 + 35 + 35	2,26	2,26	2,26	6,78 (1,9 - 8,2)	3,83 A	8,00	1,770 (290 - 2,330)	885	8,0	2,83	2,83	2,83	8,49 (3,3 - 10,5)	4,12 A	4,20	2,060 (630 - 2,850)	1,030	9,3								
35 + 35 + 42	2,13	2,13	2,54	6,80 (1,9 - 8,2)	3,84 A	8,00	1,770 (290 - 2,330)	885	8,0	2,66	2,66	3,18	8,50 (3,3 - 10,5)	4,15 A	4,20	2,050 (630 - 2,800)	1,025	9,3								

Free Multi R32 4x1 CU-4Z68TBE. Minimum capacity connected: 4.5kW. Maximum capacity connected: 11,5kW • R32 GAS

Indoor unit capacity	Cooling capacity (kW)					EER	SEER	Input power rating			A.E.C.	Current	Heating capacity (kW)					COP	SCOP	Input power rating			A.E.C.	Current				
	Rooms							W/W	W/W	W			kWh	230V	Rooms					W/W	W/W	W			kWh	230V		
	A	B	C	D	Total (Min - Max)										A	B	C										D	Total (Min - Max)
<b>1 Room</b>																												
16	1,60				1,60 (1,3 - 2,3)	4,00 A	—	400 (250 - 640)	200	2,0	2,60					2,60 (1,2 - 3,2)	4,33 A	—	600 (300 - 960)	300	3,0							
20	2,00				2,00 (1,8 - 2,9)	4,00 A	—	500 (340 - 810)	250	2,5	3,20					3,20 (1,2 - 4,1)	4,32 A	—	740 (300 - 1,230)	370	3,7							
25	2,50				2,50 (1,8 - 2,9)	3,97 A	—	630 (340 - 810)	315	3,2	3,60					3,60 (1,2 - 4,3)	3,83 A	—	940 (300 - 1,230)	470	4,7							
35	3,50				3,50 (1,8 - 3,8)	3,72 A	—	940 (340 - 1,360)	470	4,5	4,50					4,50 (1,2 - 5,8)	3,66 A	—	1,230 (300 - 2,100)	615	6,0							
42	4,20				4,20 (1,8 - 4,3)	3,07 B	—	1,370 (340 - 1,990)	685	6,4	5,60					5,60 (1,2 - 6,8)	3,26 C	—	1,720 (300 - 2,930)	860	8,0							
50	5,00				5,00 (1,9 - 5,7)	2,93 C	—	1,550 (340 - 2,130)	775	7,2	6,80					6,80 (1,2 - 6,9)	3,24 C	—	2,100 (300 - 2,520)	1,050	9,7							
60	6,00				6,00 (1,9 - 6,2)	2,96 C	—	2,030 (340 - 2,330)	1,015	9,2	8,50					8,50 (1,3 - 9,0)	3,54 B	—	2,400 (620 - 2,500)	1,200	11,1							
<b>2 Rooms</b>																												
16 + 16	1,60	1,60			3,20 (1,9 - 6,4)	5,71 A	6,10	560 (270 - 2,120)	280	2,8	2,60	2,60				5,20 (2,7 - 9,8)	4,00 A	3,80	1,300 (660 - 3,010)	650	5,9							
16 + 20	1,60	2,00			3,60 (1,9 - 6,4)	5,22 A	6,10	690 (270 - 2,080)	345	3,4	2,58	3,22				5,80 (2,7 - 9,8)	3,92 A	3,80	1,480 (650 - 3,020)	740	6,8							
16 + 25	1,60	2,50			4,10 (1,9 - 6,4)	4,94 A	6,10	830 (270 - 2,080)	415	3,9	2,42	3,78				6,20 (2,7 - 9,8)	3,85 A	3,80	1,610 (650 - 3,020)	805	7,4							
16 + 35	1,60	3,50			5,10 (1,9 - 6,9)	4,08 A	6,10	1,250 (270 - 2,480)	625	5,7	2,23	4,87				7,10 (2,7 - 9,9)	3,74 A	3,80	1,900 (630 - 3,020)	950	8,6							
16 + 42	1,60	4,20			6,80 (1,9 - 6,9)	3,63 A	6,10	1,610 (270 - 2,440)	805	7,4	2,26	5,94				8,20 (2,7 - 9,9)	3,52 B	3,80	2,330 (630 - 3,020)	1,165	10,5							
16 + 50	1,60	5,00			6,60 (2,0 - 7,5)	3,60 A	6,50	1,820 (280 - 2,520)	910	8,2	2,06	6,44				8,50 (2,8 - 10,2)	3,76 A	3,80	2,260 (620 - 2,990)	1,130	10,2							
16 + 60	1,43	5,37			6,80 (2,0 - 7,5)	3,49 A	6,50	1,950 (280 - 2,520)	975	8,8	1,79	6,71				8,50 (2,8 - 10,2)	3,76 A	3,80	2,260 (620 - 2,990)	1,130	10,2							
20 + 20	2,00	2,00			4,00 (1,9 - 6,4)	5,00 A	6,10	800 (270 - 2,040)	400	3,8	3,20	3,20				6,40 (2,7 - 9,8)	3,83 A	3,80	1,670 (640 - 3,020)	835	7,6							
20 + 25	2,00	2,50			4,50 (1,9 - 6,4)	4,59 A																						



# FREE MULTI R32 COMBINATIONS TABLE

Free Multi R32 4x1 CU-4Z68TBE. Minimum capacity connected: 4,5kW. Maximum capacity connected: 11,5kW • R32 GAS

Indoor unit capacity	Cooling capacity (kW)					EER	SEER	Input power rating	A.E.C.	Current	Heating capacity (kW)					COP	SCOP	Input power rating	A.E.C.	Current
	Rooms										Rooms									
	A	B	C	D	Total (Min - Max)						W/W	W/W	W	kWh	230V					
<b>4 Room</b>																				
16 + 42 + 42	1,08	2,86	2,86		6,80 (1,9 - 8,2)	3,74 A	8,00	1820 (290 - 2420)	910	8,2	1,36	3,57	3,57		8,50 (3,3 - 10,5)	4,03 A	4,00	2110 (640 - 2860)	1055	9,5
16 + 42 + 50	1,01	2,64	3,15		6,80 (2,0 - 8,5)	4,05 A	8,00	1680 (340 - 2330)	840	7,7	1,25	3,31	3,94		8,50 (3,2 - 10,6)	4,29 A	4,00	1980 (600 - 2760)	990	9,0
20 + 20 + 20	2,00	2,00	2,00		6,80 (1,9 - 8,0)	4,05 A	8,00	1480 (270 - 2410)	740	6,8	2,83	2,83	2,83		8,49 (3,3 - 10,4)	3,91 A	4,00	2170 (630 - 2920)	1085	9,8
20 + 20 + 25	2,00	2,00	2,50		6,50 (1,9 - 8,0)	3,76 A	8,00	1730 (270 - 2410)	865	7,9	2,62	2,62	3,26		8,50 (3,3 - 10,4)	3,92 A	4,00	2170 (630 - 2920)	1085	9,8
20 + 20 + 35	1,81	1,81	3,10		6,80 (1,9 - 8,0)	3,66 A	8,00	1860 (270 - 2320)	930	8,4	2,27	2,27	3,96		8,50 (3,3 - 10,4)	3,95 A	4,00	2150 (620 - 2850)	1075	9,7
20 + 20 + 42	1,66	1,66	3,48		6,80 (1,9 - 8,1)	3,74 A	8,00	1820 (290 - 2420)	910	8,2	2,07	2,07	4,36		8,50 (3,3 - 10,5)	3,97 A	4,00	2140 (620 - 2890)	1070	9,7
20 + 20 + 50	1,51	1,51	3,78		6,80 (2,0 - 8,5)	4,05 A	8,00	1680 (340 - 2380)	840	7,7	1,89	1,89	4,72		8,50 (3,2 - 10,6)	4,25 A	4,00	2000 (600 - 2780)	1000	9,0
20 + 20 + 60	1,36	1,36	4,08		6,80 (2,0 - 8,5)	4,05 A	8,00	1680 (340 - 2380)	840	7,7	1,70	1,70	5,10		8,50 (3,2 - 10,6)	4,25 A	4,00	2000 (600 - 2780)	1000	9,0
20 + 25 + 25	1,94	2,43	2,43		6,80 (1,9 - 8,0)	3,66 A	8,00	1860 (270 - 2410)	930	8,4	2,42	3,04	3,04		8,50 (3,3 - 10,4)	3,92 A	4,00	2170 (630 - 2920)	1085	9,8
20 + 25 + 35	1,69	2,13	2,98		6,80 (1,9 - 8,0)	3,66 A	8,00	1860 (270 - 2320)	930	8,4	2,12	3,66	3,72		8,50 (3,3 - 10,4)	3,95 A	4,00	2150 (620 - 2850)	1075	9,7
20 + 25 + 42	1,56	1,95	3,29		6,80 (1,9 - 8,1)	3,74 A	8,00	1820 (290 - 2420)	910	8,2	1,95	2,44	4,11		8,50 (3,3 - 10,5)	3,97 A	4,00	2140 (620 - 2890)	1070	9,7
20 + 25 + 50	1,43	1,79	3,58		6,80 (2,0 - 8,5)	4,05 A	8,00	1680 (340 - 2380)	840	7,7	1,79	2,24	4,47		8,50 (3,2 - 10,6)	4,25 A	4,00	2000 (600 - 2780)	1000	9,0
20 + 25 + 60	1,29	1,62	3,89		6,80 (2,0 - 8,5)	4,05 A	8,00	1680 (340 - 2380)	840	7,7	1,62	2,02	4,86		8,50 (3,2 - 10,6)	4,25 A	4,00	2000 (600 - 2780)	1000	9,0
20 + 35 + 35	1,52	2,64	2,64		6,80 (1,9 - 8,1)	3,74 A	8,00	1820 (290 - 2330)	910	8,2	1,88	3,31	3,31		8,50 (3,3 - 10,5)	4,01 A	4,00	2120 (640 - 2870)	1060	9,6
20 + 35 + 42	1,40	2,45	2,95		6,80 (1,9 - 8,2)	3,74 A	8,00	1820 (290 - 2420)	910	8,2	1,75	3,07	3,68		8,50 (3,3 - 10,5)	4,03 A	4,00	2110 (640 - 2860)	1055	9,5
20 + 35 + 50	1,29	2,27	3,24		6,80 (2,0 - 8,5)	4,05 A	8,00	1680 (340 - 2330)	840	7,7	1,62	2,83	4,05		8,50 (3,2 - 10,6)	4,29 A	4,00	1980 (600 - 2760)	990	9,0
20 + 35 + 60	1,18	2,07	3,55		6,80 (2,0 - 8,5)	4,05 A	8,00	1680 (340 - 2330)	840	7,7	1,48	2,59	4,43		8,50 (3,2 - 10,6)	4,29 A	4,00	1980 (600 - 2760)	990	9,0
20 + 42 + 42	1,30	2,75	2,75		6,80 (1,9 - 8,2)	3,84 A	8,00	1770 (290 - 2370)	885	8,0	1,64	3,43	3,43		8,50 (3,3 - 10,5)	4,05 A	4,00	2100 (630 - 2860)	1050	9,5
20 + 42 + 50	1,21	2,55	3,04		6,80 (2,0 - 8,5)	4,05 A	8,00	1680 (340 - 2330)	840	7,7	1,52	3,19	3,79		8,50 (3,3 - 10,6)	4,31 A	4,00	1970 (620 - 2750)	985	8,9
25 + 25 + 25	2,26	2,26	2,26		6,78 (1,9 - 8,0)	3,65 A	8,00	1860 (270 - 2410)	930	8,4	2,83	2,83	2,83		8,49 (3,3 - 10,4)	3,91 A	4,00	2170 (630 - 2920)	1085	9,8
25 + 25 + 35	2,00	2,00	2,80		6,80 (1,9 - 8,0)	3,66 A	8,00	1860 (270 - 2320)	930	8,4	2,50	2,50	3,50		8,50 (3,3 - 10,4)	3,95 A	4,00	2150 (620 - 2850)	1075	9,7
25 + 25 + 42	1,85	1,85	3,10		6,80 (1,9 - 8,1)	3,74 A	8,00	1820 (290 - 2420)	910	8,2	2,31	3,31	3,88		8,50 (3,3 - 10,5)	3,97 A	4,00	2140 (620 - 2890)	1070	9,7
25 + 25 + 50	1,70	1,70	3,40		6,80 (2,0 - 8,5)	4,05 A	8,00	1680 (340 - 2380)	840	7,7	2,13	2,13	4,24		8,50 (3,2 - 10,6)	4,25 A	4,00	2000 (600 - 2780)	1000	9,0
25 + 25 + 60	1,55	1,55	3,70		6,80 (2,0 - 8,5)	4,05 A	8,00	1680 (340 - 2380)	840	7,7	1,93	3,93	4,64		8,50 (3,2 - 10,6)	4,25 A	4,00	2000 (600 - 2780)	1000	9,0
25 + 35 + 35	1,78	2,51	2,51		6,80 (1,9 - 8,1)	3,74 A	8,00	1820 (290 - 2330)	910	8,2	2,24	3,13	3,13		8,50 (3,3 - 10,5)	4,01 A	4,00	2120 (640 - 2870)	1060	9,6
25 + 35 + 42	1,67	2,33	2,80		6,80 (1,9 - 8,2)	3,74 A	8,00	1820 (290 - 2420)	910	8,2	2,08	2,92	3,50		8,50 (3,3 - 10,5)	4,03 A	4,00	2110 (640 - 2860)	1055	9,5
25 + 35 + 50	1,55	2,16	3,09		6,80 (2,0 - 8,5)	4,05 A	8,00	1680 (340 - 2330)	840	7,7	1,93	2,70	3,87		8,50 (3,2 - 10,6)	4,29 A	4,00	1980 (600 - 2760)	990	9,0
25 + 42 + 42	1,56	2,62	2,62		6,80 (1,9 - 8,2)	3,84 A	8,00	1770 (290 - 2370)	885	8,0	1,94	3,28	3,28		8,50 (3,3 - 10,5)	4,05 A	4,00	2100 (630 - 2860)	1050	9,5
35 + 35 + 35	2,26	2,26	2,26		6,78 (1,9 - 8,2)	3,83 A	8,00	1770 (290 - 2330)	885	8,0	2,83	2,83	2,83		8,49 (3,3 - 10,5)	4,12 A	4,00	2060 (630 - 2850)	1030	9,3
35 + 35 + 42	2,13	2,13	2,54		6,80 (1,9 - 8,2)	3,84 A	8,00	1770 (290 - 2330)	885	8,0	2,66	2,66	3,18		8,50 (3,3 - 10,5)	4,15 A	4,00	2050 (630 - 2800)	1025	9,3
<b>4 Rooms</b>																				
16 + 16 + 16 + 16	1,65	1,65	1,65	1,65	6,60 (1,9 - 8,7)	4,49 A	8,50	1470 (340 - 2380)	735	6,7	2,12	2,12	2,12	2,12	8,48 (3,0 - 10,6)	4,44 A	4,20	1910 (580 - 2690)	955	8,6
16 + 16 + 16 + 20	1,60	1,60	1,60	2,00	6,80 (1,9 - 8,8)	4,39 A	8,00	1550 (340 - 2470)	775	7,0	2,00	2,00	2,50		8,50 (3,0 - 10,6)	4,47 A	4,20	1900 (580 - 2680)	950	8,6
16 + 16 + 16 + 25	1,49	1,49	1,49	2,33	6,80 (1,9 - 8,8)	4,39 A	8,00	1550 (340 - 2470)	775	7,0	1,86	1,86	1,86	2,92	8,50 (3,0 - 10,6)	4,47 A	4,20	1900 (580 - 2680)	950	8,6
16 + 16 + 16 + 35	1,31	1,31	1,31	2,87	6,80 (1,9 - 8,8)	4,39 A	8,00	1550 (340 - 2380)	775	7,0	1,64	1,64	1,64	3,58	8,50 (3,0 - 10,6)	4,52 A	4,20	1880 (580 - 2660)	940	8,5
16 + 16 + 16 + 42	1,21	1,21	1,21	3,17	6,80 (1,9 - 8,8)	4,50 A	8,00	1510 (340 - 2380)	755	6,8	1,51	1,51	1,51	3,97	8,50 (3,0 - 10,6)	4,55 A	4,20	1870 (580 - 2650)	935	8,5
16 + 16 + 16 + 50	1,11	1,11	1,11	3,47	6,80 (1,9 - 8,8)	4,50 A	8,00	1510 (400 - 2240)	755	6,8	1,39	1,39	1,39	4,33	8,50 (3,0 - 10,6)	4,64 A	4,20	1830 (650 - 2550)	915	8,3
16 + 16 + 16 + 60	1,01	1,01	1,01	3,77	6,80 (1,9 - 8,8)	4,50 A	8,00	1510 (400 - 2240)	755	6,8	1,26	1,26	1,26	4,72	8,50 (3,0 - 10,6)	4,64 A	4,20	1830 (650 - 2550)	915	8,3
16 + 16 + 20 + 20	1,51	1,51	1,89	1,89	6,80 (1,9 - 8,8)	4,39 A	8,00	1550 (340 - 2430)	775	7,0	1,89	2,36	2,36		8,50 (3,1 - 10,6)	4,50 A	4,20	1890 (600 - 2670)	945	8,5
16 + 16 + 20 + 25	1,41	1,41	1,77	2,21	6,80 (1,9 - 8,8)	4,39 A	8,00	1550 (340 - 2430)	775	7,0	1,77	2,20	2,76		8,50 (3,1 - 10,6)	4,50 A	4,20	1890 (600 - 2670)	945	8,5
16 + 16 + 20 + 35	1,25	1,25	1,56	2,74	6,80 (1,9 - 8,8)	4,50 A	8,00	1510 (340 - 2380)	755	6,8	1,56	1,56	1,95	3,43	8,50 (3,0 - 10,6)	4,55 A	4,20	1870 (580 - 2650)	935	8,5
16 + 16 + 20 + 42	1,16	1,16	1,44	3,04	6,80 (1,9 - 8,8)	4,50 A	8,00	1510 (370 - 2380)	755	6,8	1,45	1,45	1,80	3,80	8,50 (3,0 - 10,6)	4,57 A	4,20	1860 (600 - 2640)	930	8,4
16 + 16 + 20 + 50	1,07	1,07	1,33	3,33	6,80 (1,9 - 8,8)	4,50 A	8,00	1510 (400 - 2200)	755	6,8	1,33	1,67	1,67	4,17	8,50 (3,0 - 10,6)	4,64 A	4,20	1830 (660 - 2540)	915	8,3
16 + 16 + 20 + 60	0,97	0,97	1,21	3,65	6,80 (1,9 - 8,8)	4,50 A	8,00	1510 (400 - 2200)	755	6,8	1,21	1,52	1,52	4,56	8,50 (3,0 - 10,6)	4,64 A	4,20	1830 (660 - 2540)	915	8,3
16 + 16 + 25 + 25	1,33	1,33	2,07	2,07	6,80 (1,9 - 8,8)	4,39 A	8,00	1550 (340 - 2430)	775	7,0	1,66	1,66	2,59	2,59	8,50 (3,1 - 10,6)	4,50 A	4,20	1890 (600 - 2670)	945	8,5
16 + 16 + 25 + 35	1,18	1,18	1,85	2,59	6,80 (1,9 - 8,8)	4,50 A	8,00	1510 (340 - 2380)	755	6,8	1,48	1,48	3,23	3,23	8,50 (3,0 - 10,6)	4,55 A	4,20	1870 (580 - 2650)	935	8,5
16 + 16 + 25 + 42	1,10	1,10	1,72	2,88	6,80 (1,9 - 8,8)	4,50 A	8,00	1510 (370 - 2380)	755	6,8	1,37	1,37	2,15	3,61	8,50 (3,0 - 10,6)	4,57 A	4,20	1860 (600 - 2640)	930	8,4
16 +																				

# MULTI TZ / RE COMBINATIONS TABLE

Multi TZ / RE 2x1 CU-2RE15SBE. Minimum capacity connected: 4,0kW. Maximum capacity connected: 5,7kW • R410 GAS

Indoor unit capacity	Cooling capacity (kW)			EER	Input power rating		A.E.C.	Current	Heating capacity (kW)			COP	Input power rating		A.E.C.	Current
	A	B	Total (Min - Max)		W/W	W			kWh	230V	A		B	Total (Min - Max)		
<b>1 Room</b>																
20	2,00		2,00 (1,10 - 2,50)	3,64 A	550 (230 - 690)	275	2,60	3,20	3,20 (0,70 - 4,30)	3,40 B	940 (190 - 1.350)	470	4,15			
25	2,50		2,50 (1,10 - 3,10)	3,52 A	710 (230 - 950)	355	3,35	3,60	3,60 (0,70 - 5,00)	3,21 C	1.120 (190 - 1.660)	560	4,95			
35	3,20		3,20 (1,10 - 3,70)	3,27 A	980 (230 - 1.210)	490	4,60	4,50	4,50 (0,70 - 5,70)	3,24 C	1.390 (190 - 1.780)	695	6,15			
<b>2 Rooms</b>																
20 + 20	2,00	2,00	4,00 (1,50 - 4,60)	3,42 A	1.170 (270 - 1.340)	585	5,45	2,40	2,40	4,80 (1,10 - 6,30)	4,00 A	1.200 (240 - 1.610)	600	5,35		
20 + 25	1,95	2,45	4,40 (1,50 - 4,80)	3,38 A	1.300 (270 - 1.520)	650	6,10	2,15	2,65	4,80 (1,10 - 6,50)	4,00 A	1.200 (240 - 1.670)	600	5,35		
20 + 35	1,70	2,70	4,40 (1,50 - 4,80)	3,38 A	1.300 (270 - 1.520)	650	6,10	1,85	2,95	4,80 (1,10 - 6,50)	4,00 A	1.200 (240 - 1.670)	600	5,35		
25 + 25	2,20	2,20	4,40 (1,50 - 4,80)	3,38 A	1.300 (270 - 1.520)	650	6,10	2,40	2,40	4,80 (1,10 - 6,50)	4,00 A	1.200 (240 - 1.670)	600	5,35		
25 + 35	1,95	2,45	4,40 (1,50 - 4,80)	3,38 A	1.300 (270 - 1.520)	650	6,10	2,15	2,65	4,80 (1,10 - 6,50)	4,00 A	1.200 (240 - 1.670)	600	5,35		

Multi TZ / RE 2x1 CU-2RE18SBE. Minimum capacity connected: 4,0kW. Maximum capacity connected: 7,5kW • R410 GAS

Indoor unit capacity	Cooling capacity (kW)			EER	Input power rating		A.E.C.	Current	Heating capacity (kW)			COP	Input power rating		A.E.C.	Current
	A	B	Total (Min - Max)		W/W	W			kWh	230V	A		B	Total (Min - Max)		
<b>1 Room</b>																
20	2,00		2,00 (1,10 - 2,50)	3,64 A	550 (230 - 690)	275	2,60	3,20	3,20 (0,70 - 4,30)	3,40 B	940 (190 - 1.350)	470	4,15			
25	2,50		2,50 (1,10 - 3,10)	3,52 A	710 (230 - 950)	355	3,35	3,60	3,60 (0,70 - 5,00)	3,21 C	1.120 (190 - 1.660)	560	4,95			
35	3,20		3,20 (1,10 - 3,70)	3,27 A	980 (230 - 1.210)	490	4,60	4,50	4,50 (0,70 - 5,70)	3,24 C	1.390 (190 - 1.780)	695	6,15			
42	4,00		4,00 (1,10 - 4,20)	3,10 B	1.290 (230 - 1.420)	645	6,05	5,00	5,00 (1,10 - 6,40)	3,03 D	1.650 (240 - 2.180)	825	7,30			
50	5,00		5,00 (1,20 - 5,10)	2,94 C	1.700 (240 - 1.820)	850	7,95	5,30	5,30 (1,10 - 6,80)	3,01 D	1.760 (240 - 2.290)	880	7,80			
<b>2 Rooms</b>																
20 + 20	2,00	2,00	4,00 (1,50 - 4,60)	3,45 A	1.160 (270 - 1.340)	580	5,45	2,60	2,60	5,20 (1,10 - 6,30)	4,00 A	1.300 (240 - 1.610)	650	5,80		
20 + 25	2,00	2,50	4,50 (1,50 - 4,90)	3,44 A	1.310 (270 - 1.510)	655	6,10	2,30	2,90	5,20 (1,10 - 6,30)	4,00 A	1.300 (240 - 1.610)	650	5,80		
20 + 12	1,85	2,95	4,80 (1,50 - 4,90)	3,22 A	1.490 (270 - 1.580)	745	6,95	2,00	3,20	5,20 (1,10 - 6,70)	4,00 A	1.300 (240 - 1.700)	650	5,75		
20 + 42	1,60	3,20	4,80 (1,50 - 5,00)	3,22 A	1.490 (270 - 1.580)	745	6,95	1,75	3,45	5,20 (1,10 - 6,70)	4,00 A	1.300 (240 - 1.700)	650	5,75		
20 + 50	1,35	3,45	4,80 (1,50 - 5,00)	3,22 A	1.490 (270 - 1.580)	745	6,95	1,50	3,70	5,20 (1,10 - 6,70)	4,00 A	1.300 (240 - 1.700)	650	5,75		
25 + 25	2,40	2,40	4,80 (1,50 - 5,00)	3,22 A	1.490 (270 - 1.580)	745	6,95	2,60	2,60	5,20 (1,10 - 6,70)	4,00 A	1.300 (240 - 1.700)	650	5,75		
25 + 12	2,10	2,70	4,80 (1,50 - 5,00)	3,22 A	1.490 (270 - 1.580)	745	6,95	2,30	2,90	5,20 (1,10 - 6,70)	4,00 A	1.300 (240 - 1.700)	650	5,75		
25 + 42	1,85	2,95	4,80 (1,50 - 5,00)	3,22 A	1.490 (270 - 1.580)	745	6,95	2,00	3,20	5,20 (1,10 - 6,70)	4,00 A	1.300 (240 - 1.700)	650	5,75		
25 + 50	1,60	3,20	4,80 (1,50 - 5,00)	3,22 A	1.490 (270 - 1.580)	745	6,95	1,75	3,45	5,20 (1,10 - 6,70)	4,00 A	1.300 (240 - 1.700)	650	5,75		
12 + 12	2,40	2,40	4,80 (1,50 - 5,00)	3,22 A	1.490 (270 - 1.580)	745	6,95	2,60	2,60	5,20 (1,10 - 6,70)	4,00 A	1.300 (240 - 1.700)	650	5,75		
12 + 42	2,15	2,65	4,80 (1,50 - 5,00)	3,22 A	1.490 (270 - 1.580)	745	6,95	2,30	2,90	5,20 (1,10 - 6,70)	4,00 A	1.300 (240 - 1.700)	650	5,75		

Free Multi 3x1 CU-3RE18SBE. Minimum capacity connected: 4,5kW. Maximum capacity connected: 9,0kW • R410 GAS

Indoor unit capacity	Cooling capacity (kW)				EER	Input power rating		A.E.C.	Current	Heating capacity (kW)				COP	Input power rating		A.E.C.	Current
	A	B	C	Total (Min - Max)		W/W	W			kWh	230V	A	B		C	Total (Min - Max)		
<b>1 Room</b>																		
16	1,60			1,60 (1,30 - 2,30)	3,40 A	470 (250 - 710)	235	2,30	2,60	2,60 (1,20 - 3,20)	3,88 A	670 (300 - 1.030)	335	3,40				
20	2,00			2,00 (1,80 - 2,90)	3,51 A	570 (340 - 880)	285	2,80	3,20	3,20 (1,20 - 4,10)	3,95 A	810 (300 - 1.300)	405	4,00				
25	2,50			2,50 (1,80 - 2,90)	3,57 A	700 (340 - 880)	350	3,30	3,60	3,60 (1,20 - 4,30)	3,56 B	1.010 (300 - 1.300)	505	4,80				
35	3,20			3,20 (1,80 - 3,80)	3,68 A	870 (340 - 1.430)	435	4,00	4,50	4,50 (1,20 - 5,80)	3,46 B	1.300 (300 - 1.710)	650	6,20				
42	4,00			4,00 (1,80 - 4,30)	3,05 B	1.310 (340 - 2.060)	655	5,90	5,60	5,60 (1,20 - 8,00)	3,13 D	1.790 (300 - 3.000)	895	7,90				
50	5,00			5,00 (1,90 - 5,70)	2,89 C	1.730 (340 - 2.310)	865	7,60	6,80	6,80 (1,20 - 6,90)	2,98 D	2.280 (300 - 2.700)	1140	10,00				
<b>2 Rooms</b>																		
16 + 16	1,60	1,60		3,20 (1,80 - 6,20)	4,05 A	790 (330 - 2.230)	395	3,60	2,60	2,60	5,20 (1,40 - 7,00)	3,77 A	1.380 (340 - 2.070)	690	6,40			
16 + 20	1,60	2,00		3,60 (1,80 - 6,20)	3,83 A	940 (330 - 2.190)	470	4,20	2,49	3,11	5,60 (1,40 - 7,00)	3,73 A	1.500 (330 - 2.040)	750	6,90			
16 + 25	1,60	2,50		4,10 (1,80 - 6,20)	3,73 A	1.100 (330 - 2.190)	550	4,90	2,42	3,78	6,20 (1,40 - 7,00)	3,69 A	1.680 (330 - 2.040)	840	7,80			
16 + 35	1,60	3,20		4,80 (1,80 - 6,30)	3,36 A	1.430 (330 - 2.200)	715	6,30	2,13	4,27	6,40 (1,40 - 7,00)	3,76 A	1.700 (310 - 2.130)	850	7,80			
16 + 42	1,49	3,71		5,20 (1,90 - 6,40)	3,21 A	1.620 (350 - 2.240)	810	7,10	1,94	4,86	6,80 (1,40 - 7,30)	3,74 A	1.820 (310 - 2.120)	910	8,30			
16 + 50	1,26	3,94		5,20 (1,90 - 6,80)	3,40 A	1.530 (340 - 2.290)	765	6,70	1,65	5,15	6,80 (1,40 - 8,00)	3,80 A	1.790 (240 - 2.340)	895	8,20			
20 + 20	2,00	2,00		4,00 (1,80 - 6,20)	3,74 A	1.070 (330 - 2.150)	535	4,70	2,90	2,90	5,80 (1,40 - 7,00)	3,82 A	1.520 (320 - 2.030)	760	7,00			
20 + 25	2,00	2,50		4,50 (1,80 - 6,20)	3,52 A	1.280 (330 - 2.150)	640	5,60	2,84	3,56	6,40 (1,40 - 7,00)	3,68 A	1.740 (320 - 2.030)	870	8,00			
20 + 35	2,00	3,20		5,20 (1,80 - 6,30)	3,21 A	1.620 (330 - 2.160)	810	7,10	2,62	4,18	6,80 (1,40 - 7,30)	3,74 A	1.820 (310 - 2.120)	910	8,30			
20 + 42	1,73	3,47		5,20 (1,90 - 6,40)	3,29 A	1.580 (350 - 2.200)	790	6,90	2,27	4,53	6,80 (1,40 - 7,30)	3,74 A	1.820 (280 - 2.080)	910	8,30			
20 + 50	1,49	3,71		5,20 (1,90 - 6,80)	3,40 A	1.530 (340 - 2.290)	765	6,70	1,94	4,86	6,80 (1,40 - 8,00)	3,82 A	1.780 (240 - 2.330)	890	8,10			
25 + 25	2,50	2,50		5,00 (1,80 - 6,20)	3,25 A	1.540 (330 - 2.150)	770	6,80	3,40	3,40	6,80 (1,40 - 7,00)	3,64 A	1.870 (320 - 2.030)	935	8,50			
25 + 35	2,28	2,92		5,20 (1,90 - 6,30)	3,21 A	1.620 (350 - 2.160)	810	7,10	2,98	3,82	6,80 (1,40 - 7,30)	3,74 A	1.820 (310 - 2.120)	910	8,30			
25 + 42	2,00	3,20		5,20 (1,90 - 6,40)	3,29 A	1.580 (350 - 2.200)	790	6,90	2,62	4,18	6,80 (1,40 - 7,30)	3,74 A	1.820 (280 - 2.080)	910	8,30			
25 + 50	1,73	3,47		5,20 (1,90 - 6,80)	3,40 A	1.530 (340 - 2.290)	765	6,70	2,27	4,53	6,80 (1,40 - 8,00)	3,82 A	1.780 (240 - 2.330)	890	8,10			
35 + 35	2,60	2,60		5,20 (1,90 - 6,40)	3,38 A	1.540 (350 - 2.160)	770	6,80	3,40	3,40	6,80 (1,40 - 7,50)	3,76 A	1.810 (270 - 2.140)	905	8,30			
35 + 42	2,31	2,89		5,20 (1,90 - 6,50)	3,38 A	1.540 (350 - 2.210)	770	6,80	3,02	3,78	6,80 (1,40 - 7,50)	3,78 A	1.800 (260 - 2.140)	900	8,20			
35 + 50	2,03	3,17		5,20 (1,90 - 6,90)	3,49 A	1.490 (360 - 2.290)	745	6,50	2,65	4,15	6,80 (1,40 - 8,00)	3,86 A	1.760 (240 - 2.270)	880	8,00			
42 + 42	2,60	2,60		5,20 (1,90 - 6,50)	3,38 A	1.540 (350 - 2.210)	770	6,80	3,40	3,40	6,80 (1,40 - 7,60)	3,86 A	1.760 (260 - 2.170)	880	8,00			
42 + 50	2,31	2,89		5,20 (1,90 - 6,90)	3,49 A	1.490 (360 - 2.290)	745	6,50	3,02	3,78	6,80 (1,40 - 8,00)	3,89 A	1.750 (240 - 2.270)	875	8,00			
<b>3 Rooms</b>																		
16 + 16 + 16	1,60	1,60	1,60	4,80 (1,80 - 7,20)	3,81 A	1.260 (360 - 2.340)	630	5,50	2,26	2,26	2,26	6,78 (1,50 - 8,10)	4,06 A	1.670 (290 - 2.250)	835	7,70		
16 + 16 + 20	1,60	1,60	2,00	5,20 (1,80 - 7,30)	3,69 A	1.410 (360 - 2.390)	705	6,20	2,09	2,09	2,62	6,80 (1,60 - 8,30)	4,10 A	1.660 (320 - 2.320)	830	7,70		
16 + 16 + 25	1,46	1,46	2,28	5,20 (1,90 - 7,20)	3,69 A	1.410 (390 - 2.300)	705	6,20	1,91	1,91	2,98	6,80 (1,60 - 8,30)	4,10 A	1.660 (320 - 2.320)	830	7,70		
16 + 16 + 35	1,30	1,30	2,60	5,20 (1,90 - 7,20)	3,69 A	1.410 (390 - 2.250)	705	6,20	1,70	1,70	3,40	6,80 (1,60 - 8,30)	4,15 A	1.640 (310 - 2.250)	820	7,60		

# FREE MULTI 2X1 COMBINATIONS TABLE

Free Multi 2x1 CU-2E12SBE. Minimum capacity connected: 3,2kW. Maximum capacity connected: 5,7kW • R410 GAS

Indoor unit capacity	Cooling capacity (kW)			EER	Input power rating		A.E.C.	Current	Heating capacity (kW)			COP	Input power rating		A.E.C.	Current				
	Rooms				W/W	W			kWh	230V	Rooms			W/W			W	kWh	230V	
	A	B	Total (Min - Max)								A		B							Total (Min - Max)
<b>1 Room</b>																				
16	1,60		1,60 (1,10 - 2,30)	3,90 A	410 (220 - 600)	205	1,95	2,60	2,60 (0,70 - 3,80)	3,77 A	690 (170 - 1.110)	345	3,05							
20	2,00		2,00 (1,10 - 2,90)	3,85 A	520 (220 - 750)	260	2,45	3,20	3,20 (0,70 - 4,80)	3,76 A	850 (170 - 1.410)	425	3,75							
25	2,50		2,50 (1,10 - 3,50)	3,73 A	670 (220 - 1.000)	335	3,15	3,60	3,60 (0,70 - 5,50)	3,50 B	1.030 (170 - 1.700)	515	4,55							
35	3,20		3,20 (1,10 - 4,00)	3,48 A	920 (220 - 1.220)	460	4,30	4,40	4,40 (0,70 - 5,60)	3,61 A	1.220 (170 - 1.680)	610	5,40							
<b>2 Rooms</b>																				
16 + 16	1,60	1,60	3,20 (1,50 - 4,00)	4,27 A	750 (250 - 1.000)	375	3,50	2,20	2,20	4,40 (1,10 - 5,60)	4,63 A	950 (210 - 1.270)	475	4,20						
16 + 20	1,60	2,00	3,60 (1,50 - 4,50)	4,50 A	800 (250 - 1.100)	400	3,75	1,95	2,45	4,40 (1,10 - 5,60)	4,63 A	950 (210 - 1.270)	475	4,20						
16 + 25	1,40	2,20	3,60 (1,50 - 4,50)	4,50 A	800 (250 - 1.100)	400	3,75	1,70	2,70	4,40 (1,10 - 5,60)	4,63 A	950 (210 - 1.270)	475	4,20						
16 + 35	1,20	2,40	3,60 (1,50 - 4,50)	4,50 A	800 (250 - 1.100)	400	3,75	1,45	2,95	4,40 (1,10 - 5,60)	4,63 A	950 (210 - 1.270)	475	4,20						
20 + 20	1,80	1,80	3,60 (1,50 - 4,50)	4,50 A	800 (250 - 1.100)	400	3,75	2,20	2,20	4,40 (1,10 - 5,60)	4,63 A	950 (210 - 1.270)	475	4,20						
20 + 25	1,60	2,00	3,60 (1,50 - 4,50)	4,50 A	800 (250 - 1.100)	400	3,75	1,95	2,45	4,40 (1,10 - 5,60)	4,63 A	950 (210 - 1.270)	475	4,20						
20 + 35	1,40	2,20	3,60 (1,50 - 4,50)	4,68 A	770 (250 - 1.050)	385	3,60	1,70	2,70	4,40 (1,10 - 5,60)	4,78 A	920 (210 - 1.220)	460	4,10						
25 + 25	1,80	1,80	3,60 (1,50 - 4,50)	4,68 A	770 (250 - 1.050)	385	3,60	2,20	2,20	4,40 (1,10 - 5,60)	4,78 A	920 (210 - 1.220)	460	4,10						
25 + 35	1,60	2,00	3,60 (1,50 - 4,50)	4,68 A	770 (250 - 1.050)	385	3,60	1,95	2,45	4,40 (1,10 - 5,60)	4,78 A	920 (210 - 1.220)	460	4,10						

1) Showing SEER and Pdesign (kWh) / SCOP and Pdesign at -10°C (kWh): Using EN 14825. Other: A.E.C. using internal procedure (only for reference).  
 \* EER, COP, SEER, SCOP, Input Power, Annual consumption is show following the ErP directive only on the 100% capacity combination as requested by the ErP directive.  
 \* Data for not simultaneous operation.

Free Multi 2x1 CU-2E15SBE. Minimum capacity connected: 3,2kW. Maximum capacity connected: 5,7kW • R410 GAS

Indoor unit capacity	Cooling capacity (kW)			EER	Input power rating		A.E.C.	Current	Heating capacity (kW)			COP	Input power rating		A.E.C.	Current				
	Rooms				W/W	W			kWh	230V	Rooms			W/W			W	kWh	230V	
	A	B	Total (Min - Max)								A		B							Total (Min - Max)
<b>1 Room</b>																				
16	1,60		1,60 (1,10 - 2,30)	3,90 A	410 (220 - 600)	205	1,95	2,60	2,60 (0,70 - 3,80)	3,77 A	690 (170 - 1.110)	345	3,05							
20	2,00		2,00 (1,10 - 2,90)	3,85 A	520 (220 - 750)	260	2,45	3,20	3,20 (0,70 - 4,80)	3,76 A	850 (170 - 1.410)	425	3,75							
25	2,50		2,50 (1,10 - 3,50)	3,73 A	670 (220 - 1.000)	335	3,15	3,60	3,60 (0,70 - 5,50)	3,50 B	1.030 (170 - 1.700)	515	4,55							
35	3,20		3,20 (1,10 - 4,00)	3,48 A	920 (220 - 1.220)	460	4,30	4,50	4,50 (0,70 - 6,20)	3,60 B	1.250 (170 - 1.810)	625	5,55							
<b>2 Rooms</b>																				
16 + 16	1,60	1,60	3,20 (1,50 - 4,00)	3,76 A	850 (250 - 1.100)	425	4,00	2,60	2,60	5,20 (1,10 - 7,00)	4,60 A	1.130 (210 - 1.710)	565	5,00						
16 + 20	1,60	2,00	3,60 (1,50 - 4,50)	3,71 A	970 (250 - 1.280)	485	4,55	2,40	3,00	5,40 (1,10 - 7,00)	4,58 A	1.180 (210 - 1.690)	590	5,25						
16 + 25	1,60	2,50	4,10 (1,50 - 5,10)	3,63 A	1.130 (250 - 1.480)	565	5,30	2,11	3,29	5,40 (1,10 - 7,00)	4,58 A	1.180 (210 - 1.690)	590	5,25						
16 + 35	1,50	3,00	4,50 (1,50 - 5,20)	3,66 A	1.230 (250 - 1.520)	615	5,75	1,80	3,60	5,40 (1,10 - 7,00)	4,58 A	1.180 (210 - 1.690)	590	5,25						
20 + 20	2,00	2,00	4,00 (1,50 - 5,00)	3,67 A	1.090 (250 - 1.460)	545	5,10	2,70	2,70	5,40 (1,10 - 7,00)	4,62 A	1.170 (210 - 1.670)	585	5,20						
20 + 25	2,00	2,50	4,50 (1,50 - 5,20)	3,66 A	1.230 (250 - 1.520)	615	5,75	2,40	3,00	5,40 (1,10 - 7,00)	4,62 A	1.170 (210 - 1.670)	585	5,20						
20 + 35	1,75	2,75	4,50 (1,50 - 5,20)	3,66 A	1.230 (250 - 1.520)	615	5,75	2,10	3,30	5,40 (1,10 - 7,00)	4,62 A	1.170 (210 - 1.670)	585	5,20						
25 + 25	2,25	2,25	4,50 (1,50 - 5,20)	3,66 A	1.230 (250 - 1.520)	615	5,75	2,70	2,70	5,40 (1,10 - 7,00)	4,62 A	1.170 (210 - 1.670)	585	5,20						
25 + 35	2,00	2,50	4,50 (1,50 - 5,20)	3,66 A	1.230 (250 - 1.520)	615	5,75	2,40	3,00	5,40 (1,10 - 7,00)	4,62 A	1.170 (210 - 1.670)	585	5,20						

1) Showing SEER and Pdesign (kWh) / SCOP and Pdesign at -10°C (kWh): Using EN 14825. Other: A.E.C. using internal procedure (only for reference).  
 \* EER, COP, SEER, SCOP, Input Power, Annual consumption is show following the ErP directive only on the 100% capacity combination as requested by the ErP directive.  
 \* Data for not simultaneous operation.

Free Multi 2x1 CU-2E18SBE. Minimum capacity connected: 3,2kW. Maximum capacity connected: 7,5kW • R410 GAS

Indoor unit capacity	Cooling capacity (kW)			EER	Input power rating		A.E.C.	Current	Heating capacity (kW)			COP	Input power rating		A.E.C.	Current				
	Rooms				W/W	W			kWh	230V	Rooms			W/W			W	kWh	230V	
	A	B	Total (Min - Max)								A		B							Total (Min - Max)
<b>1 Room</b>																				
16	1,60		1,60 (1,10 - 2,30)	3,90 A	410 (220 - 600)	205	1,95	2,60	2,60 (0,70 - 3,80)	3,77 A	690 (170 - 1.110)	345	3,05							
20	2,00		2,00 (1,10 - 2,90)	3,85 A	520 (220 - 750)	260	2,45	3,20	3,20 (0,70 - 4,80)	3,76 A	850 (170 - 1.410)	425	3,75							
25	2,50		2,50 (1,10 - 3,50)	3,73 A	670 (220 - 1.000)	335	3,15	3,60	3,60 (0,70 - 5,50)	3,50 B	1.030 (170 - 1.700)	515	4,55							
35	3,20		3,20 (1,10 - 4,00)	3,48 A	920 (220 - 1.220)	460	4,30	4,50	4,50 (0,70 - 6,20)	3,60 B	1.250 (170 - 1.810)	625	5,55							
42	4,00		4,00 (1,10 - 4,20)	3,13 B	1.280 (220 - 1.390)	640	6,00	5,00	5,00 (1,10 - 6,40)	3,23 C	1.550 (210 - 2.180)	775	6,90							
50	5,00		5,00 (1,20 - 5,10)	2,96 C	1.690 (230 - 1.790)	845	7,80	5,30	5,30 (1,10 - 6,80)	3,23 C	1.640 (210 - 2.290)	820	7,30							
<b>2 Rooms</b>																				
16 + 16	1,60	1,60	3,20 (1,50 - 4,00)	3,76 A	850 (250 - 1.100)	425	4,00	2,60	2,60	5,20 (1,10 - 7,00)	4,60 A	1.130 (210 - 1.710)	565	5,00						
16 + 20	1,60	2,00	3,60 (1,50 - 4,50)	3,71 A	970 (250 - 1.280)	485	4,55	2,40	3,00	5,40 (1,10 - 7,00)	4,58 A	1.180 (210 - 1.690)	590	5,25						
16 + 25	1,60	2,50	4,10 (1,50 - 5,10)	3,63 A	1.130 (250 - 1.480)	565	5,30	2,11	3,29	5,40 (1,10 - 7,00)	4,58 A	1.180 (210 - 1.690)	590	5,25						
16 + 35	1,50	3,00	4,50 (1,50 - 5,20)	3,66 A	1.230 (250 - 1.520)	615	5,75	1,80	3,60	5,40 (1,10 - 7,00)	4,58 A	1.180 (210 - 1.690)	590	5,25						
16 + 42	1,50	3,70	5,20 (1,50 - 5,40)	3,42 A	1.520 (250 - 1.580)	760	7,10	1,60	4,00	5,60 (1,10 - 7,20)	4,63 A	1.210 (210 - 1.700)	605	5,35						
16 + 50	1,25	3,95	5,20 (1,50 - 5,40)	3,42 A	1.520 (250 - 1.580)	760	7,10	1,35	4,25	5,60 (1,10 - 7,20)	4,63 A	1.210 (210 - 1.700)	605	5,35						
20 + 20	2,00	2,00	4,00 (1,50 - 5,00)	3,67 A	1.090 (250 - 1.460)	545	5,10	2,70	2,70	5,40 (1,10 - 7,00)	4,62 A	1.170 (210 - 1.670)	585	5,20						
20 + 25	2,00	2,50	4,50 (1,50 - 5,20)	3,66 A	1.230 (250 - 1.520)	615	5,75	2,40	3,00	5,40 (1,10 - 7,00)	4,62 A	1.170 (210 - 1.670)	585	5,20						
20 + 35	2,00	3,20	5,20 (1,50 - 5,40)	3,42 A	1.520 (250 - 1.580)	760	7,10	2,15	3,45	5,60 (1,10 - 7,20)	4,63 A	1.210 (210 - 1.700)	605	5,35						
20 + 42	1,75	3,45	5,20 (1,50 - 5,40)	3,42 A	1.520 (250 - 1.580)	760	7,10	1,85	3,75	5,60 (1,10 - 7,20)	4,63 A	1.210 (210 - 1.700)	605	5,35						
20 + 50	1,50	3,70	5,20 (1,50 - 5,40)	3,42 A	1.520 (250 - 1.580)	760	7,10	1,60	4,00	5,60 (1,10 - 7,20)	4,63 A	1.210 (210 - 1.700)	605	5,35						
25 + 25	2,50	2,50	5,00 (1,50 - 5,20)	3,47 A	1.440 (250 - 1.520)	720	6,70	2,80	2,80	5,60 (1,10 - 7,20)	4,63 A	1.210 (210 - 1.700)	605	5,35						
25 + 35	2,30	2,90	5,20 (1,50 - 5,40)	3,42 A	1.520 (250 - 1.580)	760	7,10	2,45	3,15	5,60 (1,10 - 7,20)	4,63 A	1.210 (210 - 1.700)	605	5,35						
25 + 42	2,00	3,20	5,20 (1,50 - 5,40)	3,42 A	1.520 (250 - 1.580)	760	7,10	2,15	3,45	5,60 (1,10 - 7,20)	4,63 A	1.210 (210 - 1.700)	605	5,35						
25 + 50	1,75	3,45	5,20 (1,50 - 5,40)	3,42 A	1.520 (250 - 1.580)	760	7,10	1,85	3,75	5,60 (1,10 - 7,20)	4,63 A	1.210 (210 - 1.700)	605	5,35						
35 + 35	2,60	2,60	5,20 (1,50 - 5,40)	3,42 A	1.520 (250 - 1.580)	760	7,10	2,80	2,80	5,60 (1,10 - 7,20)	4,63 A	1.210 (210 - 1.700)	605	5,35						
35 + 42	2,30	2,90	5,20 (1,50 - 5,40)	3,42 A	1.520 (250 - 1.580)	760	7,10	2,50	3,10	5,60 (1,10 - 7,20)	4,63 A	1.210 (210 - 1.700)	605	5,35						

1) Showing SEER and Pdesign (kWh) / SCOP and Pdesign at -10°C (kWh): Using EN 14825. Other: A.E.C. using internal procedure (only for reference).  
 \* EER, COP, SEER, SCOP, Input Power, Annual consumption is show following the ErP directive only on the 100% capacity combination as requested by the ErP directive.  
 \* Data for not simultaneous operation.

# FREE MULTI 3X1 COMBINATIONS TABLE

Free Multi 3x1 CU-3E18PBE. Minimum capacity connected: 4,5kW. Maximum capacity connected: 9,0kW • R410 GAS

Indoor unit capacity	Cooling capacity (kW)				EER	Input power rating		A.E.C.	Current	Heating capacity (kW)				COP	Input power rating		A.E.C.	Current
	Rooms					W/W	W			kWh	230V	Rooms				W/W		
	A	B	C	Total (Min - Max)						A	B	C	Total (Min - Max)					
<b>1 Room</b>																		
16	1,60			1,60 (1,30 - 2,30)	3,40 A	470 (250 - 710)	235	2,30	2,60				2,60 (1,20 - 3,20)	3,88 A	670 (300 - 1030)	335	3,20	
20	2,00			2,00 (1,80 - 2,90)	3,51 A	570 (340 - 880)	285	2,80	3,20				3,20 (1,20 - 4,10)	3,95 A	810 (300 - 1300)	405	4,00	
25	2,50			2,50 (1,80 - 2,90)	3,57 A	700 (340 - 880)	350	3,30	3,60				3,60 (1,20 - 4,30)	3,56 B	1.010 (300 - 1300)	505	4,80	
35	3,20			3,20 (1,80 - 3,80)	3,68 A	870 (340 - 1.430)	435	4,00	4,50				4,50 (1,20 - 5,80)	3,46 B	1.300 (300 - 2170)	650	6,20	
42	4,00			4,00 (1,80 - 4,30)	3,05 B	1.310 (340 - 2.060)	655	5,90	5,60				5,60 (1,20 - 6,80)	3,13 D	1.790 (300 - 3000)	895	7,90	
50	5,00			5,00 (1,90 - 5,70)	2,90 C	1.725 (340 - 2.305)	863	7,60	6,80				6,80 (1,20 - 6,90)	2,99 D	2.275 (300 - 2695)	1.138	10,00	
<b>2 Rooms</b>																		
16 + 16	1,60	1,60		3,20 (1,80 - 6,20)	4,05 A	790 (330 - 2.230)	395	3,60	2,60	2,60			5,20 (1,40 - 7,00)	3,77 A	1.380 (340 - 2070)	690	6,40	
16 + 20	1,60	2,00		3,60 (1,80 - 6,20)	3,83 A	940 (330 - 2.190)	470	4,20	2,49	3,11			5,60 (1,40 - 7,00)	3,73 A	1.500 (330 - 2040)	750	6,90	
16 + 25	1,60	2,50		4,10 (1,80 - 6,20)	3,73 A	1.100 (330 - 2.190)	550	4,90	2,42	3,78			6,20 (1,40 - 7,00)	3,69 A	1.680 (330 - 2040)	840	7,80	
16 + 35	1,60	3,20		4,80 (1,80 - 6,30)	3,36 A	1.430 (330 - 2.200)	715	6,30	2,13	4,27			6,40 (1,40 - 7,30)	3,76 A	1.700 (310 - 2130)	850	7,80	
16 + 42	1,49	3,71		5,20 (1,90 - 6,40)	3,21 A	1.620 (350 - 2.240)	810	7,10	1,94	4,86			6,80 (1,40 - 7,30)	3,74 A	1.820 (310 - 2120)	910	8,30	
16 + 50	1,26	3,94		5,20 (1,90 - 6,80)	3,41 A	1.525 (340 - 2.285)	763	6,70	1,65	5,15			6,80 (1,40 - 8,00)	3,81 A	1.785 (240 - 2335)	893	8,20	
20 + 20	2,00	2,00		4,00 (1,80 - 6,20)	3,74 A	1.070 (330 - 2.150)	535	4,70	2,90	2,90			5,80 (1,40 - 7,00)	3,82 A	1.520 (320 - 2030)	760	7,00	
20 + 25	2,00	2,50		4,50 (1,80 - 6,20)	3,52 A	1.280 (330 - 2.150)	640	5,60	2,84	3,56			6,40 (1,40 - 7,00)	3,68 A	1.740 (320 - 2030)	870	8,00	
20 + 35	2,00	3,20		5,20 (1,80 - 6,30)	3,21 A	1.620 (330 - 2.160)	810	7,10	2,62	4,18			6,80 (1,40 - 7,30)	3,74 A	1.820 (310 - 2120)	910	8,30	
20 + 42	1,73	3,47		5,20 (1,90 - 6,40)	3,29 A	1.580 (350 - 2.200)	790	6,90	2,27	4,53			6,80 (1,40 - 7,30)	3,74 A	1.820 (280 - 2080)	910	8,30	
20 + 50	1,49	3,71		5,20 (1,90 - 6,80)	3,41 A	1.525 (340 - 2.285)	763	6,70	1,94	4,86			6,80 (1,40 - 8,00)	3,83 A	1.775 (240 - 2325)	888	8,10	
25 + 25	2,50	2,50		5,00 (1,80 - 6,20)	3,25 A	1.540 (330 - 2.150)	770	6,80	3,40	3,40			6,80 (1,40 - 7,00)	3,64 A	1.800 (320 - 2030)	935	8,50	
25 + 35	2,28	2,92		5,20 (1,90 - 6,30)	3,21 A	1.620 (350 - 2.160)	810	7,10	2,98	3,82			6,80 (1,40 - 7,30)	3,74 A	1.820 (310 - 2120)	910	8,30	
25 + 42	2,00	3,20		5,20 (1,90 - 6,40)	3,29 A	1.580 (350 - 2.200)	790	6,90	2,62	4,18			6,80 (1,40 - 7,30)	3,74 A	1.820 (280 - 2080)	910	8,30	
25 + 50	1,73	3,47		5,20 (1,90 - 6,80)	3,41 A	1.525 (340 - 2.285)	763	6,70	2,27	4,53			6,80 (1,40 - 8,00)	3,83 A	1.775 (240 - 2325)	888	8,10	
35 + 35	2,60	2,60		5,20 (1,90 - 6,40)	3,38 A	1.540 (350 - 2.160)	770	6,80	3,40	3,40			6,80 (1,40 - 7,50)	3,76 A	1.810 (270 - 2140)	905	8,30	
35 + 42	2,31	2,89		5,20 (1,90 - 6,50)	3,38 A	1.540 (350 - 2.210)	770	6,80	3,02	3,78			6,80 (1,40 - 7,50)	3,78 A	1.800 (260 - 2140)	900	8,20	
35 + 50	2,03	3,17		5,20 (1,90 - 6,90)	3,50 A	1.485 (360 - 2.285)	743	6,50	2,65	4,15			6,80 (1,40 - 8,00)	3,87 A	1.755 (240 - 2265)	878	8,00	
42 + 42	2,60	2,60		5,20 (1,90 - 6,50)	3,38 A	1.540 (350 - 2.210)	770	6,80	3,40	3,40			6,80 (1,40 - 7,60)	3,86 A	1.760 (260 - 2170)	880	8,00	
42 + 50	2,31	2,89		5,20 (1,90 - 6,90)	3,50 A	1.485 (360 - 2.285)	743	6,50	3,02	3,78			6,80 (1,40 - 8,00)	3,90 A	1.745 (240 - 2265)	873	8,10	
<b>3 Rooms</b>																		
16 + 16 + 16	1,60	1,60	1,60	4,80 (1,80 - 7,20)	3,81 A	1.260 (360 - 2.340)	630	5,50	2,26	2,26	2,26		6,78 (1,50 - 8,10)	4,06 A	1.670 (290 - 2250)	835	7,70	
16 + 16 + 20	1,60	1,60	2,00	5,20 (1,80 - 7,30)	3,69 A	1.410 (360 - 2.390)	705	6,20	2,09	2,09	2,62		6,80 (1,60 - 8,30)	4,10 A	1.660 (320 - 2320)	830	7,70	
16 + 16 + 25	1,46	1,46	2,28	5,20 (1,90 - 7,20)	3,69 A	1.410 (390 - 2.300)	705	6,20	1,91	1,91	2,98		6,80 (1,60 - 8,30)	4,10 A	1.660 (320 - 2320)	830	7,70	
16 + 16 + 35	1,30	1,30	2,60	5,20 (1,90 - 7,20)	3,69 A	1.410 (390 - 2.250)	705	6,20	1,70	1,70	3,40		6,80 (1,60 - 8,30)	4,15 A	1.640 (310 - 2250)	820	7,60	
16 + 16 + 42	1,16	1,16	2,88	5,20 (1,80 - 7,30)	3,69 A	1.410 (390 - 2.300)	705	6,20	1,51	1,51	3,78		6,80 (1,60 - 8,30)	4,17 A	1.630 (310 - 2250)	815	7,50	
16 + 16 + 50	1,01	1,01	3,18	5,20 (1,80 - 7,30)	3,62 A	1.435 (420 - 2.225)	718	6,30	1,33	1,33	4,14		6,80 (1,60 - 8,30)	4,16 A	1.635 (360 - 2215)	818	7,50	
16 + 20 + 20	1,48	1,86	1,86	5,20 (1,90 - 7,20)	3,69 A	1.410 (390 - 2.300)	705	6,20	1,94	2,43	2,43		6,80 (1,60 - 8,30)	4,12 A	1.650 (310 - 2270)	825	7,60	
16 + 20 + 25	1,36	1,70	2,14	5,20 (1,90 - 7,20)	3,69 A	1.410 (390 - 2.300)	705	6,20	1,78	2,23	2,79		6,80 (1,60 - 8,30)	4,12 A	1.650 (310 - 2270)	825	7,60	
16 + 20 + 35	1,22	1,53	2,45	5,20 (1,90 - 7,20)	3,69 A	1.410 (390 - 2.210)	705	6,20	1,60	2,00	3,20		6,80 (1,60 - 8,30)	4,17 A	1.630 (310 - 2250)	815	7,50	
16 + 20 + 42	1,09	1,37	2,74	5,20 (1,80 - 7,30)	3,69 A	1.410 (390 - 2.300)	705	6,20	1,43	1,79	3,58		6,80 (1,60 - 8,30)	4,17 A	1.630 (310 - 2240)	815	7,50	
16 + 20 + 50	0,97	1,21	3,02	5,20 (1,80 - 7,30)	3,62 A	1.435 (420 - 2.175)	718	6,30	1,27	1,58	3,95		6,80 (1,60 - 8,30)	4,18 A	1.625 (360 - 2215)	813	7,50	
16 + 25 + 25	1,26	1,97	1,97	5,20 (1,90 - 7,20)	3,69 A	1.410 (390 - 2.300)	705	6,20	1,64	2,58	2,58		6,80 (1,60 - 8,30)	4,12 A	1.650 (310 - 2270)	825	7,60	
16 + 25 + 35	1,14	1,78	2,28	5,20 (1,80 - 7,30)	3,69 A	1.410 (390 - 2.300)	705	6,20	1,49	2,33	2,98		6,80 (1,60 - 8,30)	4,17 A	1.630 (310 - 2250)	815	7,50	
16 + 25 + 42	1,03	1,60	2,57	5,20 (1,80 - 7,30)	3,69 A	1.410 (390 - 2.300)	705	6,20	1,34	2,10	3,36		6,80 (1,60 - 8,30)	4,17 A	1.630 (310 - 2240)	815	7,50	
16 + 35 + 35	1,04	2,08	2,08	5,20 (1,80 - 7,30)	3,80 A	1.370 (390 - 2.250)	685	6,00	1,36	2,72	2,72		6,80 (1,60 - 8,30)	4,22 A	1.610 (320 - 2220)	805	7,40	
16 + 35 + 42	0,95	1,89	2,36	5,20 (1,80 - 7,30)	3,80 A	1.370 (390 - 2.250)	685	6,00	1,24	2,47	3,09		6,80 (1,60 - 8,30)	4,22 A	1.610 (320 - 2210)	805	7,40	
20 + 20 + 20	1,73	1,73	1,73	5,19 (1,90 - 7,20)	3,68 A	1.410 (390 - 2.250)	705	6,20	2,26	2,26	2,26		6,78 (1,60 - 8,30)	4,11 A	1.650 (310 - 2260)	825	7,60	
20 + 20 + 25	1,60	1,60	2,00	5,20 (1,90 - 7,20)	3,69 A	1.410 (390 - 2.250)	705	6,20	2,09	2,09	2,62		6,80 (1,60 - 8,30)	4,12 A	1.650 (310 - 2260)	825	7,60	
20 + 20 + 35	1,44	1,44	2,32	5,20 (1,90 - 7,20)	3,80 A	1.370 (390 - 2.210)	685	6,00	1,89	1,89	3,02		6,80 (1,60 - 8,30)	4,17 A	1.630 (310 - 2240)	815	7,50	
20 + 20 + 42	1,30	1,30	2,60	5,20 (1,80 - 7,30)	3,80 A	1.370 (390 - 2.250)	685	6,00	1,70	1,70	3,40		6,80 (1,60 - 8,30)	4,20 A	1.620 (320 - 2230)	810	7,50	
20 + 20 + 50	1,16	1,16	2,88	5,20 (1,80 - 7,30)	3,62 A	1.435 (420 - 2.175)	718	6,30	1,51	1,51	3,78		6,80 (1,60 - 8,30)	4,18 A	1.625 (360 - 2205)	813	7,50	
20 + 25 + 25	1,48	1,86	1,86	5,20 (1,90 - 7,20)	3,69 A	1.410 (390 - 2.250)	705	6,20	1,94	2,43	2,43		6,80 (1,60 - 8,30)	4,12 A	1.650 (310 - 2260)	825	7,60	
20 + 25 + 35	1,35	1,69	2,16	5,20 (1,90 - 7,20)	3,80 A	1.370 (390 - 2.210)	685	6,00	1,76	2,21	2,83		6,80 (1,60 - 8,30)	4,17 A	1.630 (310 - 2240)	815	7,50	
20 + 25 + 42	1,22	1,53	2,45	5,20 (1,80 - 7,30)	3,80 A	1.370 (390 - 2.250)	685	6,00	1,60	2,00	3,20		6,80 (1,60 - 8,30)	4,20 A	1.620 (320 - 2230)	810	7,50	
20 + 35 + 35	1,24	1,98	1,98	5,20 (1,80 - 7,30)	3,80 A	1.370 (390 - 2.210)	685	6,00	1,62	2,59	2,59		6,80 (1,60 - 8,30)	4,22 A	1.610 (320 - 2210)	805	7,40	
25 + 25 + 25	1,73	1,73	1,73	5,19 (1,90 - 7,20)	3,68 A	1.410 (390 - 2.250)	705	6,20	2,26	2,26	2,26		6,78 (1,60 - 8,30)	4,11 A	1.650 (310 - 2260)	825	7,60	
25 + 25 + 35	1,59	1,59	2,02	5,20 (1,90 - 7,20)	3,80 A	1.370 (390 - 2.210)	685	6,										

Free Multi 3x1 CU-3E23SBE. Minimum capacity connected: 4,5kW. Maximum capacity connected: 11,0kW • R410 GAS

Indoor unit capacity	Cooling capacity (kW)				EER	Input power rating	A.E.C.	Current	Heating capacity (kW)				COP	Input power rating	A.E.C.	Current				
	Rooms								W/W	W	kWh	230V					Rooms			
	A	B	C	Total (Min - Max)													A	B	C	Total (Min - Max)
<b>1 Room</b>																				
16	1,60			1,60 (1,30 - 2,30)	3,40 A	470 (250 - 710)	235	2,30	2,60			2,60 (1,20 - 3,20)	3,88 A	670 (300 - 960)	335	3,20				
20	2,00			2,00 (1,80 - 2,90)	3,51 A	570 (340 - 880)	285	2,80	3,20			3,20 (1,20 - 4,10)	3,95 A	810 (300 - 1.300)	405	4,00				
25	2,50			2,50 (1,80 - 2,90)	3,57 A	700 (340 - 880)	350	3,40	3,60			3,60 (1,20 - 4,30)	3,56 B	1.010 (300 - 1.300)	505	5,00				
35	3,20			3,20 (1,80 - 3,80)	3,68 A	870 (340 - 1.430)	435	4,20	4,50			4,50 (1,20 - 5,80)	3,46 B	1.300 (300 - 2.170)	650	6,30				
42	4,00			4,00 (1,80 - 4,30)	3,05 B	1.310 (340 - 2.060)	655	6,10	5,60			5,60 (1,20 - 6,80)	3,13 D	1.790 (300 - 3.000)	895	8,30				
50	5,00			5,00 (1,90 - 5,70)	2,90 C	1.725 (340 - 2.305)	863	8,00	6,80			6,80 (1,20 - 6,90)	2,99 D	2.275 (300 - 2.695)	1.138	10,50				
<b>2 Rooms</b>																				
16 + 16	1,60	1,60		3,20 (1,90 - 6,40)	4,16 A	770 (270 - 2.150)	385	3,60	2,60	2,60		5,20 (2,70 - 9,80)	3,61 A	1.440 (660 - 3.060)	720	6,70				
16 + 20	1,60	2,00		3,60 (1,90 - 6,40)	3,96 A	910 (270 - 2.110)	455	4,10	2,58	3,22		5,80 (2,70 - 9,80)	3,58 B	1.620 (650 - 3.060)	810	7,50				
16 + 25	1,60	2,50		4,10 (1,90 - 6,40)	3,83 A	1.070 (270 - 2.110)	535	4,80	2,38	3,72		6,10 (2,70 - 9,80)	3,55 B	1.720 (650 - 3.060)	860	8,00				
16 + 35	1,60	3,20		4,80 (1,90 - 6,90)	3,48 A	1.380 (270 - 2.500)	690	6,10	2,13	4,27		6,40 (2,70 - 9,90)	3,64 A	1.760 (630 - 3.070)	880	8,10				
16 + 42	1,60	4,00		5,60 (1,90 - 6,90)	3,08 B	1.820 (270 - 2.460)	910	8,00	2,29	5,71		8,00 (2,70 - 9,90)	3,39 C	2.360 (630 - 3.070)	1.180	10,90				
16 + 50	1,60	5,00		6,60 (2,00 - 7,50)	2,89 C	2.285 (280 - 2.645)	1.143	10,00	2,06	6,44		8,50 (2,80 - 10,20)	3,39 C	2.505 (560 - 3.145)	1.253	11,60				
20 + 20	2,00	2,00		4,00 (1,90 - 6,40)	3,85 A	1.040 (270 - 2.080)	520	4,70	2,90	2,90		5,80 (2,70 - 9,80)	3,67 A	1.580 (640 - 3.070)	790	7,40				
20 + 25	2,00	2,50		4,50 (1,90 - 6,40)	3,63 A	1.240 (270 - 2.080)	620	5,50	2,71	3,99		6,10 (2,70 - 9,80)	3,57 B	1.710 (640 - 3.070)	855	8,00				
20 + 35	2,00	3,20		5,20 (1,90 - 6,90)	3,29 A	1.580 (270 - 2.460)	790	7,00	2,69	4,31		7,00 (2,70 - 9,90)	3,50 B	2.000 (630 - 3.070)	1.000	9,20				
20 + 42	2,00	4,00		6,00 (1,90 - 6,90)	2,96 C	2.030 (270 - 2.420)	1.015	8,90	2,73	5,47		8,20 (2,70 - 9,90)	3,37 C	2.430 (620 - 3.070)	1.215	11,20				
20 + 50	1,94	4,86		6,80 (2,00 - 7,50)	2,80 C	2.425 (280 - 2.595)	1.213	10,60	2,43	6,07		8,50 (2,80 - 10,20)	3,39 C	2.505 (560 - 3.145)	1.253	11,60				
25 + 25	2,50	2,50		5,00 (1,90 - 6,80)	3,33 A	1.500 (270 - 2.450)	750	6,70	3,20	3,20		6,40 (2,70 - 9,80)	3,54 B	1.810 (640 - 3.070)	905	8,30				
25 + 35	2,50	3,20		5,70 (1,90 - 6,90)	3,06 B	1.860 (270 - 2.460)	930	8,20	3,55	4,55		8,10 (2,70 - 9,90)	3,39 C	2.390 (630 - 3.070)	1.195	11,00				
25 + 42	2,50	4,00		6,50 (1,90 - 6,90)	2,65 D	2.450 (270 - 2.460)	1.225	10,80	3,27	5,23		8,50 (2,70 - 9,90)	3,29 C	2.580 (620 - 3.070)	1.290	11,90				
25 + 50	2,27	4,53		6,80 (1,90 - 7,50)	2,80 C	2.425 (260 - 2.595)	1.213	10,60	2,83	5,67		8,50 (2,80 - 10,20)	3,39 C	2.505 (560 - 3.145)	1.253	11,60				
35 + 35	3,20	3,20		6,40 (1,90 - 7,00)	2,77 D	2.310 (270 - 2.420)	1.195	10,10	4,25	4,25		8,50 (2,80 - 10,00)	3,36 C	2.530 (640 - 3.070)	1.265	11,70				
35 + 42	3,02	3,78		6,80 (1,90 - 7,10)	2,57 E	2.650 (270 - 2.660)	1.325	11,60	3,78	4,72		8,50 (2,80 - 10,00)	3,36 C	2.530 (640 - 3.070)	1.265	11,70				
35 + 50	2,65	4,15		6,80 (2,00 - 7,60)	2,91 C	2.335 (280 - 2.605)	1.168	10,30	3,32	5,18		8,50 (2,80 - 10,00)	3,48 B	2.445 (640 - 3.125)	1.223	11,30				
42 + 42	3,40	3,40		6,80 (1,90 - 7,10)	2,57 E	2.650 (260 - 2.660)	1.325	11,60	4,25	4,25		8,50 (2,80 - 10,00)	3,37 C	2.520 (600 - 3.030)	1.260	11,60				
42 + 50	3,02	3,78		6,80 (2,00 - 7,60)	2,91 C	2.335 (280 - 2.555)	1.168	10,30	3,78	4,72		8,50 (2,80 - 10,00)	3,49 B	2.435 (540 - 3.115)	1.218	11,20				
50 + 50	3,40	3,40		6,80 (2,10 - 8,10)	3,08 B	2.210 (320 - 2.720)	1.105	9,70	4,25	4,25		8,50 (2,80 - 10,50)	3,54 B	2.400 (510 - 3.130)	1.200	11,10				
<b>3 Rooms</b>																				
16 + 16 + 16	1,60	1,60	1,60	4,80 (1,90 - 8,00)	3,90 A	1.230 (270 - 2.710)	615	5,50	2,60	2,60	2,60	7,80 (3,30 - 10,40)	3,70 A	2.110 (640 - 3.070)	1.055	9,70				
16 + 16 + 20	1,60	1,60	2,00	5,20 (1,90 - 8,00)	3,80 A	1.370 (270 - 2.670)	685	6,10	2,58	2,58	3,24	8,40 (3,30 - 10,40)	3,61 A	2.330 (640 - 3.060)	1.165	10,70				
16 + 16 + 25	1,60	1,60	2,50	5,70 (1,90 - 8,00)	3,56 A	1.600 (270 - 2.670)	800	7,10	2,39	2,39	3,72	8,50 (3,30 - 10,40)	3,59 B	2.370 (640 - 3.060)	1.185	10,90				
16 + 16 + 35	1,60	1,60	3,20	6,40 (1,90 - 8,00)	3,39 A	1.890 (270 - 2.580)	945	8,30	2,13	2,13	4,24	8,50 (3,30 - 10,40)	3,68 A	2.310 (630 - 3.040)	1.155	10,70				
16 + 16 + 42	1,51	1,51	3,78	6,80 (1,90 - 8,10)	3,21 A	2.120 (270 - 2.670)	1.060	9,30	1,89	1,89	4,72	8,50 (3,30 - 10,50)	3,70 A	2.300 (620 - 3.070)	1.150	10,60				
16 + 16 + 50	1,33	1,33	4,14	6,80 (2,00 - 8,50)	3,26 A	2.085 (320 - 2.735)	1.043	9,20	1,66	1,66	5,18	8,50 (3,20 - 10,60)	3,74 A	2.275 (600 - 3.035)	1.138	10,50				
16 + 20 + 20	1,60	2,00	2,00	5,60 (1,90 - 8,00)	3,68 A	1.520 (270 - 2.670)	760	6,70	2,42	3,04	3,04	8,50 (3,30 - 10,40)	3,60 A	2.360 (630 - 3.050)	1.180	10,90				
16 + 20 + 25	1,60	2,00	2,50	6,10 (1,90 - 8,00)	3,45 A	1.770 (270 - 2.670)	885	7,80	2,23	2,79	3,48	8,50 (3,30 - 10,40)	3,60 A	2.360 (630 - 3.050)	1.180	10,90				
16 + 20 + 35	1,60	2,00	3,20	6,80 (1,90 - 8,00)	3,21 A	2.120 (270 - 2.580)	1.060	9,30	2,00	2,50	4,00	8,50 (3,30 - 10,40)	3,70 A	2.300 (620 - 2.990)	1.150	10,60				
16 + 20 + 42	1,43	1,79	3,58	6,80 (1,90 - 8,10)	3,21 A	2.120 (270 - 2.630)	1.060	9,30	1,79	2,24	4,47	8,50 (3,30 - 10,50)	3,71 A	2.290 (620 - 3.020)	1.145	10,60				
16 + 20 + 50	1,27	1,58	3,95	6,80 (2,00 - 8,50)	3,34 A	2.035 (320 - 2.735)	1.018	8,90	1,58	1,98	4,94	8,50 (3,20 - 10,60)	3,75 A	2.265 (600 - 3.025)	1.133	10,40				
16 + 25 + 25	1,60	2,50	2,50	6,60 (1,90 - 8,00)	3,25 A	2.030 (270 - 2.670)	1.015	8,90	2,06	3,22	3,22	8,50 (3,30 - 10,40)	3,60 A	2.360 (630 - 3.050)	1.180	10,90				
16 + 25 + 35	1,49	2,33	2,98	6,80 (1,90 - 8,00)	3,21 A	2.120 (270 - 2.580)	1.060	9,30	1,86	2,91	3,73	8,50 (3,30 - 10,40)	3,70 A	2.300 (620 - 2.990)	1.150	10,60				
16 + 25 + 42	1,34	2,10	3,36	6,80 (1,90 - 8,10)	3,21 A	2.120 (270 - 2.630)	1.060	9,30	1,68	2,62	4,20	8,50 (3,30 - 10,50)	3,71 A	2.290 (620 - 3.020)	1.145	10,60				
16 + 25 + 50	1,19	1,87	3,74	6,80 (2,00 - 8,50)	3,34 A	2.035 (320 - 2.735)	1.018	8,90	1,49	2,34	4,67	8,50 (3,20 - 10,60)	3,75 A	2.265 (600 - 3.025)	1.133	10,40				
16 + 35 + 35	1,36	2,72	2,72	6,80 (1,90 - 8,10)	3,29 A	2.070 (290 - 2.580)	1.035	9,10	1,70	3,40	3,40	8,50 (3,30 - 10,50)	3,73 A	2.280 (640 - 3.000)	1.140	10,50				
16 + 35 + 42	1,24	2,47	3,09	6,80 (1,90 - 8,20)	3,29 A	2.070 (290 - 2.630)	1.035	9,10	1,55	3,09	3,86	8,50 (3,30 - 10,50)	3,74 A	2.270 (640 - 3.000)	1.135	10,50				
16 + 35 + 50	1,11	2,22	3,47	6,80 (2,00 - 8,50)	3,34 A	2.035 (340 - 2.695)	1.018	8,90	1,38	2,78	4,34	8,50 (3,20 - 10,60)	3,79 A	2.245 (600 - 2.995)	1.123	10,40				
16 + 42 + 42	1,14	2,83	2,83	6,80 (1,90 - 8,20)	3,29 A	2.070 (290 - 2.630)	1.035	9,10	1,42	3,54	3,54	8,50 (3,30 - 10,50)	3,76 A	2.260 (640 - 2.990)	1.130	10,40				
16 + 42 + 50	1,02	2,57	3,21	6,80 (2,00 - 8,50)	3,34 A	2.035 (340 - 2.645)	1.018	8,90	1,28	3,21	4,01	8,50 (3,20 - 10,60)	3,80 A	2.235 (600 - 2.985)	1.118	10,30				
20 + 20 + 20	2,00	2,00	2,00	6,00 (1,90 - 8,00)	3,49 A	1.720 (270 - 2.620)	860	7,60	2,83	2,83	3,28	8,50 (3,30 - 10,40)	3,66 A	2.320 (630 - 3.040)	1.160	10,70				
20 + 20 + 25	2,00	2,00	2,50	6,50 (1,90 - 8,00)	3,28 A	1.980 (270 - 2.620)	990	8,70	2,62	2,62	3,26	8,50 (3,30 - 10,40)	3,66 A	2.320 (630 - 3.040)	1.160	10,70				
20 + 20 + 35	1,89	1,89	3,02	6,80 (1,90 - 8,00)	3,21 A	2.120 (270 - 2.530)	1.060	9,30	2,36	2,36	3,78	8,50 (3,30 - 10,40)	3,71 A	2.290 (620 - 2.980)	1.145	10,60				
20 + 20 + 42	1,70	1,70	3,40	6,80 (1,90 - 8,10)	3,29 A	2.070 (290 - 2.630)	1.035	9,10	2,13	2,13	4,24	8,50 (3,30 - 10,50)	3,73 A	2.280 (620 - 3.010)	1.140	10,50				
20 + 20 + 50	1,51	1,51	3,78	6,80 (2,00 - 8,50)	3,34 A	2.035 (340 - 2.695)	1.018	8,90	1,89	1,89	4,72	8,50 (3,20 - 10,60)	3,77 A	2.255 (600 - 3.015)	1.128	10,40				
20 + 25 + 25	1,94	2,43	2,43	6,80 (1,90 - 8,00)	3,21 A	2.120 (270 - 2.620)	1.060	9,30	2,42	3,04	3,04	8,50 (3,30 - 10,40)	3,66 A	2.320 (630 - 3.04						

FREE MULTI 4X1 COMBINATIONS TABLE

Free Multi 4x1 CU-4E23PBE. Minimum capacity connected: 4,5kW. Maximum capacity connected: 11,0kW • R410 GAS

Table with columns: Indoor unit capacity, Cooling capacity (kW), Rooms, EER, Input power rating, A.E.C., Current, Heating capacity (kW), COP, Input power rating, A.E.C., Current. Rows are categorized by room count (1 Room, 2 Rooms, 3 Rooms, 4 Rooms) and specific room configurations.

Free Multi 4x1 CU-4E23PBE. Minimum capacity connected: 4,5kW. Maximum capacity connected: 11,0kW • R410 GAS

Indoor unit capacity	Cooling capacity (kW) Rooms					EER	Input power rating		A.E.C.	Current	Heating capacity (kW) Rooms					COP	Input power rating		A.E.C.	Current				
	A	B	C	D	Total (Min - Max)		W/W	W			kWh	230V	A	B	C		D	Total (Min - Max)			W/W	W	kWh	230V
	16 + 20 + 20 + 25	1,34	1,68	1,68	2,10		6,80 (1,90 - 8,80)	3,47			1,960 (340 - 2,710)	980	8,60	1,68	2,10		2,10	2,62			8,50 (3,10 - 10,60)	3,94	2,160 (600 - 2,860)	1,080

1) Showing SEER and Pdesign (kWh) / SCOP and Pdesign at -10°C (kWh).  
 \* All combinations refer to New Etherea SKE and Wall Mounted T2 / RE indoor units.  
 \*\* EER, COP, SEER, SCOP, Input Power, Annual consumption is show following the ErP directive only on the 100% capacity combination as requested by the ErP directive.  
 \* Data for not simultaneous operation.

Free Multi 4x1 CU-4E27PBE. Minimum capacity connected: 4,5kW. Maximum capacity connected: 13,6 kW • R410 GAS

Indoor unit capacity	Cooling capacity (kW) Rooms					EER	Input power rating		A.E.C.	Current	Heating capacity (kW) Rooms					COP	Input power rating		A.E.C.	Current				
	A	B	C	D	Total (Min - Max)		W/W	W			kWh	230V	A	B	C		D	Total (Min - Max)			W/W	W	kWh	230V
	1 Room	16	1,60				1,60 (1,30 - 2,30)	3,40			470 (250 - 710)	235	2,30	2,60							2,60 (1,20 - 3,20)	3,88	670 (300 - 1,030)	335

# FREE MULTI 4X1 COMBINATIONS TABLE

Free Multi 4x1 CU-4E27PBE. Minimum capacity connected: 4.5kW. Maximum capacity connected: 13.6 kW = R410 GAS

Indoor unit capacity	Cooling capacity (kW)				EER	Input power rating		A.E.C.	Current	Heating capacity (kW)				COP	Input power rating		A.E.C.	Current				
	Rooms					W/W	W			kWh	230V	Rooms				W/W			W	kWh	230V	
	A	B	C	D								Total (Min - Max)	A		B							C
16 + 25 + 42	1.58	2.47	3.95		8,00 (3,00 - 8,60)	3,20 B	2,500 (480 - 3,240)	1,250	11,90	1,70	2,66	4,25	8,61 (3,20 - 10,40)	3,90 A	2,210 (500 - 3,490)	1,105	10,40					
16 + 25 + 50	1,40	2,20	4,40		8,00 (3,00 - 8,60)	3,31 A	2,415 (520 - 3,045)	1,208	11,50	1,51	2,37	4,73	8,61 (3,20 - 10,50)	3,89 A	2,215 (520 - 3,435)	1,108	10,40					
16 + 25 + 71	1,15	1,80	5,05		8,00 (3,00 - 8,60)	3,40 A	2,355 (520 - 3,115)	1,178	11,20	1,24	1,94	5,43	8,61 (3,20 - 10,60)	3,90 A	2,205 (520 - 3,485)	1,103	10,40					
16 + 35 + 35	1,60	3,20	3,20		8,00 (3,00 - 8,60)	3,28 A	2,440 (480 - 3,160)	1,220	11,60	1,73	3,44	3,44	8,61 (3,20 - 10,40)	3,93 A	2,190 (500 - 3,460)	1,095	10,30					
16 + 35 + 42	1,45	2,91	3,64		8,00 (3,00 - 8,60)	3,28 A	2,440 (480 - 3,160)	1,220	11,60	1,57	3,13	3,91	8,61 (3,20 - 10,50)	3,95 A	2,180 (490 - 3,450)	1,090	10,20					
16 + 35 + 50	1,31	2,61	4,08		8,00 (3,00 - 8,60)	3,40 A	2,355 (520 - 2,965)	1,178	11,20	1,41	2,81	4,39	8,61 (3,20 - 10,50)	3,94 A	2,185 (520 - 3,405)	1,093	10,30					
16 + 35 + 71	1,08	2,17	4,75		8,00 (3,00 - 9,00)	3,40 A	2,355 (520 - 3,185)	1,178	11,20	1,17	2,33	5,11	8,61 (3,20 - 10,60)	3,96 A	2,175 (520 - 3,445)	1,088	10,20					
16 + 42 + 42	1,34	3,33	3,33		8,00 (3,00 - 8,60)	3,28 A	2,440 (480 - 3,160)	1,220	11,60	1,43	3,59	3,59	8,61 (3,20 - 10,50)	3,95 A	2,180 (490 - 3,440)	1,090	10,20					
16 + 42 + 50	1,21	3,02	3,77		8,00 (3,00 - 8,60)	3,40 A	2,355 (520 - 3,115)	1,178	11,20	1,30	3,25	4,06	8,61 (3,20 - 10,50)	3,94 A	2,185 (520 - 3,385)	1,093	10,30					
16 + 42 + 71	1,02	2,54	4,44		8,00 (3,00 - 9,00)	3,49 A	2,295 (520 - 3,115)	1,148	10,90	1,09	2,73	4,79	8,61 (3,20 - 10,60)	3,96 A	2,175 (530 - 3,335)	1,088	10,20					
16 + 50 + 50	1,10	3,45	3,45		8,00 (3,00 - 8,80)	3,42 A	2,340 (570 - 3,000)	1,170	11,10	1,19	3,71	3,71	8,61 (3,20 - 10,60)	3,90 A	2,210 (580 - 3,420)	1,105	10,40					
16 + 50 + 71	0,94	2,94	4,12		8,00 (3,00 - 9,00)	3,42 A	2,340 (570 - 3,070)	1,170	11,10	1,01	3,17	4,43	8,61 (3,20 - 10,60)	3,84 A	2,240 (610 - 3,410)	1,120	10,50					
20 + 20 + 20	2,00	2,00	2,00		6,00 (3,00 - 8,50)	3,51 A	1,710 (480 - 3,240)	855	8,20	2,87	2,87	2,87	8,61 (3,20 - 10,40)	3,84 A	2,240 (500 - 3,530)	1,120	10,50					
20 + 20 + 25	2,00	2,00	2,50		6,50 (3,00 - 8,50)	3,35 A	1,940 (480 - 3,240)	970	9,20	2,77	2,77	3,46	9,40 (3,20 - 10,40)	3,78 A	2,250 (500 - 3,530)	1,190	11,20					
20 + 20 + 35	2,00	2,00	3,20		7,20 (3,00 - 8,50)	3,35 A	2,150 (480 - 3,160)	1,075	10,20	2,61	2,61	4,18	9,40 (3,20 - 10,40)	3,76 A	2,500 (500 - 3,490)	1,250	11,70					
20 + 20 + 42	2,00	2,00	4,00		8,00 (3,00 - 8,60)	3,20 B	2,500 (480 - 3,240)	1,250	11,90	2,35	2,35	4,70	9,40 (3,20 - 10,40)	3,78 A	2,490 (500 - 3,470)	1,245	11,70					
20 + 20 + 50	1,78	1,78	4,44		8,00 (3,00 - 8,60)	3,40 A	2,355 (520 - 2,965)	1,178	11,20	2,09	2,09	5,22	9,40 (3,20 - 10,50)	3,80 A	2,475 (520 - 3,425)	1,238	11,60					
20 + 20 + 71	1,45	1,45	5,10		8,00 (3,00 - 8,80)	3,40 A	2,355 (520 - 3,035)	1,178	11,20	1,71	1,71	5,98	9,40 (3,20 - 10,50)	3,81 A	2,465 (520 - 3,405)	1,233	11,60					
20 + 25 + 25	2,00	2,50	2,50		7,00 (3,00 - 8,50)	3,33 A	2,100 (480 - 3,240)	1,050	10,00	2,68	3,36	3,36	9,40 (3,20 - 10,40)	3,72 A	2,530 (500 - 3,530)	1,265	11,90					
20 + 25 + 35	2,00	2,50	3,20		7,70 (3,00 - 8,50)	3,32 A	2,320 (480 - 3,160)	1,160	11,00	2,44	3,05	3,91	9,40 (3,20 - 10,40)	3,76 A	2,500 (500 - 3,490)	1,250	11,70					
20 + 25 + 42	1,88	2,35	3,77		8,00 (3,00 - 8,60)	3,20 B	2,500 (480 - 3,240)	1,250	11,90	2,21	2,76	4,43	9,40 (3,20 - 10,40)	3,78 A	2,490 (500 - 3,470)	1,245	11,70					
20 + 25 + 50	1,68	2,11	4,21		8,00 (3,00 - 8,60)	3,40 A	2,355 (520 - 2,965)	1,178	11,20	1,98	2,47	4,95	9,40 (3,20 - 10,50)	3,80 A	2,475 (520 - 3,425)	1,238	11,60					
20 + 25 + 71	1,39	1,74	4,87		8,00 (3,00 - 8,80)	3,40 A	2,355 (520 - 3,035)	1,178	11,20	1,63	2,04	5,73	9,40 (3,20 - 10,60)	3,81 A	2,465 (520 - 3,465)	1,233	11,60					
20 + 35 + 35	1,90	3,05	3,05		8,00 (3,00 - 8,60)	3,28 A	2,440 (480 - 3,160)	1,220	11,60	2,24	3,58	3,58	9,40 (3,20 - 10,40)	3,81 A	2,470 (490 - 3,450)	1,235	11,60					
20 + 35 + 42	1,74	2,78	3,48		8,00 (3,00 - 8,60)	3,28 A	2,440 (480 - 3,160)	1,220	11,60	2,04	3,27	4,09	9,40 (3,20 - 10,50)	3,82 A	2,460 (490 - 3,440)	1,230	11,60					
20 + 35 + 50	1,57	2,51	3,92		8,00 (3,00 - 8,80)	3,40 A	2,355 (520 - 3,115)	1,178	11,20	1,84	2,95	4,61	9,40 (3,20 - 10,50)	3,83 A	2,455 (520 - 3,385)	1,228	11,50					
20 + 35 + 71	1,31	2,10	4,59		8,00 (3,00 - 9,00)	3,49 A	2,295 (520 - 3,115)	1,148	10,90	1,54	2,47	5,39	9,40 (3,20 - 10,60)	3,86 A	2,435 (530 - 3,435)	1,218	11,40					
20 + 42 + 42	1,60	3,20	3,20		8,00 (3,00 - 8,80)	3,28 A	2,440 (480 - 3,240)	1,220	11,60	1,88	3,76	3,76	9,40 (3,20 - 10,50)	3,84 A	2,450 (490 - 3,420)	1,225	11,50					
20 + 42 + 50	1,45	2,91	3,64		8,00 (3,00 - 8,80)	3,40 A	2,355 (520 - 3,035)	1,178	11,20	1,71	3,42	4,27	9,40 (3,20 - 10,50)	3,84 A	2,445 (530 - 3,375)	1,223	11,50					
20 + 42 + 71	1,23	2,46	4,31		8,00 (3,00 - 9,00)	3,49 A	2,295 (520 - 3,115)	1,148	10,90	1,45	2,89	5,06	9,40 (3,20 - 10,60)	3,86 A	2,435 (530 - 3,425)	1,218	11,40					
20 + 50 + 50	1,34	3,33	3,33		8,00 (3,00 - 9,00)	3,42 A	2,340 (570 - 3,070)	1,170	11,10	1,56	3,92	3,92	9,40 (3,20 - 10,60)	3,82 A	2,460 (600 - 3,410)	1,230	11,60					
25 + 25 + 25	2,50	2,50	2,50		7,50 (3,00 - 8,50)	3,21 A	2,340 (480 - 3,240)	1,170	11,10	3,13	3,13	3,13	9,39 (3,20 - 10,40)	3,71 A	2,530 (500 - 3,530)	1,265	11,90					
25 + 25 + 35	2,44	2,44	3,12		8,00 (3,00 - 8,60)	3,20 B	2,500 (480 - 3,240)	1,250	11,90	2,87	2,87	3,66	9,40 (3,20 - 10,40)	3,76 A	2,500 (500 - 3,490)	1,250	11,70					
25 + 25 + 42	2,22	2,22	3,56		8,00 (3,00 - 8,60)	3,20 B	2,500 (480 - 3,240)	1,250	11,90	2,61	2,61	4,18	9,40 (3,20 - 10,50)	3,78 A	2,490 (500 - 3,540)	1,245	11,70					
25 + 25 + 50	2,00	2,00	4,00		8,00 (3,00 - 8,80)	3,40 A	2,355 (520 - 3,115)	1,178	11,20	2,35	2,35	4,70	9,40 (3,20 - 10,50)	3,80 A	2,475 (520 - 3,425)	1,238	11,60					
25 + 25 + 71	1,67	1,67	4,66		8,00 (3,00 - 9,00)	3,40 A	2,355 (520 - 3,185)	1,178	11,20	1,96	1,96	5,48	9,40 (3,20 - 10,60)	3,81 A	2,465 (520 - 3,465)	1,233	11,60					
25 + 35 + 35	2,24	2,88	2,88		8,00 (3,00 - 8,60)	3,28 A	2,440 (480 - 3,160)	1,220	11,60	2,64	3,38	3,38	9,40 (3,20 - 10,50)	3,81 A	2,470 (490 - 3,450)	1,235	11,60					
25 + 35 + 42	2,06	2,64	3,80		8,00 (3,00 - 8,60)	3,28 A	2,440 (480 - 3,160)	1,220	11,60	2,42	3,10	3,88	9,40 (3,20 - 10,50)	3,82 A	2,460 (490 - 3,440)	1,230	11,60					
25 + 35 + 50	1,87	2,39	3,74		8,00 (3,00 - 8,80)	3,40 A	2,355 (520 - 3,115)	1,178	11,20	2,20	2,81	4,39	9,40 (3,20 - 10,50)	3,83 A	2,455 (520 - 3,385)	1,228	11,50					
25 + 35 + 71	1,57	2,02	4,41		8,00 (3,00 - 9,00)	3,49 A	2,295 (520 - 3,115)	1,148	10,90	1,85	2,37	5,18	9,40 (3,20 - 10,60)	3,86 A	2,435 (530 - 3,435)	1,218	11,40					
25 + 42 + 42	1,90	3,05	3,05		8,00 (3,00 - 8,80)	3,28 A	2,440 (480 - 3,240)	1,220	11,60	2,24	3,58	3,58	9,40 (3,20 - 10,50)	3,84 A	2,450 (490 - 3,420)	1,225	11,50					
25 + 42 + 50	1,74	2,78	3,48		8,00 (3,00 - 8,80)	3,40 A	2,355 (520 - 3,035)	1,178	11,20	2,04	3,27	4,09	9,40 (3,20 - 10,60)	3,84 A	2,445 (530 - 3,435)	1,223	11,50					
25 + 42 + 71	1,48	2,37	4,15		8,00 (3,00 - 9,00)	3,49 A	2,295 (520 - 3,115)	1,148	10,90	1,74	2,79	4,87	9,40 (3,20 - 10,60)	3,86 A	2,435 (530 - 3,425)	1,218	11,40					
25 + 50 + 50	1,60	3,20	3,20		8,00 (3,00 - 9,00)	3,42 A	2,340 (570 - 3,070)	1,170	11,10	1,88	3,76	3,76	9,40 (3,20 - 10,60)	3,82 A	2,460 (600 - 3,410)	1,230	11,60					
35 + 35 + 35	2,66	2,66	2,66		7,98 (3,00 - 8,60)	3,35 A	2,380 (480 - 3,090)	1,190	11,30	3,13	3,13	3,13	9,39 (3,20 - 10,50)	3,85 A	2,440 (490 - 3,410)	1,220	11,50					
35 + 35 + 42	2,46	2,46	3,08		8,00 (3,00 - 8,80)	3,36 A	2,380 (480 - 3,240)	1,190	11,30	2,89	2,89	3,62	9,40 (3,20 - 10,50)	3,87 A	2,430 (490 - 3,400)	1,215	11,40					
35 + 35 + 50	2,25	2,25	3,50		8,00 (3,00 - 8,80)	3,49 A	2,295 (520 - 3,035)	1,148	10,90	2,64	2,64	4,12	9,40 (3,20 - 10,60)	3,88 A	2,425 (530 - 3,415)	1,213	11,40					
35 + 35 + 71	1,91	1,91	4,18		8,00 (3,00 - 9,00)	3,49 A	2,295 (520 - 3,115)	1,148	10,90	2,24	2,24	4,92	9,40 (3,20 - 10,60)	3,89 A	2,415 (530 - 3,405)	1,208	11,30					
35 + 42 + 42	2,28	2,86	2,86		8,00 (3,00 - 8,80)	3,36 A	2,380 (480 - 3,160)	1,190	11,30	2,68	3,36	3,36	9,40 (3,20 - 10,60)	3,88 A	2,420 (490 - 3,450)	1,210	11,40					
35 + 42 + 50	2,10	2,62	3																			

Free Multi 4x1 CU-4E27PBE. Minimum capacity connected: 4,5kW. Maximum capacity connected: 13,6 kW = R410 GAS

Indoor unit capacity	Cooling capacity (kW)					EER	Input power rating		A.E.C.	Current	Heating capacity (kW)					COP	Input power rating		A.E.C.	Current				
	Rooms						W/W	W			kWh	230V	Rooms					W/W			W	kWh	230V	
	A	B	C	D	Total (Min - Max)								A	B	C		D							Total (Min - Max)
16 + 20 + 42 + 50	1,02	1,27	2,54	3,17	8,00 (3,00 - 9,20)	3,55 A	2,255 (630 - 3.045)	1,128	10,70	1,19	1,49	2,98	3,74	9,40 (4,20 - 10,60)	3,91 A	2,405 (830 - 3.325)	1,203	11,30						
16 + 20 + 50 + 50	0,94	1,18	2,94	2,94	8,00 (3,00 - 9,20)	3,36 A	2,380 (690 - 3.090)	1,190	11,30	1,10	1,38	3,46	3,46	9,40 (4,20 - 10,60)	3,69 A	2,550 (950 - 3.460)	1,275	12,00						
16 + 25 + 25 + 25	1,40	2,20	2,20	2,20	8,00 (3,00 - 9,20)	3,54 A	2,260 (530 - 3.150)	1,130	10,70	1,66	2,58	2,58	2,58	9,40 (4,20 - 10,60)	3,97 A	2,370 (700 - 3.350)	1,185	11,10						
16 + 25 + 25 + 35	1,31	2,04	2,04	2,61	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,53	2,40	2,40	3,07	9,40 (4,20 - 10,60)	4,00 A	2,350 (730 - 3.320)	1,175	11,00						
16 + 25 + 25 + 42	1,20	1,89	1,89	3,02	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,41	2,22	2,22	3,55	9,40 (4,20 - 10,60)	4,02 A	2,340 (730 - 3.310)	1,170	11,00						
16 + 25 + 25 + 50	1,10	1,72	1,72	3,46	8,00 (3,00 - 9,20)	3,55 A	2,255 (620 - 3.035)	1,128	10,70	1,29	2,03	2,03	4,05	9,40 (4,20 - 10,60)	3,89 A	2,415 (810 - 3.355)	1,208	11,30						
16 + 25 + 25 + 71	0,94	1,47	1,47	4,12	8,00 (3,00 - 9,20)	3,55 A	2,255 (630 - 3.045)	1,128	10,70	1,10	1,73	1,73	4,84	9,40 (4,20 - 10,60)	3,89 A	2,415 (820 - 3.345)	1,208	11,30						
16 + 25 + 35 + 35	1,22	1,90	2,44	2,44	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,43	2,25	2,86	2,86	9,40 (4,20 - 10,60)	4,03 A	2,330 (740 - 3.290)	1,165	10,90						
16 + 25 + 35 + 42	1,13	1,77	2,27	2,83	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,33	2,08	2,66	3,33	9,40 (4,20 - 10,60)	4,05 A	2,320 (740 - 3.280)	1,160	10,90						
16 + 25 + 35 + 50	1,04	1,63	2,08	3,25	8,00 (3,00 - 9,20)	3,55 A	2,255 (630 - 3.045)	1,128	10,70	1,22	1,91	2,45	3,82	9,40 (4,20 - 10,60)	3,91 A	2,405 (820 - 3.335)	1,203	11,30						
16 + 25 + 42 + 42	1,06	1,66	2,64	2,64	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,24	1,94	3,11	3,11	9,40 (4,20 - 10,60)	4,05 A	2,320 (740 - 3.270)	1,160	10,90						
16 + 25 + 42 + 50	0,98	1,53	2,44	3,05	8,00 (3,00 - 9,20)	3,55 A	2,255 (630 - 3.045)	1,128	10,70	1,15	1,79	2,87	3,59	9,40 (4,20 - 10,60)	3,91 A	2,405 (830 - 3.325)	1,203	11,30						
16 + 35 + 35 + 35	1,13	2,29	2,29	2,29	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,33	2,69	2,69	2,69	9,40 (4,20 - 10,60)	4,07 A	2,310 (740 - 3.260)	1,155	10,90						
16 + 35 + 35 + 42	1,07	2,13	2,13	2,67	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,25	2,51	2,51	3,13	9,40 (4,20 - 10,60)	4,07 A	2,310 (770 - 3.250)	1,155	10,90						
16 + 35 + 35 + 50	0,98	1,97	1,97	3,08	8,00 (3,00 - 9,20)	3,55 A	2,255 (630 - 3.045)	1,128	10,70	1,16	2,31	2,31	3,62	9,40 (4,20 - 10,60)	3,86 A	2,435 (860 - 3.315)	1,218	11,40						
16 + 35 + 42 + 42	1,00	2,00	2,50	2,50	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,17	2,35	2,94	2,94	9,40 (4,20 - 10,60)	4,09 A	2,300 (770 - 3.240)	1,150	10,80						
16 + 42 + 42 + 42	0,95	2,35	2,35	2,35	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,12	2,76	2,76	2,76	9,40 (4,20 - 10,60)	4,10 A	2,290 (770 - 3.230)	1,145	10,80						
20 + 20 + 20 + 20	2,00	2,00	2,00	2,00	8,00 (3,00 - 9,20)	3,54 A	2,260 (530 - 3.150)	1,130	10,70	2,35	2,35	2,35	2,35	9,40 (4,20 - 10,60)	3,98 A	2,360 (700 - 3.340)	1,180	11,10						
20 + 20 + 20 + 25	1,88	1,88	1,88	2,36	8,00 (3,00 - 9,20)	3,54 A	2,260 (530 - 3.150)	1,130	10,70	2,21	2,21	2,21	2,77	9,40 (4,20 - 10,60)	3,98 A	2,360 (700 - 3.340)	1,180	11,10						
20 + 20 + 20 + 35	1,74	1,74	1,74	2,78	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	2,04	2,04	2,04	3,28	9,40 (4,20 - 10,60)	4,02 A	2,340 (730 - 3.310)	1,170	11,00						
20 + 20 + 20 + 42	1,60	1,60	1,60	3,20	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,88	1,88	1,88	3,76	9,40 (4,20 - 10,60)	4,02 A	2,340 (730 - 3.300)	1,170	11,00						
20 + 20 + 20 + 50	1,45	1,45	1,45	3,65	8,00 (3,00 - 9,20)	3,55 A	2,255 (620 - 3.035)	1,128	10,70	1,71	1,71	1,71	4,27	9,40 (4,20 - 10,60)	3,89 A	2,415 (810 - 3.345)	1,208	11,30						
20 + 20 + 20 + 71	1,23	1,23	1,23	4,31	8,00 (3,00 - 9,20)	3,55 A	2,255 (630 - 3.045)	1,128	10,70	1,45	1,45	1,45	5,05	9,40 (4,20 - 10,60)	3,91 A	2,405 (820 - 3.335)	1,203	11,30						
20 + 20 + 25 + 25	1,78	1,78	2,22	2,22	8,00 (3,00 - 9,20)	3,54 A	2,260 (530 - 3.150)	1,130	10,70	2,09	2,09	2,61	2,61	9,40 (4,20 - 10,60)	3,98 A	2,360 (700 - 3.340)	1,180	11,10						
20 + 20 + 25 + 35	1,65	1,65	2,06	2,64	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,94	1,94	2,42	3,10	9,40 (4,20 - 10,60)	4,02 A	2,340 (730 - 3.310)	1,170	11,00						
20 + 20 + 25 + 42	1,52	1,52	1,90	3,06	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,79	1,79	2,24	3,58	9,40 (4,20 - 10,60)	4,02 A	2,340 (730 - 3.300)	1,170	11,00						
20 + 20 + 25 + 50	1,39	1,39	1,74	3,48	8,00 (3,00 - 9,20)	3,55 A	2,255 (620 - 3.035)	1,128	10,70	1,63	1,63	2,04	4,10	9,40 (4,20 - 10,60)	3,89 A	2,415 (810 - 3.345)	1,208	11,30						
20 + 20 + 25 + 71	1,19	1,19	1,47	4,15	8,00 (3,00 - 9,20)	3,55 A	2,255 (630 - 3.045)	1,128	10,70	1,39	1,39	1,74	4,88	9,40 (4,20 - 10,60)	3,91 A	2,405 (820 - 3.335)	1,203	11,30						
20 + 20 + 35 + 35	1,54	1,54	2,46	2,46	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,81	1,81	2,89	2,89	9,40 (4,20 - 10,60)	4,05 A	2,320 (740 - 3.280)	1,160	10,90						
20 + 20 + 35 + 42	1,43	1,43	2,28	2,86	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,68	1,68	2,68	3,36	9,40 (4,20 - 10,60)	4,05 A	2,320 (740 - 3.270)	1,160	10,90						
20 + 20 + 35 + 50	1,31	1,31	2,10	3,28	8,00 (3,00 - 9,20)	3,55 A	2,255 (630 - 3.045)	1,128	10,70	1,54	1,54	2,47	3,85	9,40 (4,20 - 10,60)	3,91 A	2,405 (830 - 3.325)	1,203	11,30						
20 + 20 + 42 + 42	1,33	1,33	2,67	2,67	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,57	1,57	3,13	3,13	9,40 (4,20 - 10,60)	4,07 A	2,310 (740 - 3.260)	1,155	10,90						
20 + 20 + 42 + 50	1,23	1,23	2,46	3,08	8,00 (3,00 - 9,20)	3,55 A	2,255 (630 - 3.045)	1,128	10,70	1,45	1,45	2,88	3,62	9,40 (4,20 - 10,60)	3,86 A	2,435 (830 - 3.315)	1,218	11,40						
20 + 25 + 25 + 25	1,67	2,11	2,11	2,11	8,00 (3,00 - 9,20)	3,54 A	2,260 (530 - 3.150)	1,130	10,70	1,99	2,47	2,47	2,47	9,40 (4,20 - 10,60)	3,98 A	2,360 (700 - 3.340)	1,180	11,10						
20 + 25 + 25 + 35	1,57	1,96	1,96	2,51	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,84	2,30	2,30	2,96	9,40 (4,20 - 10,60)	4,02 A	2,340 (730 - 3.310)	1,170	11,00						
20 + 25 + 25 + 42	1,45	1,82	1,82	2,91	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,70	2,14	2,14	3,42	9,40 (4,20 - 10,60)	4,02 A	2,340 (730 - 3.300)	1,170	11,00						
20 + 25 + 25 + 50	1,33	1,67	1,67	3,33	8,00 (3,00 - 9,20)	3,55 A	2,255 (620 - 3.035)	1,128	10,70	1,56	1,96	1,96	3,92	9,40 (4,20 - 10,60)	3,89 A	2,415 (810 - 3.345)	1,208	11,30						
20 + 25 + 35 + 35	1,47	1,83	2,35	2,35	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,72	2,16	2,76	2,76	9,40 (4,20 - 10,60)	4,05 A	2,320 (740 - 3.280)	1,160	10,90						
20 + 25 + 35 + 42	1,36	1,71	2,19	2,74	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,61	2,01	2,57	3,21	9,40 (4,20 - 10,60)	4,05 A	2,320 (740 - 3.270)	1,160	10,90						
20 + 25 + 35 + 50	1,26	1,57	2,02	3,15	8,00 (3,00 - 9,20)	3,55 A	2,255 (630 - 3.045)	1,128	10,70	1,48	1,85	2,37	3,70	9,40 (4,20 - 10,60)	3,91 A	2,405 (830 - 3.325)	1,203	11,30						
20 + 25 + 42 + 42	1,28	1,60	2,56	2,56	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,50	1,88	3,01	3,01	9,40 (4,20 - 10,60)	4,07 A	2,310 (740 - 3.260)	1,155	10,90						
20 + 25 + 42 + 50	1,19	1,48	2,37	2,96	8,00 (3,00 - 9,20)	3,55 A	2,255 (630 - 3.045)	1,128	10,70	1,39	1,74	2,79	3,48	9,40 (4,20 - 10,60)	3,86 A	2,435 (830 - 3.315)	1,218	11,40						
20 + 35 + 35 + 35	1,37	2,21	2,21	2,21	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,63	2,59	2,59	2,59	9,40 (4,20 - 10,60)	4,07 A	2,310 (770 - 3.250)	1,155	10,90						
20 + 35 + 35 + 42	1,29	2,06	2,06	2,59	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,51	2,43	2,43	3,03	9,40 (4,20 - 10,60)	4,09 A	2,300 (770 - 3.240)	1,150	10,80						
20 + 35 + 35 + 50	1,19	1,91	1,91	2,99	8,00 (3,00 - 9,20)	3,55 A	2,255 (630 - 3.045)	1,128	10,70	1,40	2,24	2,24	3,52	9,40 (4,20 - 10,60)	3,86 A	2,435 (860 - 3.305)	1,218	11,40						
20 + 35 + 42 + 42	1,21	1,95	2,42	2,42	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,42	2,28	2,85	2,85	9,40 (4,2										

# FREE MULTI 5X1 COMBINATIONS TABLE

Free Multi 5x1 CU-5E34PBE. Minimum capacity connected: 4.5kW. Maximum capacity connected: 17.5kW • R410 GAS

Indoor unit capacity	Cooling capacity (kW)					EER	Input power rating	A.E.C.	Current	Heating capacity (kW)					COP	Input power rating	A.E.C.	Current		
	Rooms									Rooms										
	A	B	C	D	E					Total (Min - Max)	W/W	W	kWh	230V					A	B
<b>1 Room</b>																				
16	1,60					1,60 (1,30 - 2,30)	3,40 A	470 (250 - 710)	235	2,30	2,60					2,60 (1,20 - 3,20)	3,88 A	670 (300 - 1.030)	335	3,20
20	2,00					2,00 (1,80 - 2,90)	3,51 A	570 (340 - 880)	285	2,80	3,20					3,20 (2,20 - 4,10)	4,21 A	760 (300 - 1.250)	380	3,70
25	2,50					2,50 (1,80 - 2,90)	3,57 A	700 (340 - 880)	350	3,40	3,60					3,60 (1,20 - 4,30)	3,75 A	960 (300 - 1.250)	480	4,80
35	3,20					3,20 (1,80 - 3,80)	3,68 A	870 (340 - 1.430)	435	4,20	4,50					4,50 (1,20 - 5,80)	3,60 B	1.250 (300 - 2.120)	625	6,10
42	4,00					4,00 (1,80 - 4,30)	3,05 B	1.310 (340 - 2.060)	655	6,10	5,60					5,60 (1,20 - 6,80)	3,22 C	1.740 (300 - 2.950)	870	8,10
50	5,00					5,00 (1,90 - 5,70)	2,90 C	1.725 (340 - 2.305)	863	8,00	6,80					6,80 (1,20 - 6,90)	3,16 D	2.150 (300 - 2.570)	1.075	9,90
71	7,00					7,00 (2,00 - 7,20)	2,63 D	2.665 (370 - 2.945)	1.333	12,10	8,70					8,70 (1,40 - 9,20)	3,35 C	2.600 (680 - 2.770)	1.300	12,00
<b>2 Rooms</b>																				
16 + 16	1,60	1,60				3,20 (2,40 - 5,80)	3,68 A	870 (300 - 2.060)	435	4,20	2,35	2,35				4,70 (2,00 - 8,20)	3,05 D	1.540 (260 - 2.920)	770	7,30
16 + 20	1,60	2,00				3,60 (2,40 - 5,80)	3,56 A	1.010 (300 - 2.060)	505	4,80	2,31	2,89				5,20 (2,00 - 8,20)	3,11 D	1.670 (250 - 2.860)	835	7,90
16 + 25	1,60	2,50				4,10 (2,40 - 5,80)	3,39 A	1.210 (300 - 2.060)	605	5,70	2,19	3,41				5,60 (2,00 - 8,20)	3,08 D	1.820 (250 - 2.860)	910	8,60
16 + 35	1,60	3,20				4,80 (2,40 - 5,80)	3,24 A	1.480 (300 - 2.000)	740	6,90	2,13	4,27				6,40 (2,00 - 8,20)	3,14 D	2.040 (240 - 2.780)	1.020	9,60
16 + 42	1,60	4,00				5,60 (2,40 - 5,80)	3,08 B	1.820 (300 - 1.940)	910	8,40	2,11	5,29				7,40 (2,00 - 8,60)	3,11 D	2.380 (240 - 2.840)	1.190	11,20
16 + 50	1,60	5,00				6,60 (2,40 - 7,20)	2,90 C	2.275 (280 - 2.605)	1.138	10,50	2,06	6,44				8,50 (2,00 - 11,00)	3,21 C	2.650 (190 - 3.630)	1.325	12,50
16 + 71	1,60	7,00				8,60 (2,50 - 9,10)	2,45 E	3.505 (310 - 3.735)	1.753	16,20	1,90	8,30				10,20 (2,00 - 13,00)	3,19 D	3.200 (190 - 4.540)	1.600	15,00
20 + 20	2,00	2,00				4,00 (2,40 - 5,80)	3,48 A	1.150 (300 - 2.000)	575	5,40	2,90	2,90				5,00 (2,00 - 8,20)	3,20 C	1.810 (250 - 2.800)	905	8,50
20 + 25	2,00	2,50				4,50 (2,40 - 5,80)	3,26 A	1.380 (300 - 2.000)	690	6,40	2,71	3,39				6,10 (2,00 - 8,20)	3,19 D	1.910 (250 - 2.800)	955	9,00
20 + 35	2,00	3,20				5,20 (2,40 - 5,80)	3,25 A	1.600 (300 - 1.940)	800	7,50	2,65	4,25				6,90 (2,00 - 8,60)	3,25 C	2.120 (240 - 2.840)	1.060	10,00
20 + 42	2,00	4,00				6,00 (2,40 - 6,70)	2,91 C	2.060 (300 - 2.500)	1.030	9,50	2,63	5,27				7,90 (2,00 - 11,00)	3,12 D	2.530 (230 - 3.530)	1.265	11,90
20 + 50	2,00	5,00				7,00 (2,40 - 8,10)	2,91 C	2.405 (280 - 3.135)	1.203	11,10	2,57	6,43				9,00 (2,00 - 11,00)	3,36 C	2.680 (190 - 3.510)	1.340	12,60
20 + 71	2,00	7,00				9,00 (2,50 - 10,00)	2,43 E	3.705 (310 - 4.705)	1.853	17,10	2,38	8,32				10,70 (2,00 - 13,00)	3,28 C	3.260 (190 - 4.480)	1.630	15,30
25 + 25	2,50	2,50				5,00 (2,40 - 5,80)	3,23 A	1.550 (300 - 2.000)	775	7,20	3,25	3,25				6,50 (2,00 - 8,60)	3,25 C	2.000 (250 - 2.920)	1.000	9,40
25 + 35	2,50	3,20				5,70 (2,40 - 6,70)	3,03 B	1.880 (300 - 2.500)	940	8,70	3,20	4,10				7,30 (2,00 - 10,10)	3,20 C	2.280 (240 - 3.530)	1.140	10,70
25 + 42	2,50	4,00				6,50 (2,40 - 7,20)	2,74 D	2.370 (300 - 2.900)	1.185	10,90	3,19	5,11				8,30 (2,00 - 11,00)	3,07 D	2.700 (300 - 3.760)	1.350	12,70
25 + 50	2,50	5,00				7,50 (2,40 - 8,60)	2,74 D	2.735 (280 - 3.575)	1.368	12,60	3,13	6,27				9,40 (2,00 - 11,00)	3,24 C	2.900 (190 - 3.510)	1.450	13,60
25 + 71	2,50	7,00				9,50 (2,50 - 10,10)	2,30 F	4.125 (310 - 4.840)	2.063	19,00	2,92	8,18				11,10 (2,00 - 13,00)	3,33 C	3.330 (190 - 4.480)	1.665	15,60
35 + 35	3,20	3,20				6,40 (2,40 - 7,20)	2,86 C	2.240 (290 - 2.760)	1.120	10,30	4,05	4,05				8,10 (2,00 - 11,00)	3,15 D	2.570 (230 - 3.750)	1.285	12,10
35 + 42	3,20	4,00				7,20 (2,40 - 8,10)	2,61 D	2.760 (290 - 3.530)	1.380	12,70	4,04	5,06				9,10 (2,00 - 11,00)	3,12 D	2.920 (230 - 3.680)	1.460	13,70
35 + 50	3,20	5,00				8,20 (2,50 - 9,10)	2,62 D	3.135 (310 - 3.735)	1.568	14,50	3,98	6,22				10,20 (2,00 - 11,90)	3,33 C	3.060 (180 - 3.820)	1.530	14,40
35 + 71	3,14	6,86				10,00 (2,50 - 10,40)	2,24 F	4.465 (310 - 4.840)	2.233	20,60	3,76	8,24				12,00 (2,00 - 13,80)	3,35 C	3.580 (180 - 4.840)	1.790	16,80
42 + 42	4,00	4,00				8,00 (2,50 - 8,60)	5,60 <b>▶</b> (10,00) <sup>1</sup>	2,37 F	3.380 (320 - 4.070)	1.690	15,60	5,05	5,05			10,10 (2,00 - 11,90)	3,10 D	3.260 (220 - 4.080)	1.630	15,30
42 + 50	4,00	5,00				9,00 (2,50 - 10,00)	5,60 <b>▶</b> (10,00) <sup>1</sup>	2,43 E	3.705 (310 - 4.705)	1.853	17,10	4,98	6,22			11,20 (2,00 - 13,00)	3,51 B	3.190 (180 - 4.380)	1.595	15,00
42 + 60						10,00 (2,50 - 10,40)	5,60 <b>▶</b> (10,00) <sup>1</sup>	2,28 F	4.395 (310 - 4.840)	2.198	20,30	4,36	7,64			12,00 (2,00 - 13,80)	3,37 C	3.560 (180 - 4.840)	1.780	16,70
42 + 71	3,64	6,36				10,00 (2,50 - 10,40)	5,60 <b>▶</b> (10,00) <sup>1</sup>	2,53 E	3.960 (300 - 4.350)	1.980	18,30	6,00	6,00			12,00 (2,00 - 13,80)	3,57 B	3.360 (200 - 4.600)	1.680	15,80
50 + 50	5,00	5,00				10,00 (2,50 - 10,40)	5,60 <b>▶</b> (10,00) <sup>1</sup>	2,62 D	3.820 (300 - 4.200)	1.910	17,60	5,00	7,00			12,00 (2,00 - 13,80)	3,59 B	3.340 (200 - 4.580)	1.670	15,70
50 + 71	4,17	5,83				10,00 (2,50 - 10,40)	5,60 <b>▶</b> (10,00) <sup>1</sup>	2,72 D	3.670 (330 - 4.040)	1.835	16,90	6,00	6,00			12,00 (2,00 - 13,80)	3,60 A	3.330 (200 - 4.560)	1.665	15,60
<b>3 Rooms</b>																				
16 + 16 + 16	1,60	1,60	1,60			4,80 (2,90 - 8,50)	3,66 A	1.310 (360 - 3.100)	655	6,10	2,33	2,33	2,33			6,99 (2,70 - 12,30)	3,53 B	1.980 (270 - 4.110)	990	9,30
16 + 16 + 20	1,60	1,60	2,00			5,20 (2,90 - 8,50)	3,64 A	1.430 (360 - 3.100)	715	6,70	2,34	2,34	2,92			7,60 (2,70 - 12,30)	3,50 B	2.170 (270 - 4.050)	1.085	10,20
16 + 16 + 25	1,60	1,60	2,50			5,70 (2,90 - 8,50)	3,48 A	1.640 (360 - 3.100)	820	7,60	2,22	2,22	3,46			7,90 (2,70 - 12,30)	3,46 B	2.280 (270 - 4.050)	1.140	10,70
16 + 16 + 35	1,60	1,60	3,20			6,40 (2,90 - 8,50)	3,32 A	1.930 (360 - 3.030)	965	8,90	2,18	2,18	4,34			8,70 (2,70 - 12,30)	3,49 B	2.490 (270 - 3.950)	1.245	11,70
16 + 16 + 42	1,60	1,60	4,00			7,20 (2,90 - 8,50)	3,21 A	2.240 (390 - 2.960)	1.120	10,30	2,16	2,16	5,38			9,70 (2,70 - 12,30)	3,32 C	2.920 (270 - 3.940)	1.460	13,70
16 + 16 + 50	1,60	1,60	5,00			8,20 (2,90 - 8,70)	3,09 B	2.655 (390 - 2.845)	1.328	12,20	2,11	2,11	6,58			10,80 (2,70 - 12,90)	3,70 A	2.920 (290 - 4.060)	1.460	13,70
16 + 16 + 71	1,57	1,57	6,86			10,00 (2,90 - 10,70)	2,92 C	3.425 (390 - 4.015)	1.713	15,80	1,88	1,88	8,24			12,00 (2,70 - 13,60)	3,58 B	3.350 (290 - 4.370)	1.675	15,70
16 + 20 + 20	1,60	2,00	2,00			5,60 (2,90 - 8,50)	3,52 A	1.590 (360 - 3.030)	795	7,40	2,32	2,89	2,89			8,10 (2,70 - 12,30)	3,57 B	2.270 (270 - 3.990)	1.135	10,70
16 + 20 + 25	1,60	2,00	2,50			6,10 (2,90 - 8,50)	3,37 A	1.810 (360 - 3.030)	905	8,30	2,23	2,79	3,48			8,50 (2,70 - 12,30)	3,43 B	2.480 (270 - 3.990)	1.240	11,70
16 + 20 + 35	1,60	2,00	3,20			6,80 (2,90 - 8,50)	3,32 A	2.050 (390 - 2.960)	1.025	9,50	2,18	2,74	4,38			9,30 (2,70 - 12,30)	3,52 B	2.640 (270 - 3.890)	1.320	12,40
16 + 20 + 42	1,60	2,00	4,00			7,60 (2,90 - 8,50)	3,13 B	2.430 (390 - 2.960)	1.215	11,20	2,17	2,71	5,42			10,30 (2,70 - 13,60)	3,55 B	2.900 (270 - 3.870)	1.450	13,60
16 + 20 + 50	1,60	2,00	5,00			8,60 (2,90 - 9,60)	3,01 B	2.855 (390 - 3.215)	1.428	13,20	2,10	2,63	6,57			11,30 (2,70 - 12,30)	3,79 A	2.980 (290 - 4.330)	1.490	14,00
16 + 20 + 71	1,51	1,89	6,60			10,00 (2,90 - 10,70)	2,92 C	3.425 (390 - 4.015)	1.713	15,80	1,81	2,26	7,93			12,00 (2,70 - 13,80)	3,65 A	3.290 (290 - 4.440)	1.645	15,50
16 + 25 + 25	1,60	2,50	2,50			6,60 (2,90 - 8,50)	3,22 A	2.050 (360 - 3.030)	1.025	9,50	2,14	3,33	3,33			8,80 (2,70 - 12,30)	3,51 B	2.510 (270 - 3.990)	1.265	11,80
16 + 25 + 35	1,60	2,50	3,20			7,30 (2,90 - 8,50)	3,17 B	2.300 (390 - 2.960)	1.150	10,60	2,10	3,29	4,21			9,60 (2,70 - 12,30)	3,42 B	2.810 (270 - 3.890)	1.405	13,20
16 + 25 + 42	1,60	2,50	4,00			8,10 (2,90 - 8,70)	3,01 B	2.690 (390 - 3.020)	1.345	12,40	2,09	3,27	5,24			10,60 (2,70 - 12,30)	3,46 B	3.060 (270 - 4.190)	1.530	14,40
16 + 25 + 50	1,60	2,50	5,00			9,10 (2,90 - 10,10)	3,07 B	2.965 (390 - 3.565)	1.483	13,70	2,06	3,21	6,43			11,70 (2,70 - 13,60)	3,73 A	3.140 (290 - 4.330)	1.570	14,80
16 + 25 + 71	1,44	2,25	6,31			10,00 (2,90 - 10,70)	2,92 C	3.425 (390 - 4.015)	1.713	15,80	1,73	2,70	7,57			12,00 (2,70 - 13,80)	3,65 A	3.290 (290 - 4.440)	1.645	15,50
16 + 35 + 35																				

Free Multi 5x1 CU-5E34PBE. Minimum capacity connected: 4.5kW. Maximum capacity connected: 17,5kW • R410 GAS

Table with columns: Indoor unit capacity, Cooling capacity (kW) Rooms, EER, Input power rating, A.E.C., Current, Heating capacity (kW) Rooms, COP, Input power rating, A.E.C., Current. Rows include configurations like 25+25+50, 35+35+42, 4 Rooms, and various multi-unit setups.

# FREE MULTI 5X1 COMBINATIONS TABLE

Free Multi 5x1 CU-5E34PBE. Minimum capacity connected: 4.5kW. Maximum capacity connected: 17.5kW • R410 GAS

Indoor unit capacity Rooms	Cooling capacity (kW)					EER	Input power rating		A.E.C.	Current	Heating capacity (kW)					COP	Input power rating		A.E.C.	Current						
	A	B	C	D	E		Total (Min - Max)	W/W			W	kWh	230V	A	B		C	D			E	Total (Min - Max)	W/W	W	kWh	230V
16 + 35 + 35 + 50	1.23	2.46	2.46	3.85		10.00	2.90 - 10.80	3.02 B	3.315 (510 - 3.835)	1.658	15.30	1.41	2.84	2.84	4.43		11.52	3.40 - 14.40	4.03 A	2.860 (500 - 4.320)	1.430	13.40				
16 + 35 + 35 + 71	1.07	2.13	2.13	4.67		10.00	3.00 - 11.00	3.08 B	3.245 (540 - 3.915)	1.623	15.00	1.22	2.46	2.46	5.38		11.52	3.40 - 14.40	4.04 A	2.850 (520 - 4.370)	1.425	13.40				
16 + 35 + 42 + 42	1.24	2.50	3.13	3.13		10.00	2.90 - 10.80	2.99 C	3.350 (460 - 3.960)	1.675	15.40	1.44	2.88	3.60	3.60		11.52	3.40 - 14.40	4.01 A	2.870 (430 - 4.440)	1.435	13.50				
16 + 35 + 42 + 50	1.16	2.32	2.90	3.62		10.00	2.90 - 10.80	3.08 B	3.245 (510 - 3.835)	1.623	15.00	1.34	2.67	3.34	4.17		11.52	3.40 - 14.40	4.04 A	2.850 (510 - 4.380)	1.425	13.40				
16 + 35 + 42 + 71	1.01	2.03	2.53	4.43		10.00	3.00 - 11.20	3.08 B	3.245 (540 - 4.075)	1.623	15.00	1.17	2.33	2.92	5.10		11.52	3.40 - 14.40	4.06 A	2.840 (520 - 4.360)	1.420	13.30				
16 + 35 + 50 + 50	1.08	2.16	3.38	3.38		10.00	3.00 - 11.00	3.04 B	3.290 (590 - 3.870)	1.645	15.20	1.25	2.49	3.89	3.89		11.52	3.40 - 14.40	3.97 A	2.900 (600 - 4.330)	1.450	13.60				
16 + 35 + 50 + 71	0.95	1.90	2.98	4.17		10.00	3.00 - 11.20	3.04 B	3.290 (600 - 4.030)	1.645	15.20	1.10	2.19	3.43	4.80		11.52	3.40 - 14.40	3.99 A	2.890 (620 - 4.310)	1.445	13.60				
16 + 42 + 42 + 42	1.18	2.94	2.94	2.94		10.00	2.90 - 10.80	2.99 C	3.350 (460 - 3.960)	1.675	15.40	1.35	3.39	3.39	3.39		11.52	3.40 - 14.40	4.03 A	2.860 (450 - 4.420)	1.430	13.40				
16 + 42 + 42 + 50	1.10	2.74	2.74	3.42		10.00	3.00 - 11.00	3.08 B	3.245 (510 - 3.915)	1.623	15.00	1.25	3.16	3.16	3.95		11.52	3.40 - 14.40	4.06 A	2.840 (520 - 4.360)	1.420	13.30				
16 + 42 + 42 + 71	0.96	2.41	2.41	4.22		10.00	3.00 - 11.20	3.08 B	3.245 (540 - 4.075)	1.623	15.00	1.10	2.78	2.78	4.86		11.52	3.40 - 14.40	4.07 A	2.830 (530 - 4.340)	1.415	13.30				
16 + 42 + 50 + 50	1.02	2.56	3.21	3.21		10.00	3.00 - 11.00	3.04 B	3.290 (590 - 3.870)	1.645	15.20	1.18	2.96	3.69	3.69		11.52	3.40 - 14.40	3.99 A	2.890 (620 - 4.320)	1.445	13.60				
16 + 50 + 50 + 50	0.97	3.01	3.01	3.01		10.00	3.00 - 11.20	2.99 C	3.345 (650 - 4.075)	1.673	15.40	1.11	3.47	3.47	3.47		11.52	3.40 - 14.40	3.89 A	2.960 (720 - 4.350)	1.480	13.90				
20 + 20 + 20 + 20	2.00	2.00	2.00	2.00		8.00	2.90 - 10.60	3.25 A	2.460 (420 - 4.050)	1.230	11.30	2.88	2.88	2.88	2.88		11.52	3.40 - 14.20	3.96 A	2.910 (390 - 4.460)	1.455	13.70				
20 + 20 + 20 + 25	2.00	2.00	2.00	2.50		8.50	2.90 - 10.60	3.20 B	2.660 (420 - 4.050)	1.330	12.30	2.80	2.80	2.80	3.50		11.90	3.40 - 14.40	3.88 A	3.070 (390 - 4.460)	1.535	14.40				
20 + 20 + 20 + 35	2.00	2.00	2.00	3.20		9.20	2.90 - 10.60	3.12 B	2.950 (420 - 3.960)	1.475	13.60	2.61	2.61	2.61	4.17		12.00	3.40 - 14.20	3.95 A	3.040 (400 - 4.420)	1.520	14.30				
20 + 20 + 20 + 42	2.00	2.00	2.00	4.00		10.00	2.90 - 10.60	2.92 C	3.430 (430 - 3.960)	1.715	15.80	2.40	2.40	2.40	4.80		12.00	3.40 - 14.20	3.96 A	3.030 (420 - 4.400)	1.515	14.20				
20 + 20 + 20 + 50	1.82	1.82	1.82	4.54		10.00	2.90 - 10.60	3.02 B	3.315 (470 - 3.745)	1.658	15.30	2.18	2.18	2.18	5.46		12.00	3.40 - 14.20	4.00 A	3.000 (480 - 4.270)	1.500	14.10				
20 + 20 + 20 + 71	1.54	1.54	1.54	5.38		10.00	2.90 - 10.80	3.02 B	3.315 (500 - 3.835)	1.658	15.30	1.85	1.85	1.85	6.45		12.00	3.40 - 14.40	4.01 A	2.990 (480 - 4.310)	1.495	14.10				
20 + 20 + 25 + 25	2.00	2.00	2.50	2.50		9.00	2.90 - 10.60	3.09 B	2.910 (420 - 4.050)	1.455	13.40	2.67	2.67	3.33	3.33		12.00	3.40 - 14.20	3.91 A	3.070 (390 - 4.460)	1.535	14.40				
20 + 20 + 25 + 35	2.00	2.00	2.50	3.20		9.70	2.90 - 10.60	3.03 B	3.200 (420 - 3.960)	1.600	14.80	2.47	2.47	3.09	3.97		12.00	3.40 - 14.20	3.95 A	3.040 (400 - 4.420)	1.520	14.30				
20 + 20 + 25 + 42	1.90	1.90	2.38	3.82		10.00	2.90 - 10.60	2.92 C	3.430 (430 - 3.960)	1.715	15.80	2.29	2.29	2.85	4.57		12.00	3.40 - 14.20	3.96 A	3.030 (420 - 4.400)	1.515	14.20				
20 + 20 + 25 + 50	1.74	1.74	2.17	4.35		10.00	2.90 - 10.60	3.02 B	3.315 (470 - 3.745)	1.658	15.30	2.09	2.09	2.60	5.22		12.00	3.40 - 14.20	4.00 A	3.000 (480 - 4.270)	1.500	14.10				
20 + 20 + 25 + 71	1.48	1.48	1.85	5.19		10.00	2.90 - 10.80	3.02 B	3.315 (500 - 3.835)	1.658	15.30	1.78	1.78	2.22	6.22		12.00	3.40 - 14.40	4.01 A	2.990 (480 - 4.310)	1.495	14.10				
20 + 20 + 35 + 35	1.92	1.92	3.08	3.08		10.00	2.90 - 10.60	2.99 C	3.350 (430 - 3.880)	1.675	15.40	2.31	2.31	3.69	3.69		12.00	3.40 - 14.20	3.99 A	3.010 (420 - 4.310)	1.505	14.10				
20 + 20 + 35 + 42	1.79	1.79	2.85	3.57		10.00	2.90 - 10.60	2.99 C	3.350 (430 - 3.880)	1.675	15.40	2.14	2.14	3.43	4.29		12.00	3.40 - 14.20	4.00 A	3.000 (420 - 4.290)	1.500	14.10				
20 + 20 + 35 + 50	1.64	1.64	2.62	4.10		10.00	2.90 - 10.80	3.02 B	3.315 (500 - 3.825)	1.658	15.30	1.97	1.97	3.14	4.92		12.00	3.40 - 14.20	4.04 A	2.970 (490 - 4.230)	1.485	14.00				
20 + 20 + 35 + 71	1.41	1.41	2.25	4.93		10.00	2.90 - 11.00	3.08 B	3.245 (510 - 3.915)	1.623	15.00	1.69	1.69	2.70	5.92		12.00	3.40 - 14.40	4.05 A	2.960 (500 - 4.280)	1.480	13.90				
20 + 20 + 42 + 42	1.67	1.67	3.33	3.33		10.00	2.90 - 10.60	2.99 C	3.350 (430 - 3.880)	1.675	15.40	2.00	2.00	4.00	4.00		12.00	3.40 - 14.20	4.01 A	2.990 (430 - 4.280)	1.495	14.10				
20 + 20 + 42 + 50	1.54	1.54	3.07	3.85		10.00	2.90 - 10.80	3.02 B	3.315 (500 - 3.835)	1.658	15.30	1.85	1.85	3.68	4.62		12.00	3.40 - 14.40	4.05 A	2.960 (490 - 4.280)	1.480	13.90				
20 + 20 + 42 + 71	1.33	1.33	2.67	4.67		10.00	2.90 - 11.00	3.08 B	3.245 (510 - 3.915)	1.623	15.00	1.60	1.60	3.20	5.60		12.00	3.40 - 14.40	4.07 A	2.950 (510 - 4.330)	1.475	13.90				
20 + 20 + 50 + 50	1.43	1.43	3.57	3.57		10.00	2.90 - 10.80	3.04 B	3.290 (560 - 3.790)	1.645	15.20	1.71	1.71	4.29	4.29		12.00	3.40 - 14.40	4.00 A	3.000 (590 - 4.300)	1.500	14.10				
20 + 20 + 50 + 71	1.25	1.25	3.12	4.38		10.00	2.90 - 11.20	3.04 B	3.290 (560 - 4.030)	1.645	15.20	1.50	1.50	3.75	5.25		12.00	3.40 - 14.40	4.00 A	3.000 (600 - 4.280)	1.500	14.10				
20 + 25 + 25 + 25	2.00	2.50	2.50	2.50		9.50	2.90 - 10.60	3.00 C	3.170 (420 - 4.050)	1.585	14.60	2.52	3.16	3.16	3.16		12.00	3.40 - 14.20	3.91 A	3.070 (390 - 4.460)	1.535	14.40				
20 + 25 + 25 + 28	2.00	2.50	2.50	2.80		9.80	2.90 - 10.60	2.99 C	3.280 (420 - 3.980)	1.640	15.10	2.45	3.06	3.06	3.43		12.00	3.40 - 14.20	3.93 A	3.050 (390 - 4.440)	1.525	14.30				
20 + 25 + 25 + 35	1.96	2.45	2.45	3.14		10.00	2.90 - 10.60	2.92 C	3.430 (420 - 3.960)	1.715	15.80	2.35	2.94	2.94	3.77		12.00	3.40 - 14.20	3.95 A	3.040 (400 - 4.420)	1.520	14.30				
20 + 25 + 25 + 42	1.82	2.27	2.27	3.64		10.00	2.90 - 10.60	2.92 C	3.430 (430 - 3.960)	1.715	15.80	2.18	2.73	2.73	4.36		12.00	3.40 - 14.20	3.96 A	3.030 (420 - 4.400)	1.515	14.20				
20 + 25 + 25 + 50	1.67	2.08	4.08	4.17		10.00	2.90 - 10.60	3.02 B	3.315 (470 - 3.745)	1.658	15.30	2.00	2.50	2.50	5.00		12.00	3.40 - 14.20	4.00 A	3.000 (480 - 4.270)	1.500	14.10				
20 + 25 + 25 + 71	1.42	1.79	1.79	5.00		10.00	2.90 - 10.80	3.02 B	3.315 (500 - 3.835)	1.658	15.30	1.71	2.14	2.14	6.01		12.00	3.40 - 14.40	4.01 A	2.990 (480 - 4.310)	1.495	14.10				
20 + 25 + 35 + 35	1.83	2.29	2.94	2.94		10.00	2.90 - 10.60	2.99 C	3.350 (430 - 3.880)	1.675	15.40	2.20	2.76	3.52	3.52		12.00	3.40 - 14.20	3.99 A	3.010 (420 - 4.310)	1.505	14.10				
20 + 25 + 35 + 42	1.70	2.14	2.74	3.42		10.00	2.90 - 10.60	2.99 C	3.350 (430 - 3.880)	1.675	15.40	2.05	2.56	3.28	4.11		12.00	3.40 - 14.20	4.00 A	3.000 (420 - 4.290)	1.505	14.10				
20 + 25 + 35 + 50	1.57	1.97	2.52	3.94		10.00	2.90 - 10.80	3.02 B	3.315 (500 - 3.825)	1.658	15.30	1.89	2.36	3.02	4.73		12.00	3.40 - 14.40	4.04 A	2.970 (490 - 4.230)	1.485	14.00				
20 + 25 + 35 + 71	1.36	1.70	2.18	4.76		10.00	2.90 - 11.00	3.08 B	3.245 (510 - 3.915)	1.623	15.00	1.63	2.04	2.61	5.72		12.00	3.40 - 14.40	4.05 A	2.960 (500 - 4.280)						

Free Multi 5x1 CU-5E34PBE. Minimum capacity connected: 4.5kW. Maximum capacity connected: 17,5kW • R410 GAS

Indoor unit capacity	Cooling capacity (kW)					EER	Input power rating			A.E.C.	Current	Heating capacity (kW)					COP	Input power rating			A.E.C.	Current				
	Rooms						W/W	W	kWh			230V	Rooms					W/W	W	kWh			230V			
	A	B	C	D	E								A	B	C	D								E	Total (Min - Max)	
35 + 35 + 35 + 50	2,19	2,19	2,19	3,43		10,00	(2,90 - 11,00)	3,08	B	3,245	(510 - 3,915)	1,623	15,00	2,63	2,63	2,63	4,11		12,00	(3,40 - 14,40)	4,03	A	2,980	(530 - 4,290)	1,490	14,00
35 + 35 + 35 + 71	1,93	1,93	1,93	4,21		10,00	(2,90 - 11,20)	3,08	B	3,245	(520 - 3,995)	1,623	15,00	2,31	2,31	2,31	5,07		12,00	(3,40 - 14,40)	4,04	A	2,970	(550 - 4,270)	1,485	14,00
35 + 35 + 42 + 42	2,22	2,22	2,28	2,78		10,00	(2,90 - 11,00)	3,05	B	3,280	(460 - 4,050)	1,640	15,10	2,67	2,67	3,33	3,33		12,00	(3,40 - 14,40)	4,01	A	2,990	(460 - 4,300)	1,495	14,10
35 + 35 + 42 + 50	2,08	2,08	2,59	3,25		10,00	(2,90 - 11,00)	3,08	B	3,245	(510 - 3,915)	1,623	15,00	2,49	2,49	3,12	3,90		12,00	(3,40 - 14,40)	4,04	A	2,970	(540 - 4,280)	1,485	14,00
35 + 35 + 42 + 71	1,84	1,84	2,30	4,02		10,00	(2,90 - 11,20)	3,08	B	3,245	(550 - 3,995)	1,623	15,00	2,21	2,21	2,75	4,83		12,00	(3,40 - 14,40)	4,05	A	2,960	(550 - 4,260)	1,480	13,90
35 + 35 + 50 + 50	1,95	1,95	3,05	3,05		10,00	(2,90 - 11,20)	3,04	B	3,290	(600 - 4,030)	1,645	15,20	2,34	2,34	3,66	3,66		12,00	(3,40 - 14,40)	3,97	A	3,020	(630 - 4,240)	1,510	14,20
35 + 42 + 42 + 42	2,11	2,63	2,63	2,63		10,00	(2,90 - 11,00)	3,05	B	3,280	(460 - 4,050)	1,640	15,10	2,52	3,16	3,16	3,16		12,00	(3,40 - 14,40)	4,03	A	2,980	(460 - 4,320)	1,490	14,00
35 + 42 + 42 + 50	1,97	2,47	2,47	3,09		10,00	(2,90 - 11,20)	3,08	B	3,245	(510 - 4,075)	1,623	15,00	2,37	2,96	2,96	3,71		12,00	(3,40 - 14,40)	4,05	A	2,960	(550 - 4,260)	1,480	13,90
35 + 42 + 50 + 50	1,85	2,33	2,91	2,91		10,00	(2,90 - 11,20)	3,03	B	3,300	(600 - 4,030)	1,650	15,20	2,23	2,79	3,49	3,49		12,00	(3,40 - 14,40)	3,99	A	3,010	(650 - 4,220)	1,505	14,10
42 + 42 + 42 + 42	2,50	2,50	2,50	2,50		10,00	(2,90 - 11,20)	3,05	B	3,280	(470 - 4,130)	1,640	15,10	3,00	3,00	3,00	3,00		12,00	(3,40 - 14,40)	4,04	A	2,970	(470 - 4,310)	1,485	14,00
42 + 42 + 42 + 50	2,35	2,35	2,35	2,95		10,00	(2,90 - 11,20)	3,08	B	3,245	(520 - 3,995)	1,623	15,00	2,82	2,82	2,82	3,54		12,00	(3,40 - 14,40)	4,07	A	2,950	(550 - 4,250)	1,475	13,90
16 Rooms																										
16 + 16 + 16 + 16 + 16	1,60	1,60	1,60	1,60	1,60	8,00	(2,90 - 11,50)	3,31	A	2,420	(510 - 4,290)	1,210	11,20	2,32	2,34	2,34	2,34		11,70	(3,40 - 14,50)	3,77	A	3,100	(500 - 4,590)	1,550	14,60
16 + 16 + 16 + 16 + 20	1,60	1,60	1,60	1,60	2,00	8,40	(2,90 - 11,50)	3,29	A	2,550	(510 - 4,290)	1,275	11,80	2,29	2,29	2,29	2,29		12,00	(3,40 - 14,50)	3,82	A	3,140	(510 - 4,520)	1,570	14,80
16 + 16 + 16 + 16 + 25	1,60	1,60	1,60	1,60	2,50	8,90	(2,90 - 11,50)	3,27	A	2,720	(510 - 4,290)	1,360	12,50	2,16	2,16	2,16	2,16		12,00	(3,40 - 14,50)	3,82	A	3,140	(510 - 4,520)	1,570	14,80
16 + 16 + 16 + 16 + 35	1,60	1,60	1,60	1,60	3,20	9,60	(2,90 - 11,50)	3,20	B	3,000	(520 - 4,210)	1,500	13,80	2,00	2,00	2,00	2,00		12,00	(3,40 - 14,50)	3,79	A	3,170	(520 - 4,490)	1,585	14,90
16 + 16 + 16 + 16 + 42	1,54	1,54	1,54	1,54	3,84	10,00	(2,90 - 11,50)	3,12	B	3,210	(520 - 4,210)	1,605	14,80	1,85	1,85	1,85	1,85		12,00	(3,40 - 14,50)	3,80	A	3,160	(530 - 4,540)	1,580	14,80
16 + 16 + 16 + 16 + 50	1,40	1,40	1,40	1,40	4,40	10,00	(2,90 - 11,50)	3,06	B	3,265	(600 - 4,165)	1,633	15,10	1,68	1,68	1,68	1,68		12,00	(3,40 - 14,50)	3,74	A	3,210	(630 - 4,490)	1,605	15,10
16 + 16 + 16 + 16 + 71	1,19	1,19	1,19	1,19	5,24	10,00	(2,90 - 11,50)	3,06	B	3,265	(610 - 4,085)	1,633	15,10	1,43	1,43	1,43	1,43		12,00	(3,40 - 14,50)	3,75	A	3,200	(650 - 4,480)	1,600	15,00
16 + 16 + 16 + 20 + 20	1,60	1,60	1,60	2,00	2,00	8,80	(2,90 - 11,50)	3,24	A	2,720	(510 - 4,210)	1,360	12,50	2,18	2,18	2,18	2,73		12,00	(3,40 - 14,50)	3,88	A	3,090	(520 - 4,460)	1,545	14,50
16 + 16 + 16 + 20 + 25	1,60	1,60	1,60	2,00	2,50	9,30	(2,90 - 11,50)	3,22	A	2,890	(510 - 4,210)	1,445	13,30	2,06	2,06	2,06	2,58		12,00	(3,40 - 14,50)	3,88	A	3,090	(520 - 4,460)	1,545	14,50
16 + 16 + 16 + 20 + 35	1,60	1,60	1,60	2,00	3,20	10,00	(2,90 - 11,50)	3,12	B	3,210	(520 - 4,210)	1,605	14,80	1,92	1,92	1,92	2,40		12,00	(3,40 - 14,50)	3,86	A	3,110	(530 - 4,490)	1,555	14,60
16 + 16 + 16 + 20 + 42	1,48	1,48	1,48	1,85	3,71	10,00	(2,90 - 11,50)	3,12	B	3,210	(550 - 4,210)	1,605	14,80	1,78	1,78	1,78	2,22		12,00	(3,40 - 14,50)	3,86	A	3,110	(550 - 4,490)	1,555	14,60
16 + 16 + 16 + 20 + 50	1,36	1,36	1,36	1,68	4,24	10,00	(2,90 - 11,50)	3,06	B	3,265	(610 - 4,165)	1,633	15,10	1,63	1,63	1,63	2,03		12,00	(3,40 - 14,50)	3,80	A	3,160	(650 - 4,430)	1,580	14,80
16 + 16 + 16 + 20 + 71	1,16	1,16	1,16	1,45	5,07	10,00	(2,90 - 11,50)	3,05	B	3,275	(620 - 4,085)	1,638	15,10	1,39	1,39	1,39	1,74		12,00	(3,40 - 14,50)	3,81	A	3,150	(650 - 4,420)	1,575	14,80
16 + 16 + 16 + 25 + 25	1,60	1,60	1,60	2,00	2,50	9,80	(2,90 - 11,50)	3,12	B	3,140	(510 - 4,210)	1,578	14,50	1,96	1,96	1,96	2,06		12,00	(3,40 - 14,50)	3,88	A	3,090	(520 - 4,460)	1,545	14,50
16 + 16 + 16 + 25 + 35	1,52	1,52	1,52	2,38	3,06	10,00	(2,90 - 11,50)	3,12	B	3,210	(520 - 4,210)	1,605	14,80	1,83	1,83	1,83	2,85		12,00	(3,40 - 14,50)	3,86	A	3,110	(530 - 4,490)	1,555	14,60
16 + 16 + 16 + 25 + 42	1,42	1,42	1,42	2,20	3,54	10,00	(2,90 - 11,50)	3,12	B	3,210	(550 - 4,210)	1,605	14,80	1,70	1,70	1,70	2,65		12,00	(3,40 - 14,50)	3,86	A	3,110	(550 - 4,490)	1,555	14,60
16 + 16 + 16 + 25 + 50	1,30	1,30	1,30	2,03	4,07	10,00	(2,90 - 11,50)	3,06	B	3,265	(610 - 4,165)	1,633	15,10	1,56	1,56	1,56	2,44		12,00	(3,40 - 14,50)	3,80	A	3,160	(650 - 4,430)	1,580	14,80
16 + 16 + 16 + 25 + 71	1,12	1,12	1,12	1,74	4,90	10,00	(2,90 - 11,50)	3,05	B	3,275	(620 - 4,085)	1,638	15,10	1,34	1,34	1,34	2,10		12,00	(3,40 - 14,50)	3,81	A	3,150	(650 - 4,420)	1,575	14,80
16 + 16 + 16 + 35 + 35	1,43	1,43	1,43	2,85	2,85	9,99	(2,90 - 11,50)	3,17	B	3,150	(550 - 4,130)	1,578	14,50	1,71	1,71	1,71	3,43		12,00	(3,40 - 14,50)	3,88	A	3,090	(560 - 4,450)	1,545	14,50
16 + 16 + 16 + 35 + 42	1,33	1,33	1,33	2,67	3,34	10,00	(2,90 - 11,50)	3,17	B	3,150	(550 - 4,130)	1,578	14,50	1,60	1,60	1,60	3,20		12,00	(3,40 - 14,50)	3,88	A	3,090	(560 - 4,440)	1,545	14,50
16 + 16 + 16 + 35 + 50	1,23	1,23	1,23	2,46	3,85	10,00	(2,90 - 11,50)	3,06	B	3,265	(610 - 4,085)	1,633	15,10	1,48	1,48	1,48	2,94		12,00	(3,40 - 14,50)	3,82	A	3,140	(660 - 4,470)	1,570	14,80
16 + 16 + 16 + 35 + 71	1,07	1,07	1,07	2,12	4,67	10,00	(2,90 - 11,50)	3,12	B	3,205	(650 - 4,085)	1,603	14,80	1,28	1,28	1,28	2,56		12,00	(3,40 - 14,50)	3,77	A	3,180	(680 - 4,450)	1,590	14,90
16 + 16 + 16 + 42 + 42	1,25	1,25	1,25	3,12	3,12	9,99	(2,90 - 11,50)	3,17	B	3,150	(550 - 4,130)	1,578	14,50	1,50	1,50	1,50	3,75		12,00	(3,40 - 14,50)	3,90	A	3,080	(580 - 4,430)	1,540	14,50
16 + 16 + 16 + 42 + 50	1,16	1,16	1,16	2,90	3,62	10,00	(2,90 - 11,50)	3,05	B	3,275	(620 - 4,085)	1,638	15,10	1,39	1,39	1,39	3,48		12,00	(3,40 - 14,50)	3,83	A	3,130	(680 - 4,430)	1,565	14,70
16 + 16 + 16 + 42 + 71	1,01	1,01	1,01	2,53	4,44	10,00	(2,90 - 11,50)	3,12	B	3,205	(650 - 4,095)	1,603	14,80	1,22	1,22	1,22	3,02		12,00	(3,40 - 14,50)	3,79	A	3,170	(690 - 4,440)	1,585	14,90
16 + 16 + 16 + 50 + 50	1,08	1,08	1,08	3,38	3,38	10,00	(2,90 - 11,50)	3,00	B	3,330	(710 - 4,130)	1,665	15,40	1,30	1,30	1,30	4,05		12,00	(3,40 - 14,50)	3,69	A	3,250	(790 - 4,500)	1,625	15,30
16 + 16 + 16 + 50 + 71	0,95	0,95	0,95	2,98	4,17	10,00	(2,90 - 11,50)	2,99	C	3,340	(750 - 4,140)	1,670	15,40	1,14	1,14	1,14	3,57		12,00	(3,40 - 14,50)	3,69	A	3,250	(810 - 4,490)	1,625	15,30
16 + 16 + 20 + 20 + 20	1,60	1,60	2,00	2,00	2,00	9,20	(2,90 - 11,50)	3,26	A	2,820	(510 - 4,210)	1,410	13,00	2,09	2,09	2,61	2,60		11,99	(3,40 - 14,50)	3,89	A	3,080	(520 - 4,400)	1,540	14,50
16 + 16 + 20 + 20 + 25	1,60	1,60	2,00	2,00	2,50	9,70	(2,90 - 11,50)	3,16	B	3,070	(510 - 4,210)	1,535	14,20	1,98	1,98	2,47	2,47		12,00	(3,40 - 14,50)	3,90	A	3,080	(520 - 4,400)	1,540	14,50
16 + 16 + 20 + 20 + 35	1,54	1,54	1,92	1,92	3,08	10,00	(2,90 - 11,50)	3,12	B	3,210	(550 - 4,210)	1,605	14,80	1,85	1,85	2,31	3,68		12,00	(3,40 - 14,50)	3,92	A	3,060	(550 - 4,430)	1,530	14,40
16 + 16 + 20 + 20 + 42	1,43	1,43	1,79	1,79	3,56	10,00	(2,90 - 11,50)	3,11	B	3,220	(550 - 4,130)	1,610	14,80	1,71	1,71	2,14	4,10		12,00	(3,40 - 14,50)	3,93	A	3,050	(550 - 4,410)	1,525	14,30
16 + 16 + 20 + 20 + 50	1,31	1,31	1,64	1,64	4,10	10,00	(2,90 - 11,50)	3,06	B	3,265	(610 - 4,085)	1,633	15,10	1,57	1,57	1,97	3,97									

FREE MULTI 5X1 COMBINATIONS TABLE

Free Multi 5x1 CU-5E34PBE. Minimum capacity connected: 4.5kW. Maximum capacity connected: 17.5kW • R410 GAS

Table with columns: Indoor unit capacity, Cooling capacity (kW) Rooms, EER, Input power rating, A.E.C., Current, Heating capacity (kW) Rooms, COP, Input power rating, A.E.C., Current. Rows include various room configurations like 16+20+20+35+71, 20+20+20+20+20, etc.

Free Multi 5x1 CU-5E34PBE. Minimum capacity connected: 4,5kW. Maximum capacity connected: 17,5kW • R410 GAS

Indoor unit capacity	Cooling capacity (kW)						EER	Input power rating		A.E.C.	Current		Heating capacity (kW)						COP	Input power rating		A.E.C.	Current	
	Rooms							W/W	W		kWh	230V	Rooms							W/W	W		kWh	230V
	A	B	C	D	E	Total (Min - Max)							A	B	C	D	E	Total (Min - Max)						
20 + 25 + 25 + 25 + 25	1,68	2,08	2,08	2,08	2,08	10,00 (2,90 - 11,50)	3,12	B	3,210 (550 - 4.210)	1,605	14,80	2,00	2,50	2,50	2,50	12,00 (3,40 - 14,50)	4,05	A	2,960 (530 - 4.340)	1,480	13,90			
20 + 25 + 25 + 25 + 35	1,57	1,97	1,97	1,97	2,52	10,00 (2,90 - 11,50)	3,17	B	3,150 (550 - 4.130)	1,575	14,50	1,89	2,36	2,36	3,03	12,00 (3,40 - 14,50)	4,08	A	2,940 (560 - 4.300)	1,470	13,80			
20 + 25 + 25 + 25 + 42	1,48	1,85	1,85	1,85	2,97	10,00 (2,90 - 11,50)	3,17	B	3,150 (550 - 4.130)	1,575	14,50	1,78	2,22	2,22	3,56	12,00 (3,40 - 14,50)	4,10	A	2,930 (560 - 4.290)	1,465	13,80			
20 + 25 + 25 + 25 + 50	1,38	1,72	1,72	1,72	3,46	10,00 (2,90 - 11,50)	3,06	B	3,265 (610 - 4.085)	1,633	15,10	1,65	2,07	2,07	4,14	12,00 (3,40 - 14,50)	4,01	A	2,990 (670 - 4.310)	1,495	14,10			
20 + 25 + 25 + 25 + 71	1,20	1,52	1,52	1,52	4,24	10,00 (2,90 - 11,50)	3,12	B	3,205 (650 - 4.095)	1,603	14,80	1,45	1,82	1,82	5,09	12,00 (3,40 - 14,50)	3,96	A	3,030 (680 - 4.300)	1,515	14,20			
20 + 25 + 25 + 35 + 35	1,48	1,87	1,87	2,39	2,39	10,00 (2,90 - 11,50)	3,17	B	3,150 (560 - 4.130)	1,575	14,50	1,78	2,24	2,24	2,87	12,00 (3,40 - 14,50)	4,04	A	2,970 (580 - 4.270)	1,485	14,00			
20 + 25 + 25 + 35 + 42	1,41	1,76	1,76	2,25	2,82	10,00 (2,90 - 11,50)	3,17	B	3,150 (560 - 4.130)	1,575	14,50	1,69	2,11	2,11	2,70	12,00 (3,40 - 14,50)	4,05	A	2,960 (590 - 4.260)	1,480	13,90			
20 + 25 + 25 + 35 + 50	1,32	1,64	1,64	2,11	3,29	10,00 (2,90 - 11,50)	3,12	B	3,205 (650 - 4.085)	1,603	14,80	1,58	1,97	1,97	2,53	12,00 (3,40 - 14,50)	3,97	A	3,020 (690 - 4.280)	1,510	14,20			
20 + 25 + 25 + 35 + 71	1,16	1,45	1,45	1,86	2,68	10,00 (2,90 - 11,50)	3,11	B	3,215 (660 - 4.095)	1,608	14,80	1,40	1,74	1,74	2,23	12,00 (3,40 - 14,50)	3,99	A	3,010 (710 - 4.270)	1,505	14,10			
20 + 25 + 25 + 42 + 42	1,32	1,67	1,67	2,67	2,67	10,00 (2,90 - 11,50)	3,17	B	3,150 (560 - 4.130)	1,575	14,50	1,60	2,00	2,00	3,20	12,00 (3,40 - 14,50)	4,05	A	2,960 (600 - 4.240)	1,480	13,90			
20 + 25 + 25 + 42 + 50	1,25	1,56	1,56	2,50	3,13	10,00 (2,90 - 11,50)	3,12	B	3,205 (650 - 4.095)	1,603	14,80	1,49	1,88	1,88	3,00	12,00 (3,40 - 14,50)	3,97	A	3,020 (700 - 4.270)	1,510	14,20			
20 + 25 + 25 + 50 + 50	1,18	1,47	1,47	2,94	2,94	10,00 (2,90 - 11,50)	2,99	C	3,340 (750 - 4.140)	1,670	15,40	1,42	1,76	1,76	3,53	12,00 (3,40 - 14,50)	3,82	A	3,140 (830 - 4.380)	1,570	14,80			
20 + 25 + 35 + 35 + 35	1,42	1,77	2,27	2,27	2,27	10,00 (2,90 - 11,50)	3,17	B	3,150 (560 - 4.050)	1,575	14,50	1,70	2,14	2,72	2,72	12,00 (3,40 - 14,50)	4,07	A	2,950 (600 - 4.300)	1,475	13,90			
20 + 25 + 35 + 35 + 42	1,34	1,68	2,15	2,15	2,68	10,00 (2,90 - 11,50)	3,17	B	3,150 (570 - 4.050)	1,575	14,50	1,61	2,01	2,58	2,58	12,00 (3,40 - 14,50)	4,07	A	2,950 (620 - 4.290)	1,475	13,90			
20 + 25 + 35 + 35 + 50	1,26	1,57	2,01	2,01	3,15	10,00 (2,90 - 11,50)	3,12	B	3,205 (660 - 4.095)	1,603	14,80	1,50	1,89	2,42	2,42	12,00 (3,40 - 14,50)	3,92	A	3,060 (720 - 4.320)	1,530	14,40			
20 + 25 + 35 + 42 + 42	1,27	1,59	2,04	2,55	2,55	10,00 (2,90 - 11,50)	3,17	B	3,150 (600 - 4.050)	1,575	14,50	1,52	1,91	2,45	3,06	12,00 (3,40 - 14,50)	4,08	A	2,940 (620 - 4.280)	1,470	13,80			
20 + 25 + 35 + 42 + 50	1,19	1,50	1,92	2,40	2,99	10,00 (2,90 - 11,50)	3,11	B	3,215 (660 - 4.095)	1,608	14,80	1,44	1,80	2,30	2,87	12,00 (3,40 - 14,50)	3,93	A	3,050 (730 - 4.310)	1,525	14,30			
20 + 25 + 42 + 42 + 42	1,21	1,53	2,42	2,42	2,42	10,00 (2,90 - 11,50)	3,17	B	3,150 (600 - 4.050)	1,575	14,50	1,45	1,82	2,91	2,91	12,00 (3,40 - 14,50)	4,03	A	2,980 (630 - 4.260)	1,490	14,00			
20 + 25 + 42 + 42 + 50	1,13	1,43	2,29	2,29	2,86	10,00 (2,90 - 11,50)	3,11	B	3,215 (670 - 4.095)	1,608	14,80	1,37	1,71	2,74	2,74	12,00 (3,40 - 14,50)	3,93	A	3,050 (650 - 4.300)	1,525	14,30			
20 + 35 + 35 + 35 + 35	1,36	2,16	2,16	2,16	2,16	10,00 (2,90 - 11,50)	3,16	B	3,160 (600 - 4.050)	1,580	14,60	1,64	2,59	2,59	2,59	12,00 (3,40 - 14,50)	4,03	A	2,980 (630 - 4.260)	1,490	14,00			
20 + 35 + 35 + 35 + 42	1,28	2,05	2,05	2,05	2,57	10,00 (2,90 - 11,50)	3,12	B	3,160 (600 - 4.050)	1,580	14,60	1,54	2,46	2,46	3,08	12,00 (3,40 - 14,50)	4,03	A	2,980 (630 - 4.260)	1,490	14,00			
20 + 35 + 35 + 35 + 50	1,20	1,93	1,93	1,93	3,01	10,00 (2,90 - 11,50)	3,11	B	3,215 (670 - 4.095)	1,608	14,80	1,45	2,31	2,31	3,62	12,00 (3,40 - 14,50)	3,95	A	3,040 (750 - 4.290)	1,520	14,30			
20 + 35 + 35 + 42 + 42	1,22	1,95	1,95	2,44	2,44	10,00 (2,90 - 11,50)	3,16	B	3,160 (600 - 4.060)	1,580	14,60	1,46	2,34	2,34	2,93	12,00 (3,40 - 14,50)	4,04	A	2,970 (650 - 4.240)	1,485	14,00			
20 + 35 + 35 + 42 + 50	1,15	1,84	1,84	2,30	2,87	10,00 (2,90 - 11,50)	3,11	B	3,215 (670 - 4.095)	1,608	14,80	1,37	2,21	2,21	2,76	12,00 (3,40 - 14,50)	3,95	A	3,040 (760 - 4.280)	1,520	14,30			
20 + 35 + 42 + 42 + 42	1,15	1,86	2,33	2,33	2,33	10,00 (2,90 - 11,50)	3,16	B	3,160 (600 - 4.060)	1,580	14,60	1,40	2,23	2,79	2,79	12,00 (3,40 - 14,50)	4,05	A	2,960 (660 - 4.230)	1,480	13,90			
25 + 25 + 25 + 25 + 25	2,00	2,00	2,00	2,00	2,00	10,00 (2,90 - 11,50)	3,12	B	3,210 (550 - 4.210)	1,605	14,80	2,40	2,40	2,40	2,40	12,00 (3,40 - 14,50)	4,05	A	2,960 (530 - 4.340)	1,480	13,90			
25 + 25 + 25 + 25 + 35	1,89	1,89	1,89	1,89	2,44	10,00 (2,90 - 11,50)	3,17	B	3,150 (550 - 4.130)	1,575	14,50	2,27	2,27	2,27	2,27	12,00 (3,40 - 14,50)	4,08	A	2,940 (560 - 4.300)	1,470	13,80			
25 + 25 + 25 + 25 + 42	1,79	1,79	1,79	1,79	2,84	10,00 (2,90 - 11,50)	3,17	B	3,150 (550 - 4.130)	1,575	14,50	2,14	2,14	2,14	3,44	12,00 (3,40 - 14,50)	4,10	A	2,930 (560 - 4.290)	1,465	13,80			
25 + 25 + 25 + 25 + 50	1,67	1,67	1,67	1,67	3,32	10,00 (2,90 - 11,50)	3,06	B	3,265 (610 - 4.085)	1,633	15,10	2,00	2,00	2,00	4,00	12,00 (3,40 - 14,50)	4,01	A	2,990 (670 - 4.310)	1,495	14,10			
25 + 25 + 25 + 25 + 71	1,47	1,47	1,47	1,47	4,12	10,00 (2,90 - 11,50)	3,12	B	3,205 (650 - 4.095)	1,603	14,80	1,76	1,76	1,76	4,96	12,00 (3,40 - 14,50)	3,96	A	3,030 (680 - 4.300)	1,515	14,20			
25 + 25 + 25 + 35 + 35	1,80	1,80	1,80	2,30	2,30	10,00 (2,90 - 11,50)	3,17	B	3,150 (560 - 4.130)	1,575	14,50	2,16	2,16	2,76	2,76	12,00 (3,40 - 14,50)	4,04	A	2,970 (580 - 4.270)	1,485	14,00			
25 + 25 + 25 + 35 + 42	1,70	1,70	1,70	2,18	2,72	10,00 (2,90 - 11,50)	3,17	B	3,150 (560 - 4.130)	1,575	14,50	2,04	2,04	2,61	3,27	12,00 (3,40 - 14,50)	4,05	A	2,960 (590 - 4.260)	1,480	13,90			
25 + 25 + 25 + 35 + 50	1,59	1,59	1,59	2,04	3,19	10,00 (2,90 - 11,50)	3,12	B	3,205 (650 - 4.085)	1,603	14,80	1,91	1,91	2,45	3,82	12,00 (3,40 - 14,50)	3,97	A	3,020 (690 - 4.280)	1,510	14,20			
25 + 25 + 25 + 42 + 42	1,62	1,62	1,62	2,57	2,57	10,00 (2,90 - 11,50)	3,17	B	3,150 (560 - 4.130)	1,575	14,50	1,94	1,94	1,94	3,09	12,00 (3,40 - 14,50)	4,05	A	2,960 (600 - 4.240)	1,480	13,90			
25 + 25 + 25 + 42 + 50	1,52	1,52	1,52	2,41	3,03	10,00 (2,90 - 11,50)	3,12	B	3,205 (650 - 4.095)	1,603	14,80	1,82	1,82	1,82	2,90	12,00 (3,40 - 14,50)	3,97	A	3,020 (700 - 4.270)	1,510	14,20			
25 + 25 + 35 + 50 + 50	1,42	1,42	1,42	2,87	2,87	10,00 (2,90 - 11,50)	2,99	C	3,340 (750 - 4.140)	1,670	15,40	1,72	1,72	3,42	3,42	12,00 (3,40 - 14,50)	3,82	A	3,140 (830 - 4.380)	1,570	14,80			
25 + 25 + 35 + 35 + 35	1,70	1,70	2,20	2,20	2,20	10,00 (2,90 - 11,50)	3,17	B	3,150 (560 - 4.050)	1,575	14,50	2,04	2,04	2,64	2,64	12,00 (3,40 - 14,50)	4,07	A	2,950 (600 - 4.300)	1,475	13,90			
25 + 25 + 35 + 35 + 42	1,62	1,62	2,08	2,08	2,60	10,00 (2,90 - 11,50)	3,17	B	3,150 (570 - 4.050)	1,575	14,50	1,95	1,95	2,49	3,12	12,00 (3,40 - 14,50)	4,07	A	2,950 (620 - 4.290)	1,475	13,90			
25 + 25 + 35 + 35 + 50	1,52	1,52	1,95	1,95	3,06	10,00 (2,90 - 11,50)	3,12	B	3,205 (660 - 4.095)	1,603	14,80	1,83	1,83	2,34	3,66	12,00 (3,40 - 14,50)	3,92	A	3,060 (720 - 4.320)	1,530	14,40			
25 + 25 + 35 + 42 + 42	1,54	1,54	1,98	2,47	2,47	10,00 (2,90 - 11,50)	3,17	B	3,150 (600 - 4.050)	1,575	14,50	1,85	1,85	2,38	2,96	12,00 (3,40 - 14,50)	4,08	A	2,940 (620 - 4.280)	1,470	13,80			
25 + 25 + 35 + 42 + 50	1,45	1,45	1,86	2,33	2,91	10,00 (2,90 - 11,50)	3,11	B	3,215 (660 - 4.095)	1,608	14,80	1,74	1,74	2,23	2,79	12,00 (3,40 - 14,50)	3,93	A	3,050 (730 - 4.310)	1,525	14,30			
25 + 25 + 42 + 42 + 42	1,46	1,46	2,36	2,36	2,36	10,00 (2,90 - 11,50)	3,17																	

# FREE MULTI R32 COMBINATIONS TABLE



Free Multi R32 2x1 CU-2Z35TBE. Minimum capacity connected: 3,2kW. Maximum capacity connected: 5,7kW • R32 GAS

Indoor unit capacity	Cooling capacity (kW) Rooms			EER	SEER	Input power rating	A.E.C.	Current	Heating capacity (kW) Rooms			COP	SCOP	Input power rating	A.E.C.	Current
	A	B	Total (Min - Max)						W/W	W/W	W					
<b>1 Room</b>																
16	1,60		1,60 (1,1 - 2,3)	<b>3,90 A</b>	—	410 (220 - 600)	205	1,95	2,60		2,60 (0,7 - 3,8)	<b>3,77 A</b>	—	690 (170 - 1.110)	345	3,20
20	2,00		2,00 (1,1 - 2,9)	<b>3,85 A</b>	—	520 (220 - 770)	260	2,45	3,20		3,20 (0,7 - 4,8)	<b>3,76 A</b>	—	850 (170 - 1.410)	425	3,95
25	2,50		2,50 (1,1 - 3,5)	<b>3,73 A</b>	—	670 (220 - 1.000)	335	3,15	3,60		3,60 (0,7 - 5,5)	<b>3,50 B</b>	—	1.030 (170 - 1.700)	515	4,75
35	3,50		3,50 (1,1 - 4,0)	<b>3,47 A</b>	—	1010 (220 - 1.220)	505	4,70	4,20		4,20 (0,7 - 5,6)	<b>3,44 B</b>	—	1.220 (170 - 1.680)	610	5,65
<b>2 Rooms</b>																
16 + 16	1,60	1,60	3,20 (1,5 - 4,0)	<b>4,92 A</b>	8,50	650 (250 - 1.000)	325	3,05	2,10	2,10	4,20 (1,1 - 5,6)	<b>4,88 A</b>	<b>4,60</b>	860 (210 - 1.340)	430	4,00
16 + 20	1,55	1,95	3,50 (1,5 - 4,5)	<b>4,86 A</b>	8,50	720 (250 - 1.100)	360	3,35	1,85	2,35	4,20 (1,1 - 5,6)	<b>4,88 A</b>	<b>4,60</b>	860 (210 - 1.340)	430	4,00
16 + 25	1,35	2,15	3,50 (1,5 - 4,5)	<b>4,86 A</b>	8,50	720 (250 - 1.100)	360	3,35	1,65	2,55	4,20 (1,1 - 5,6)	<b>4,88 A</b>	<b>4,60</b>	860 (210 - 1.340)	430	4,00
16 + 35	1,10	2,40	3,50 (1,5 - 4,5)	<b>4,86 A</b>	8,50	720 (250 - 1.100)	360	3,35	1,30	2,90	4,20 (1,1 - 5,6)	<b>4,88 A</b>	<b>4,60</b>	860 (210 - 1.340)	430	4,00
20 + 20	1,75	1,75	3,50 (1,5 - 4,5)	<b>4,86 A</b>	8,50	720 (250 - 1.100)	360	3,35	2,10	2,10	4,20 (1,1 - 5,6)	<b>4,88 A</b>	<b>4,60</b>	860 (210 - 1.340)	430	4,00
20 + 25	1,55	1,95	3,50 (1,5 - 4,5)	<b>4,86 A</b>	8,50	720 (250 - 1.100)	360	3,35	1,85	2,35	4,20 (1,1 - 5,6)	<b>4,88 A</b>	<b>4,60</b>	860 (210 - 1.340)	430	4,00
20 + 35	1,25	2,25	3,50 (1,5 - 4,5)	<b>5,07 A</b>	8,50	690 (250 - 1.050)	345	3,25	1,55	2,65	4,20 (1,1 - 5,6)	<b>5,00 A</b>	<b>4,60</b>	840 (210 - 1.290)	420	3,90
25 + 25	1,75	1,75	3,50 (1,5 - 4,5)	<b>5,07 A</b>	8,50	690 (250 - 1.050)	345	3,25	2,10	2,10	4,20 (1,1 - 5,6)	<b>5,00 A</b>	<b>4,60</b>	840 (210 - 1.290)	420	3,90
25 + 35	1,45	2,05	3,50 (1,5 - 4,5)	<b>5,07 A</b>	8,50	690 (250 - 1.050)	345	3,25	1,75	2,45	4,20 (1,1 - 5,6)	<b>5,00 A</b>	<b>4,60</b>	840 (210 - 1.290)	420	3,90

Free Multi R32 2x1 CU-2Z41TBE. Minimum capacity connected: 3,2kW. Maximum capacity connected: 6,0kW • R32 GAS

Indoor unit capacity	Cooling capacity (kW) Rooms			EER	SEER	Input power rating	A.E.C.	Current	Heating capacity (kW) Rooms			COP	SCOP	Input power rating	A.E.C.	Current
	A	B	Total (Min - Max)						W/W	W/W	W					
<b>1 Room</b>																
16	1,60		1,60 (1,1 - 2,3)	<b>3,90 A</b>	—	410 (220 - 600)	205	1,95	2,60		2,60 (0,7 - 3,8)	<b>3,77 A</b>	—	690 (170 - 1.110)	345	3,20
20	2,00		2,00 (1,1 - 2,9)	<b>3,85 A</b>	—	520 (220 - 770)	260	2,45	3,20		3,20 (0,7 - 4,8)	<b>3,76 A</b>	—	850 (170 - 1.410)	425	3,95
25	2,50		2,50 (1,1 - 3,5)	<b>3,73 A</b>	—	670 (220 - 1.000)	335	3,15	3,60		3,60 (0,7 - 5,5)	<b>3,50 B</b>	—	1.030 (170 - 1.700)	515	4,75
35	3,50		3,50 (1,1 - 4,0)	<b>3,47 A</b>	—	1.010 (220 - 1.220)	505	4,70	4,60		4,50 (0,7 - 6,2)	<b>3,60 B</b>	—	1.250 (170 - 1.810)	625	5,80
<b>2 Rooms</b>																
16 + 16	1,60	1,60	3,20 (1,5 - 4,0)	<b>4,71 A</b>	8,50	680 (250 - 990)	340	3,15	2,20	2,20	4,40 (1,1 - 7,0)	<b>4,68 A</b>	<b>4,60</b>	940 (210 - 1.810)	470	4,35
16 + 20	1,60	2,00	3,60 (1,5 - 4,5)	<b>4,62 A</b>	8,50	780 (250 - 1.150)	390	3,60	2,05	2,55	4,60 (1,1 - 7,0)	<b>4,79 A</b>	<b>4,60</b>	960 (210 - 1.790)	480	4,45
16 + 25	1,60	2,50	4,10 (1,5 - 5,2)	<b>4,56 A</b>	8,50	900 (250 - 1.370)	450	4,15	1,80	2,80	4,60 (1,1 - 7,0)	<b>4,79 A</b>	<b>4,60</b>	960 (210 - 1.790)	480	4,45
16 + 35	1,30	2,80	4,10 (1,5 - 5,2)	<b>4,56 A</b>	8,50	900 (250 - 1.370)	450	4,15	1,45	3,15	4,60 (1,1 - 7,0)	<b>4,79 A</b>	<b>4,60</b>	960 (210 - 1.790)	480	4,45
20 + 20	2,00	2,00	4,00 (1,5 - 5,0)	<b>4,49 A</b>	8,50	890 (250 - 1.310)	445	4,10	2,30	2,30	4,60 (1,1 - 7,0)	<b>4,84 A</b>	<b>4,60</b>	950 (210 - 1.770)	475	4,40
20 + 25	1,80	2,30	4,10 (1,5 - 5,2)	<b>4,56 A</b>	8,50	900 (250 - 1.370)	450	4,15	2,05	2,55	4,60 (1,1 - 7,0)	<b>4,84 A</b>	<b>4,60</b>	950 (210 - 1.770)	475	4,40
20 + 35	1,50	2,60	4,10 (1,5 - 5,2)	<b>4,56 A</b>	8,50	900 (250 - 1.370)	450	4,15	1,65	2,95	4,60 (1,1 - 7,0)	<b>4,84 A</b>	<b>4,60</b>	950 (210 - 1.770)	475	4,40
25 + 25	2,05	2,05	4,10 (1,5 - 5,2)	<b>4,56 A</b>	8,50	900 (250 - 1.370)	450	4,15	2,30	2,30	4,60 (1,1 - 7,0)	<b>4,84 A</b>	<b>4,60</b>	950 (210 - 1.770)	475	4,40
25 + 35	1,70	2,40	4,10 (1,5 - 5,2)	<b>4,56 A</b>	8,50	900 (250 - 1.370)	450	4,15	1,90	2,70	4,60 (1,1 - 7,0)	<b>4,84 A</b>	<b>4,60</b>	950 (210 - 1.770)	475	4,40

Free Multi R32 2x1 CU-2Z50TBE. Minimum capacity connected: 3,2kW. Maximum capacity connected: 7,7kW • R32 GAS

Indoor unit capacity	Cooling capacity (kW) Rooms			EER	SEER	Input power rating	A.E.C.	Current	Heating capacity (kW) Rooms			COP	SCOP	Input power rating	A.E.C.	Current
	A	B	Total (Min - Max)						W/W	W/W	W					
<b>1 Room</b>																
16	2,60		2,60 (1,1 - 2,3)	<b>3,90 A</b>	—	410 (220-600)	205	1,95	2,60		2,60 (0,7 - 3,8)	<b>3,77 A</b>	—	690 (170 - 1.110)	345	3,20
20	3,20		3,20 (1,1 - 2,9)	<b>3,85 A</b>	—	520 (220-770)	260	2,45	3,20		3,20 (0,7 - 4,8)	<b>3,76 A</b>	—	850 (170 - 1.410)	425	3,95
25	3,60		3,60 (1,1 - 3,5)	<b>3,73 A</b>	—	670 (220-1.000)	335	3,15	3,60		3,60 (0,7 - 5,5)	<b>3,50 B</b>	—	1.030 (170 - 1.700)	515	4,75
35	4,50		4,50 (1,1 - 4,0)	<b>3,47 A</b>	—	1.010 (220-1.220)	505	4,70	4,50		4,50 (0,7 - 6,2)	<b>3,60 B</b>	—	1.250 (170 - 1.810)	625	5,80
42	5,00		5,00 (1,1 - 4,5)	<b>3,09 B</b>	—	1.360 (220-1.500)	680	6,35	5,00		5,00 (1,1 - 6,4)	<b>3,23 C</b>	—	1.550 (210 - 2.180)	775	7,15
50	5,30		5,30 (1,2 - 5,1)	<b>2,96 C</b>	—	1.690 (230-1.790)	845	7,80	5,30		5,30 (1,1 - 6,8)	<b>3,23 C</b>	—	1.640 (210 - 2.290)	820	7,60
<b>2 Rooms</b>																
16 + 16	2,60	2,60	3,20 (1,5 - 4,0)	<b>4,71 A</b>	8,50	680 (250-990)	340	3,15	2,60	2,60	5,20 (1,1 - 7,0)	<b>4,60 A</b>	<b>4,60</b>	1.130 (210 - 1.810)	565	5,10
16 + 20	2,40	3,00	3,60 (1,5 - 4,5)	<b>4,62 A</b>	8,50	780 (250-1.150)	390	3,60	2,40	3,00	5,40 (1,1 - 7,0)	<b>4,58 A</b>	<b>4,60</b>	1.180 (210 - 1.790)	590	5,35
16 + 25	2,10	3,30	4,10 (1,5 - 5,2)	<b>4,56 A</b>	8,50	900 (250-1.370)	450	4,15	2,10	3,30	5,40 (1,1 - 7,0)	<b>4,58 A</b>	<b>4,60</b>	1.180 (210 - 1.790)	590	5,35
16 + 35	1,70	3,70	5,00 (1,5 - 5,2)	<b>4,24 A</b>	8,50	1.180 (250-1.370)	590	5,35	1,70	3,70	5,40 (1,1 - 7,0)	<b>4,58 A</b>	<b>4,60</b>	1.180 (210 - 1.790)	590	5,35
16 + 42	1,55	4,05	5,00 (1,5 - 5,4)	<b>4,24 A</b>	8,50	1.180 (250-1.490)	590	5,35	1,55	4,05	5,60 (1,1 - 7,2)	<b>4,63 A</b>	<b>4,60</b>	1.210 (210 - 1.800)	605	5,50
16 + 50	1,35	4,25	5,00 (1,5 - 5,4)	<b>4,24 A</b>	8,50	1.180 (250-1.490)	590	5,35	1,35	4,25	5,60 (1,1 - 7,2)	<b>4,63 A</b>	<b>4,60</b>	1.210 (210 - 1.800)	605	5,50
20 + 20	2,70	2,70	4,00 (1,5 - 5,0)	<b>4,49 A</b>	8,50	890 (250-1.310)	445	4,10	2,70	2,70	5,40 (1,1 - 7,0)	<b>4,62 A</b>	<b>4,60</b>	1.170 (210 - 1.770)	585	5,30
20 + 25	2,40	3,00	4,50 (1,5 - 5,2)	<b>4,37 A</b>	8,50	1.030 (250-1.370)	515	4,65	2,40	3,00	5,40 (1,1 - 7,0)	<b>4,62 A</b>	<b>4,60</b>	1.170 (210 - 1.770)	585	5,30
20 + 35	2,05	3,55	5,00 (1,5 - 5,4)	<b>4,24 A</b>	8,50	1.180 (250-1.490)	590	5,35	2,05	3,55	5,60 (1,1 - 7,2)	<b>4,63 A</b>	<b>4,60</b>	1.210 (210 - 1.800)	605	5,50
20 + 42	1,80	3,80	5,00 (1,5 - 5,4)	<b>4,24 A</b>	8,50	1.180 (250-1.490)	590	5,35	1,80	3,80	5,60 (1,1 - 7,2)	<b>4,63 A</b>	<b>4,60</b>	1.210 (210 - 1.800)	605	5,50
20 + 50	1,60	4,00	5,00 (1,5 - 5,4)	<b>4,24 A</b>	8,50	1.180 (250-1.490)	590	5,35	1,60	4,00	5,60 (1,1 - 7,2)	<b>4,63 A</b>	<b>4,60</b>	1.210 (210 - 1.800)	605	5,50
25 + 25	2,80	2,80	5,00 (1,5 - 5,4)	<b>4,24 A</b>	8,50	1.180 (250-1.490)	590	5,35	2,80	2,80	5,60 (1,1 - 7,2)	<b>4,63 A</b>	<b>4,60</b>	1.210 (210 - 1.800)	605	5,50
25 + 35	2,35	3,25	5,00 (1,5 - 5,4)	<b>4,24 A</b>	8,50	1.180 (250-1.490)	590	5,35	2,35	3,25	5,60 (1,1 - 7,2)	<b>4,63 A</b>	<b>4,60</b>	1.210 (210 - 1.800)	605	5,50
25 + 42	2,10	3,50	5,00 (1,5 - 5,4)	<b>4,24 A</b>	8,50	1.180 (250-1.490)	590	5,35	2,10	3,50	5,60 (1,1 - 7,2)	<b>4,63 A</b>	<b>4,60</b>	1.210 (210 - 1.800)	605	5,50
25 + 50	1,85	3,75	5,00 (1,5 - 5,4)	<b>4,24 A</b>	8,50	1.180 (250-1.490)	590	5,35	1,85	3,75	5,60 (1,1 - 7,2)	<b>4,63 A</b>	<b>4,60</b>	1.210 (210 - 1.800)	605	5,50
35 + 35	2,80	2,80	5,00 (1,5 - 5,4)	<b>4,24 A</b>	8,50	1.180 (250-1.490)	590	5,35	2,80	2,80	5,60 (1,1 - 7,2)	<b>4,63 A</b>	<b>4,60</b>	1.210 (210 - 1.800)	605	5,50
35 + 42	2,55	3,05	5,00 (1,5 - 5,4)	<b>4,24 A</b>	8,50	1.180 (250-1.490)	590	5,35	2,55	3,05	5,60 (1,1 -					

FREE MULTI R32 COMBINATIONS TABLE



Free Multi R32 3x1 CU-3Z52TBE. Minimum capacity connected: 4,5kW. Maximum capacity connected: 9,5kW • R32 GAS

Table for Free Multi R32 3x1 CU-3Z52TBE. Columns include Indoor unit capacity, Cooling capacity (kW) Rooms (A, B, C, Total), EER, SEER, Input power rating, A.E.C., Current, Heating capacity (kW) Rooms (A, B, C, Total), COP, SCOP, Input power rating, A.E.C., Current. Rows list various room configurations from 3 Rooms to 25+35+35.

Free Multi R32 3x1 CU-3Z68TBE. Minimum capacity connected: 4,5kW. Maximum capacity connected: 11,2kW • R32 GAS

Table for Free Multi R32 3x1 CU-3Z68TBE. Columns include Indoor unit capacity, Cooling capacity (kW) Rooms (A, B, C, Total), EER, SEER, Input power rating, A.E.C., Current, Heating capacity (kW) Rooms (A, B, C, Total), COP, SCOP, Input power rating, A.E.C., Current. Rows list various room configurations from 1 Room to 16+16+20.

FREE MULTI R32 COMBINATIONS TABLE



Free Multi R32 3x1 CU-3Z68TBE. Minimum capacity connected: 4.5kW. Maximum capacity connected: 11,2kW • R32 GAS

Table with columns: Indoor unit capacity, Cooling capacity (kW), EER, SEER, Input power rating, A.E.C., Current, Heating capacity (kW), COP, SCOP, Input power rating, A.E.C., Current. Rows include combinations like 16+35+50, 16+35+60, etc.

Free Multi R32 4x1 CU-4Z68TBE. Minimum capacity connected: 4.5kW. Maximum capacity connected: 11,5kW • R32 GAS

Table with columns: Indoor unit capacity, Cooling capacity (kW), EER, SEER, Input power rating, A.E.C., Current, Heating capacity (kW), COP, SCOP, Input power rating, A.E.C., Current. Rows include combinations like 16+16, 16+16+20, etc.



# MULTI TZ / RE COMBINATIONS TABLE

Multi TZ / RE 2x1 CU-2RE15SBE. Minimum capacity connected: 4,0kW. Maximum capacity connected: 5,7kW • R410 GAS

Indoor unit capacity	Cooling capacity (kW)			EER	Input power rating		A.E.C.	Current	Heating capacity (kW)			COP	Input power rating		A.E.C.	Current
	A	B	Total (Min - Max)		W/W	W			kWh	230V	A		B	Total (Min - Max)		
<b>1 Room</b>																
20	2,00		2,00 (1,10 - 2,50)	3,64 A	550 (230 - 690)	275	2,60	3,20		3,20 (0,70 - 4,30)	3,40 B	940 (190 - 1.350)	470	4,15		
25	2,50		2,50 (1,10 - 3,10)	3,52 A	710 (230 - 950)	355	3,35	3,60		3,60 (0,70 - 5,00)	3,21 C	1.120 (190 - 1.660)	560	4,95		
35	3,20		3,20 (1,10 - 3,70)	3,27 A	980 (230 - 1.210)	490	4,60	4,50		4,50 (0,70 - 5,70)	3,24 C	1.390 (190 - 1.780)	695	6,15		
<b>2 Rooms</b>																
20 + 20	2,00	2,00	4,00 (1,50 - 4,60)	3,42 A	1.170 (270 - 1.340)	585	5,45	2,40	2,40	4,80 (1,10 - 6,30)	4,00 A	1.200 (240 - 1.610)	600	5,35		
20 + 25	1,95	2,45	4,40 (1,50 - 4,80)	3,38 A	1.300 (270 - 1.520)	650	6,10	2,15	2,65	4,80 (1,10 - 6,50)	4,00 A	1.200 (240 - 1.670)	600	5,35		
20 + 35	1,70	2,70	4,40 (1,50 - 4,80)	3,38 A	1.300 (270 - 1.520)	650	6,10	1,85	2,95	4,80 (1,10 - 6,50)	4,00 A	1.200 (240 - 1.670)	600	5,35		
25 + 25	2,20	2,20	4,40 (1,50 - 4,80)	3,38 A	1.300 (270 - 1.520)	650	6,10	2,40	2,40	4,80 (1,10 - 6,50)	4,00 A	1.200 (240 - 1.670)	600	5,35		
25 + 35	1,95	2,45	4,40 (1,50 - 4,80)	3,38 A	1.300 (270 - 1.520)	650	6,10	2,15	2,65	4,80 (1,10 - 6,50)	4,00 A	1.200 (240 - 1.670)	600	5,35		

Multi TZ / RE 2x1 CU-2RE18SBE. Minimum capacity connected: 4,0kW. Maximum capacity connected: 7,5kW • R410 GAS

Indoor unit capacity	Cooling capacity (kW)			EER	Input power rating		A.E.C.	Current	Heating capacity (kW)			COP	Input power rating		A.E.C.	Current
	A	B	Total (Min - Max)		W/W	W			kWh	230V	A		B	Total (Min - Max)		
<b>1 Room</b>																
20	2,00		2,00 (1,10 - 2,50)	3,64 A	550 (230 - 690)	275	2,60	3,20		3,20 (0,70 - 4,30)	3,40 B	940 (190 - 1.350)	470	4,15		
25	2,50		2,50 (1,10 - 3,10)	3,52 A	710 (230 - 950)	355	3,35	3,60		3,60 (0,70 - 5,00)	3,21 C	1.120 (190 - 1.660)	560	4,95		
12	3,20		3,20 (1,10 - 3,70)	3,27 A	980 (230 - 1.210)	490	4,60	4,50		4,50 (0,70 - 5,70)	3,24 C	1.390 (190 - 1.780)	695	6,15		
42	4,00		4,00 (1,10 - 4,20)	3,10 B	1.290 (230 - 1.420)	645	6,05	5,00		5,00 (1,10 - 6,40)	3,03 D	1.650 (240 - 2.180)	825	7,30		
50	5,00		5,00 (1,20 - 5,10)	2,94 C	1.700 (240 - 1.820)	850	7,95	5,30		5,30 (1,10 - 6,80)	3,01 D	1.760 (240 - 2.290)	880	7,80		
<b>2 Rooms</b>																
20 + 20	2,00	2,00	4,00 (1,50 - 4,60)	3,45 A	1.160 (270 - 1.340)	580	5,45	2,60	2,60	5,20 (1,10 - 6,30)	4,00 A	1.300 (240 - 1.610)	650	5,80		
20 + 25	2,00	2,50	4,50 (1,50 - 4,90)	3,44 A	1.310 (270 - 1.510)	655	6,10	2,30	2,90	5,20 (1,10 - 6,30)	4,00 A	1.300 (240 - 1.610)	650	5,80		
20 + 12	1,85	2,95	4,80 (1,50 - 4,90)	3,22 A	1.490 (270 - 1.580)	745	6,95	2,00	3,20	5,20 (1,10 - 6,70)	4,00 A	1.300 (240 - 1.700)	650	5,75		
20 + 42	1,60	3,20	4,80 (1,50 - 5,00)	3,22 A	1.490 (270 - 1.580)	745	6,95	1,75	3,45	5,20 (1,10 - 6,70)	4,00 A	1.300 (240 - 1.700)	650	5,75		
20 + 50	1,35	3,45	4,80 (1,50 - 5,00)	3,22 A	1.490 (270 - 1.580)	745	6,95	1,50	3,70	5,20 (1,10 - 6,70)	4,00 A	1.300 (240 - 1.700)	650	5,75		
25 + 25	2,40	2,40	4,80 (1,50 - 5,00)	3,22 A	1.490 (270 - 1.580)	745	6,95	2,60	2,60	5,20 (1,10 - 6,70)	4,00 A	1.300 (240 - 1.700)	650	5,75		
25 + 12	2,10	2,70	4,80 (1,50 - 5,00)	3,22 A	1.490 (270 - 1.580)	745	6,95	2,30	2,90	5,20 (1,10 - 6,70)	4,00 A	1.300 (240 - 1.700)	650	5,75		
25 + 42	1,85	2,95	4,80 (1,50 - 5,00)	3,22 A	1.490 (270 - 1.580)	745	6,95	2,00	3,20	5,20 (1,10 - 6,70)	4,00 A	1.300 (240 - 1.700)	650	5,75		
25 + 50	1,60	3,20	4,80 (1,50 - 5,00)	3,22 A	1.490 (270 - 1.580)	745	6,95	1,75	3,45	5,20 (1,10 - 6,70)	4,00 A	1.300 (240 - 1.700)	650	5,75		
12 + 12	2,40	2,40	4,80 (1,50 - 5,00)	3,22 A	1.490 (270 - 1.580)	745	6,95	2,60	2,60	5,20 (1,10 - 6,70)	4,00 A	1.300 (240 - 1.700)	650	5,75		
12 + 42	2,15	2,65	4,80 (1,50 - 5,00)	3,22 A	1.490 (270 - 1.580)	745	6,95	2,30	2,90	5,20 (1,10 - 6,70)	4,00 A	1.300 (240 - 1.700)	650	5,75		

Free Multi 3x1 CU-3RE18SBE. Minimum capacity connected: 4,5kW. Maximum capacity connected: 9,0kW • R410 GAS

Indoor unit capacity	Cooling capacity (kW)			EER	Input power rating		A.E.C.	Current	Heating capacity (kW)			COP	Input power rating		A.E.C.	Current
	A	B	C		Total (Min - Max)	W/W			W	kWh	230V		A	B		
<b>1 Room</b>																
16	1,60		1,60 (1,30 - 2,30)	3,40 A	470 (250 - 710)	235	2,30	2,60		2,60 (1,20 - 3,20)	3,88 A	670 (300 - 1.030)	335	3,40		
20	2,00		2,00 (1,80 - 2,90)	3,51 A	570 (340 - 880)	285	2,80	3,20		3,20 (1,20 - 4,10)	3,95 A	810 (300 - 1.300)	405	4,00		
25	2,50		2,50 (1,80 - 2,90)	3,57 A	700 (340 - 880)	350	3,30	3,60		3,60 (1,20 - 4,30)	3,56 B	1.010 (300 - 1.300)	505	4,80		
35	3,20		3,20 (1,80 - 3,80)	3,68 A	870 (340 - 1.430)	435	4,00	4,50		4,50 (1,20 - 5,80)	3,46 B	1.300 (300 - 1.710)	650	6,20		
42	4,00		4,00 (1,80 - 4,30)	3,05 B	1.310 (340 - 2.060)	655	5,90	5,60		5,60 (1,20 - 8,00)	3,13 D	1.790 (300 - 3.000)	895	7,90		
50	5,00		5,00 (1,90 - 5,70)	2,89 C	1.730 (340 - 2.310)	865	7,60	6,80		6,80 (1,20 - 6,90)	2,98 D	2.280 (300 - 2.700)	1140	10,00		
<b>2 Rooms</b>																
16 + 16	1,60	1,60	3,20 (1,80 - 6,20)	4,05 A	790 (330 - 2.230)	395	3,60	2,60	2,60	5,20 (1,40 - 7,00)	3,77 A	1.380 (340 - 2.070)	690	6,40		
16 + 20	1,60	2,00	3,60 (1,80 - 6,20)	3,83 A	940 (330 - 2.190)	470	4,20	2,49	3,11	5,60 (1,40 - 7,00)	3,73 A	1.500 (330 - 2.040)	750	6,90		
16 + 25	1,60	2,50	4,10 (1,80 - 6,20)	3,73 A	1.100 (330 - 2.190)	550	4,90	2,42	3,78	6,20 (1,40 - 7,00)	3,69 A	1.680 (330 - 2.040)	840	7,80		
16 + 35	1,60	3,20	4,80 (1,80 - 6,30)	3,36 A	1.430 (330 - 2.200)	715	6,30	2,13	4,27	6,40 (1,40 - 7,00)	3,76 A	1.700 (310 - 2.130)	850	7,80		
16 + 42	1,49	3,71	5,20 (1,90 - 6,40)	3,21 A	1.620 (350 - 2.240)	810	7,10	1,94	4,86	6,80 (1,40 - 7,30)	3,74 A	1.820 (310 - 2.120)	910	8,30		
16 + 50	1,26	3,94	5,20 (1,90 - 6,80)	3,40 A	1.530 (340 - 2.290)	765	6,70	1,65	5,15	6,80 (1,40 - 8,00)	3,80 A	1.790 (240 - 2.340)	895	8,20		
20 + 20	2,00	2,00	4,00 (1,80 - 6,20)	3,74 A	1.070 (330 - 2.150)	535	4,70	2,90	2,90	5,80 (1,40 - 7,00)	3,82 A	1.520 (320 - 2.030)	760	7,00		
20 + 25	2,00	2,50	4,50 (1,80 - 6,20)	3,52 A	1.280 (330 - 2.150)	640	5,60	2,84	3,56	6,40 (1,40 - 7,00)	3,68 A	1.740 (320 - 2.030)	870	8,00		
20 + 35	2,00	3,20	5,20 (1,80 - 6,30)	3,21 A	1.620 (330 - 2.160)	810	7,10	2,62	4,18	6,80 (1,40 - 7,30)	3,74 A	1.820 (310 - 2.120)	910	8,30		
20 + 42	1,73	3,47	5,20 (1,90 - 6,40)	3,29 A	1.580 (350 - 2.200)	790	6,90	2,27	4,53	6,80 (1,40 - 7,30)	3,74 A	1.820 (280 - 2.080)	910	8,30		
20 + 50	1,49	3,71	5,20 (1,90 - 6,80)	3,40 A	1.530 (340 - 2.290)	765	6,70	1,94	4,86	6,80 (1,40 - 8,00)	3,82 A	1.780 (240 - 2.330)	890	8,10		
25 + 25	2,50	2,50	5,00 (1,80 - 6,20)	3,25 A	1.540 (330 - 2.150)	770	6,80	3,40	3,40	6,80 (1,40 - 7,00)	3,64 A	1.870 (320 - 2.030)	935	8,50		
25 + 35	2,28	2,92	5,20 (1,90 - 6,30)	3,21 A	1.620 (350 - 2.160)	810	7,10	2,98	3,82	6,80 (1,40 - 7,30)	3,74 A	1.820 (310 - 2.120)	910	8,30		
25 + 42	2,00	3,20	5,20 (1,90 - 6,40)	3,29 A	1.580 (350 - 2.200)	790	6,90	2,62	4,18	6,80 (1,40 - 7,30)	3,74 A	1.820 (280 - 2.080)	910	8,30		
25 + 50	1,73	3,47	5,20 (1,90 - 6,80)	3,40 A	1.530 (340 - 2.290)	765	6,70	2,27	4,53	6,80 (1,40 - 8,00)	3,82 A	1.780 (240 - 2.330)	890	8,10		
35 + 35	2,60	2,60	5,20 (1,90 - 6,40)	3,38 A	1.540 (350 - 2.160)	770	6,80	3,40	3,40	6,80 (1,40 - 7,50)	3,76 A	1.810 (270 - 2.140)	905	8,30		
35 + 42	2,31	2,89	5,20 (1,90 - 6,50)	3,38 A	1.540 (350 - 2.210)	770	6,80	3,02	3,78	6,80 (1,40 - 7,50)	3,78 A	1.800 (260 - 2.140)	900	8,20		
35 + 50	2,03	3,17	5,20 (1,90 - 6,90)	3,49 A	1.490 (360 - 2.290)	745	6,50	2,65	4,15	6,80 (1,40 - 8,00)	3,86 A	1.760 (240 - 2.270)	880	8,00		
42 + 42	2,60	2,60	5,20 (1,90 - 6,50)	3,38 A	1.540 (350 - 2.210)	770	6,80	3,40	3,40	6,80 (1,40 - 7,60)	3,86 A	1.760 (260 - 2.170)	880	8,00		
42 + 50	2,31	2,89	5,20 (1,90 - 6,90)	3,49 A	1.490 (360 - 2.290)	745	6,50	3,02	3,78	6,80 (1,40 - 8,00)	3,89 A	1.750 (240 - 2.270)	875	8,00		
<b>3 Rooms</b>																
16 + 16 + 16	1,60	1,60	1,60	4,80 (1,80 - 7,20)	3,81 A	1.260 (360 - 2.340)	630	5,50	2,26	2,26	2,26	6,78 (1,50 - 8,10)	4,06 A	1.670 (290 - 2.250)	835	7,70
16 + 16 + 20	1,60	1,60	2,00	5,20 (1,80 - 7,30)	3,69 A	1.410 (360 - 2.390)	705	6,20	2,09	2,09	2,62	6,80 (1,60 - 8,30)	4,10 A	1.660 (320 - 2.320)	830	7,70
16 + 16 + 25	1,46	1,46	2,28	5,20 (1,90 - 7,20)	3,69 A	1.410 (390 - 2.300)	705	6,20	1,91	1,91	2,98	6,80 (1,60 - 8,30)	4,10 A	1.660 (320 - 2.320)	830	7,70
16 + 16 + 35	1,30	1,30	2,60	5,20 (1,90 - 7,20)	3,69 A	1.410 (390 - 2.250)	705	6,20	1,70	1,70	3,40	6,80 (1,60 - 8,30)	4,15 A	1.640 (310 - 2.250)	820	7,60
16 + 16 + 42	1,16	1,16	2,88	5,20 (1,80 - 7,30)	3,69 A	1.410 (390 - 2.300)	705	6,20	1,51	1,51	3,78	6,80 (1,60 - 8,30)	4,17 A	1.630 (310 - 2.250)	815	7,50
16 + 16 + 50	1,01	1,01	3,18	5,20 (1,80 - 7,30)	3,61 A	1.440 (420 - 2.230)	720	6,30	1,33	1,33	4,14	6,80 (1,60 - 8,30)	4,15 A	1.640 (360 - 2.220)	820	7,60
16 + 20 + 20	1,48	1,86	1,86	5,20 (1,90 - 7,20)	3,69 A	1.410 (390 - 2.300)	705	6,20	1,94	2,43	2,43	6,80 (1,60 - 8,30)	4,12 A	1.650 (310 - 2.270)	825	7,60
16 + 20 + 25	1,36	1,70	2,14	5,20 (1,90 - 7,20)	3,69 A	1.410 (390 - 2.300)	705	6,20	1,78	2,23	2,79	6,80 (1,60 - 8,30)	4,12 A	1.650 (310 - 2.270)	825	7,60
16 + 20 + 35	1,22	1,53	2,45	5,20 (1,90 - 7,20)	3,69 A	1.410 (390 - 2.210)	705	6,20	1,60	2,00	3,20	6,80 (1,60 - 8,30)	4,17 A	1.630 (		

# FREE MULTI 2X1 COMBINATIONS TABLE

Free Multi 2x1 CU-2E12SBE. Minimum capacity connected: 3,2kW. Maximum capacity connected: 5,7kW • R410 GAS

Indoor unit capacity	Cooling capacity (kW)			EER	Input power rating		A.E.C.	Current	Heating capacity (kW)			COP	Input power rating		A.E.C.	Current			
	Rooms				W/W	W			kWh	Rooms			W/W	W			kWh	230V	
	A	B	Total (Min - Max)							A	B								Total (Min - Max)
<b>1 Room</b>																			
16	1,60		1,60 (1,10 - 2,30)	3,90 A	410 (220 - 600)	205	1,95	2,60	2,60 (0,70 - 3,80)	3,77 A	690 (170 - 1.110)	345	3,05						
20	2,00		2,00 (1,10 - 2,90)	3,85 A	520 (220 - 750)	260	2,45	3,20	3,20 (0,70 - 4,80)	3,76 A	850 (170 - 1.410)	425	3,75						
25	2,50		2,50 (1,10 - 3,50)	3,73 A	670 (220 - 1.000)	335	3,15	3,60	3,60 (0,70 - 5,50)	3,50 B	1.030 (170 - 1.700)	515	4,55						
35	3,20		3,20 (1,10 - 4,00)	3,48 A	920 (220 - 1.220)	460	4,30	4,40	4,40 (0,70 - 5,60)	3,61 A	1.220 (170 - 1.680)	610	5,40						
<b>2 Rooms</b>																			
16 + 16	1,60	1,60	3,20 (1,50 - 4,00)	4,27 A	750 (250 - 1.000)	375	3,50	2,20	2,20	4,40 (1,10 - 5,60)	4,63 A	950 (210 - 1.270)	475	4,20					
16 + 20	1,60	2,00	3,60 (1,50 - 4,50)	4,50 A	800 (250 - 1.100)	400	3,75	1,95	2,45	4,40 (1,10 - 5,60)	4,63 A	950 (210 - 1.270)	475	4,20					
16 + 25	1,40	2,20	3,60 (1,50 - 4,50)	4,50 A	800 (250 - 1.100)	400	3,75	1,70	2,70	4,40 (1,10 - 5,60)	4,63 A	950 (210 - 1.270)	475	4,20					
16 + 35	1,20	2,40	3,60 (1,50 - 4,50)	4,50 A	800 (250 - 1.100)	400	3,75	1,45	2,95	4,40 (1,10 - 5,60)	4,63 A	950 (210 - 1.270)	475	4,20					
20 + 20	1,80	1,80	3,60 (1,50 - 4,50)	4,50 A	800 (250 - 1.100)	400	3,75	2,20	2,20	4,40 (1,10 - 5,60)	4,63 A	950 (210 - 1.270)	475	4,20					
20 + 25	1,60	2,00	3,60 (1,50 - 4,50)	4,50 A	800 (250 - 1.100)	400	3,75	1,95	2,45	4,40 (1,10 - 5,60)	4,63 A	950 (210 - 1.270)	475	4,20					
20 + 35	1,40	2,20	3,60 (1,50 - 4,50)	4,68 A	770 (250 - 1.050)	385	3,60	1,70	2,70	4,40 (1,10 - 5,60)	4,78 A	920 (210 - 1.220)	460	4,10					
25 + 25	1,80	1,80	3,60 (1,50 - 4,50)	4,68 A	770 (250 - 1.050)	385	3,60	2,20	2,20	4,40 (1,10 - 5,60)	4,78 A	920 (210 - 1.220)	460	4,10					
25 + 35	1,60	2,00	3,60 (1,50 - 4,50)	4,68 A	770 (250 - 1.050)	385	3,60	1,95	2,45	4,40 (1,10 - 5,60)	4,78 A	920 (210 - 1.220)	460	4,10					

1) Showing SEER and Pdesign (kWh) / SCOP and Pdesign at -10°C (kWh): Using EN 14825. Other: A.E.C. using internal procedure (only for reference).  
 \* EER, COP, SEER, SCOP, Input Power, Annual consumption is show following the ErP directive only on the 100% capacity combination as requested by the ErP directive.  
 \* Data for not simultaneous operation.

Free Multi 2x1 CU-2E15SBE. Minimum capacity connected: 3,2kW. Maximum capacity connected: 5,7kW • R410 GAS

Indoor unit capacity	Cooling capacity (kW)			EER	Input power rating		A.E.C.	Current	Heating capacity (kW)			COP	Input power rating		A.E.C.	Current			
	Rooms				W/W	W			kWh	Rooms			W/W	W			kWh	230V	
	A	B	Total (Min - Max)							A	B								Total (Min - Max)
<b>1 Room</b>																			
16	1,60		1,60 (1,10 - 2,30)	3,90 A	410 (220 - 600)	205	1,95	2,60	2,60 (0,70 - 3,80)	3,77 A	690 (170 - 1.110)	345	3,05						
20	2,00		2,00 (1,10 - 2,90)	3,85 A	520 (220 - 750)	260	2,45	3,20	3,20 (0,70 - 4,80)	3,76 A	850 (170 - 1.410)	425	3,75						
25	2,50		2,50 (1,10 - 3,50)	3,73 A	670 (220 - 1.000)	335	3,15	3,60	3,60 (0,70 - 5,50)	3,50 B	1.030 (170 - 1.700)	515	4,55						
35	3,20		3,20 (1,10 - 4,00)	3,48 A	920 (220 - 1.220)	460	4,30	4,50	4,50 (0,70 - 6,20)	3,60 B	1.250 (170 - 1.810)	625	5,55						
<b>2 Rooms</b>																			
16 + 16	1,60	1,60	3,20 (1,50 - 4,00)	3,76 A	850 (250 - 1.100)	425	4,00	2,60	2,60	5,20 (1,10 - 7,00)	4,60 A	1.130 (210 - 1.710)	565	5,00					
16 + 20	1,60	2,00	3,60 (1,50 - 4,50)	3,71 A	970 (250 - 1.280)	485	4,55	2,40	3,00	5,40 (1,10 - 7,00)	4,58 A	1.180 (210 - 1.690)	590	5,25					
16 + 25	1,60	2,50	4,10 (1,50 - 5,10)	3,63 A	1.130 (250 - 1.480)	565	5,30	2,11	3,29	5,40 (1,10 - 7,00)	4,58 A	1.180 (210 - 1.690)	590	5,25					
16 + 35	1,50	3,00	4,50 (1,50 - 5,20)	3,66 A	1.230 (250 - 1.520)	615	5,75	1,80	3,60	5,40 (1,10 - 7,00)	4,58 A	1.180 (210 - 1.690)	590	5,25					
20 + 20	2,00	2,00	4,00 (1,50 - 5,00)	3,67 A	1.090 (250 - 1.460)	545	5,10	2,70	2,70	5,40 (1,10 - 7,00)	4,62 A	1.170 (210 - 1.670)	585	5,20					
20 + 25	2,00	2,50	4,50 (1,50 - 5,20)	3,66 A	1.230 (250 - 1.520)	615	5,75	2,40	3,00	5,40 (1,10 - 7,00)	4,62 A	1.170 (210 - 1.670)	585	5,20					
20 + 35	1,75	2,75	4,50 (1,50 - 5,20)	3,66 A	1.230 (250 - 1.520)	615	5,75	2,10	3,30	5,40 (1,10 - 7,00)	4,62 A	1.170 (210 - 1.670)	585	5,20					
25 + 25	2,25	2,25	4,50 (1,50 - 5,20)	3,66 A	1.230 (250 - 1.520)	615	5,75	2,70	2,70	5,40 (1,10 - 7,00)	4,62 A	1.170 (210 - 1.670)	585	5,20					
25 + 35	2,00	2,50	4,50 (1,50 - 5,20)	3,66 A	1.230 (250 - 1.520)	615	5,75	2,40	3,00	5,40 (1,10 - 7,00)	4,62 A	1.170 (210 - 1.670)	585	5,20					

1) Showing SEER and Pdesign (kWh) / SCOP and Pdesign at -10°C (kWh): Using EN 14825. Other: A.E.C. using internal procedure (only for reference).  
 \* EER, COP, SEER, SCOP, Input Power, Annual consumption is show following the ErP directive only on the 100% capacity combination as requested by the ErP directive.  
 \* Data for not simultaneous operation.

Free Multi 2x1 CU-2E18SBE. Minimum capacity connected: 3,2kW. Maximum capacity connected: 7,5kW • R410 GAS

Indoor unit capacity	Cooling capacity (kW)			EER	Input power rating		A.E.C.	Current	Heating capacity (kW)			COP	Input power rating		A.E.C.	Current			
	Rooms				W/W	W			kWh	Rooms			W/W	W			kWh	230V	
	A	B	Total (Min - Max)							A	B								Total (Min - Max)
<b>1 Room</b>																			
16	1,60		1,60 (1,10 - 2,30)	3,90 A	410 (220 - 600)	205	1,95	2,60	2,60 (0,70 - 3,80)	3,77 A	690 (170 - 1.110)	345	3,05						
20	2,00		2,00 (1,10 - 2,90)	3,85 A	520 (220 - 750)	260	2,45	3,20	3,20 (0,70 - 4,80)	3,76 A	850 (170 - 1.410)	425	3,75						
25	2,50		2,50 (1,10 - 3,50)	3,73 A	670 (220 - 1.000)	335	3,15	3,60	3,60 (0,70 - 5,50)	3,50 B	1.030 (170 - 1.700)	515	4,55						
35	3,20		3,20 (1,10 - 4,00)	3,48 A	920 (220 - 1.220)	460	4,30	4,50	4,50 (0,70 - 6,20)	3,60 B	1.250 (170 - 1.810)	625	5,55						
42	4,00		4,00 (1,10 - 4,20)	3,13 B	1.280 (220 - 1.390)	640	6,00	5,00	5,00 (1,10 - 6,40)	3,23 C	1.550 (210 - 2.180)	775	6,90						
50	5,00		5,00 (1,20 - 5,10)	2,96 C	1.690 (230 - 1.790)	845	7,80	5,30	5,30 (1,10 - 6,80)	3,23 C	1.640 (210 - 2.290)	820	7,30						
<b>2 Rooms</b>																			
16 + 16	1,60	1,60	3,20 (1,50 - 4,00)	3,76 A	850 (250 - 1.100)	425	4,00	2,60	2,60	5,20 (1,10 - 7,00)	4,60 A	1.130 (210 - 1.710)	565	5,00					
16 + 20	1,60	2,00	3,60 (1,50 - 4,50)	3,71 A	970 (250 - 1.280)	485	4,55	2,40	3,00	5,40 (1,10 - 7,00)	4,58 A	1.180 (210 - 1.690)	590	5,25					
16 + 25	1,60	2,50	4,10 (1,50 - 5,10)	3,63 A	1.130 (250 - 1.480)	565	5,30	2,11	3,29	5,40 (1,10 - 7,00)	4,58 A	1.180 (210 - 1.690)	590	5,25					
16 + 35	1,50	3,00	4,50 (1,50 - 5,20)	3,66 A	1.230 (250 - 1.520)	615	5,75	1,80	3,60	5,40 (1,10 - 7,00)	4,58 A	1.180 (210 - 1.690)	590	5,25					
16 + 42	1,50	3,70	5,20 (1,50 - 5,40)	3,42 A	1.520 (250 - 1.580)	760	7,10	1,60	4,00	5,60 (1,10 - 7,20)	4,63 A	1.210 (210 - 1.700)	605	5,35					
16 + 50	1,25	3,95	5,20 (1,50 - 5,40)	3,42 A	1.520 (250 - 1.580)	760	7,10	1,35	4,25	5,60 (1,10 - 7,20)	4,63 A	1.210 (210 - 1.700)	605	5,35					
20 + 20	2,00	2,00	4,00 (1,50 - 5,00)	3,67 A	1.090 (250 - 1.460)	545	5,10	2,70	2,70	5,40 (1,10 - 7,00)	4,62 A	1.170 (210 - 1.670)	585	5,20					
20 + 25	2,00	2,50	4,50 (1,50 - 5,20)	3,66 A	1.230 (250 - 1.520)	615	5,75	2,40	3,00	5,40 (1,10 - 7,00)	4,62 A	1.170 (210 - 1.670)	585	5,20					
20 + 35	2,00	3,20	5,20 (1,50 - 5,40)	3,42 A	1.520 (250 - 1.580)	760	7,10	2,15	3,45	5,60 (1,10 - 7,20)	4,63 A	1.210 (210 - 1.700)	605	5,35					
20 + 42	1,75	3,45	5,20 (1,50 - 5,40)	3,42 A	1.520 (250 - 1.580)	760	7,10	1,85	3,75	5,60 (1,10 - 7,20)	4,63 A	1.210 (210 - 1.700)	605	5,35					
20 + 50	1,50	3,70	5,20 (1,50 - 5,40)	3,42 A	1.520 (250 - 1.580)	760	7,10	1,60	4,00	5,60 (1,10 - 7,20)	4,63 A	1.210 (210 - 1.700)	605	5,35					
25 + 25	2,50	2,50	5,00 (1,50 - 5,20)	3,47 A	1.440 (250 - 1.520)	720	6,70	2,80	2,80	5,60 (1,10 - 7,20)	4,63 A	1.210 (210 - 1.700)	605	5,35					
25 + 35	2,30	2,90	5,20 (1,50 - 5,40)	3,42 A	1.520 (250 - 1.580)	760	7,10	2,45	3,15	5,60 (1,10 - 7,20)	4,63 A	1.210 (210 - 1.700)	605	5,35					
25 + 42	2,00	3,20	5,20 (1,50 - 5,40)	3,42 A	1.520 (250 - 1.580)	760	7,10	2,15	3,45	5,60 (1,10 - 7,20)	4,63 A	1.210 (210 - 1.700)	605	5,35					
25 + 50	1,75	3,45	5,20 (1,50 - 5,40)	3,42 A	1.520 (250 - 1.580)	760	7,10	1,85	3,75	5,60 (1,10 - 7,20)	4,63 A	1.210 (210 - 1.700)	605	5,35					
35 + 35	2,60	2,60	5,20 (1,50 - 5,40)	3,42 A	1.520 (250 - 1.580)	760	7,10	2,80	2,80	5,60 (1,10 - 7,20)	4,63 A	1.210 (210 - 1.700)	605	5,35					
35 + 42	2,30	2,90	5,20 (1,50 - 5,40)	3,42 A	1.520 (250 - 1.580)	760	7,10	2,50	3,10	5,60 (1,10 - 7,20)	4,63 A	1.210 (210 - 1.700)	605	5,35					

1) Showing SEER and Pdesign (kWh) / SCOP and Pdesign at -10°C (kWh): Using EN 14825. Other: A.E.C. using internal procedure (only for reference).  
 \* EER, COP, SEER, SCOP, Input Power, Annual consumption is show following the ErP directive only on the 100% capacity combination as requested by the ErP directive.  
 \* Data for not simultaneous operation.

# FREE MULTI 3X1 COMBINATIONS TABLE

Free Multi 3x1 CU-3E18PBE. Minimum capacity connected: 4,5kW. Maximum capacity connected: 9,0kW • R410 GAS

Indoor unit capacity	Cooling capacity (kW)				EER	Input power rating		A.E.C.	Current	Heating capacity (kW)				COP	Input power rating		A.E.C.	Current
	Rooms					W/W	W			kWh	230V	Rooms				W/W		
	A	B	C	Total (Min - Max)						A	B	C	Total (Min - Max)					
<b>1 Room</b>																		
16	1,60			1,60 (1,30 - 2,30)	3,40 A	470 (250 - 710)	235	2,30	2,60				2,60 (1,20 - 3,20)	3,88 A	670 (300 - 1030)	335	3,20	
20	2,00			2,00 (1,80 - 2,90)	3,51 A	570 (340 - 880)	285	2,80	3,20				3,20 (1,20 - 4,10)	3,95 A	810 (300 - 1300)	405	4,00	
25	2,50			2,50 (1,80 - 2,90)	3,57 A	700 (340 - 880)	350	3,30	3,60				3,60 (1,20 - 4,30)	3,56 B	1.010 (300 - 1300)	505	4,80	
35	3,20			3,20 (1,80 - 3,80)	3,68 A	870 (340 - 1.430)	435	4,00	4,50				4,50 (1,20 - 5,80)	3,46 B	1.300 (300 - 2170)	650	6,20	
42	4,00			4,00 (1,80 - 4,30)	3,05 B	1.310 (340 - 2.060)	655	5,90	5,60				5,60 (1,20 - 6,80)	3,13 D	1.790 (300 - 3000)	895	7,90	
50	5,00			5,00 (1,90 - 5,70)	2,90 C	1.725 (340 - 2.305)	863	7,60	6,80				6,80 (1,20 - 6,90)	2,99 D	2.275 (300 - 2695)	1.138	10,00	
<b>2 Rooms</b>																		
16 + 16	1,60	1,60		3,20 (1,80 - 6,20)	4,05 A	790 (330 - 2.230)	395	3,60	2,60	2,60			5,20 (1,40 - 7,00)	3,77 A	1.380 (340 - 2070)	690	6,40	
16 + 20	1,60	2,00		3,60 (1,80 - 6,20)	3,83 A	940 (330 - 2.190)	470	4,20	2,49	3,11			5,60 (1,40 - 7,00)	3,73 A	1.500 (330 - 2040)	750	6,90	
16 + 25	1,60	2,50		4,10 (1,80 - 6,20)	3,73 A	1.100 (330 - 2.190)	550	4,90	2,42	3,78			6,20 (1,40 - 7,00)	3,69 A	1.680 (330 - 2040)	840	7,80	
16 + 35	1,60	3,20		4,80 (1,80 - 6,30)	3,36 A	1.430 (330 - 2.200)	715	6,30	2,13	4,27			6,40 (1,40 - 7,30)	3,76 A	1.700 (310 - 2130)	850	7,80	
16 + 42	1,49	3,71		5,20 (1,90 - 6,40)	3,21 A	1.620 (350 - 2.240)	810	7,10	1,94	4,86			6,80 (1,40 - 7,30)	3,74 A	1.820 (310 - 2120)	910	8,30	
16 + 50	1,26	3,94		5,20 (1,90 - 6,80)	3,41 A	1.525 (340 - 2.285)	763	6,70	1,65	5,15			6,80 (1,40 - 8,00)	3,81 A	1.785 (240 - 2335)	893	8,20	
20 + 20	2,00	2,00		4,00 (1,80 - 6,20)	3,74 A	1.070 (330 - 2.150)	535	4,70	2,90	2,90			5,80 (1,40 - 7,00)	3,82 A	1.520 (320 - 2030)	760	7,00	
20 + 25	2,00	2,50		4,50 (1,80 - 6,20)	3,52 A	1.280 (330 - 2.150)	640	5,60	2,84	3,56			6,40 (1,40 - 7,00)	3,68 A	1.740 (320 - 2030)	870	8,00	
20 + 35	2,00	3,20		5,20 (1,80 - 6,30)	3,21 A	1.620 (330 - 2.160)	810	7,10	2,62	4,18			6,80 (1,40 - 7,30)	3,74 A	1.820 (310 - 2120)	910	8,30	
20 + 42	1,73	3,47		5,20 (1,90 - 6,40)	3,29 A	1.580 (350 - 2.200)	790	6,90	2,27	4,53			6,80 (1,40 - 7,30)	3,74 A	1.820 (280 - 2080)	910	8,30	
20 + 50	1,49	3,71		5,20 (1,90 - 6,80)	3,41 A	1.525 (340 - 2.285)	763	6,70	1,94	4,86			6,80 (1,40 - 8,00)	3,83 A	1.775 (240 - 2325)	888	8,10	
25 + 25	2,50	2,50		5,00 (1,80 - 6,20)	3,25 A	1.540 (330 - 2.150)	770	6,80	3,40	3,40			6,80 (1,40 - 7,00)	3,64 A	1.800 (320 - 2030)	935	8,50	
25 + 35	2,28	2,92		5,20 (1,90 - 6,30)	3,21 A	1.620 (350 - 2.160)	810	7,10	2,98	3,82			6,80 (1,40 - 7,30)	3,74 A	1.820 (310 - 2120)	910	8,30	
25 + 42	2,00	3,20		5,20 (1,90 - 6,40)	3,29 A	1.580 (350 - 2.200)	790	6,90	2,62	4,18			6,80 (1,40 - 7,30)	3,74 A	1.820 (280 - 2080)	910	8,30	
25 + 50	1,73	3,47		5,20 (1,90 - 6,80)	3,41 A	1.525 (340 - 2.285)	763	6,70	2,27	4,53			6,80 (1,40 - 8,00)	3,83 A	1.775 (240 - 2325)	888	8,10	
35 + 35	2,60	2,60		5,20 (1,90 - 6,40)	3,38 A	1.540 (350 - 2.160)	770	6,80	3,40	3,40			6,80 (1,40 - 7,50)	3,76 A	1.810 (270 - 2140)	905	8,30	
35 + 42	2,31	2,89		5,20 (1,90 - 6,50)	3,38 A	1.540 (350 - 2.210)	770	6,80	3,02	3,78			6,80 (1,40 - 7,50)	3,78 A	1.800 (260 - 2140)	900	8,20	
35 + 50	2,03	3,17		5,20 (1,90 - 6,90)	3,50 A	1.485 (360 - 2.285)	743	6,50	2,65	4,15			6,80 (1,40 - 8,00)	3,87 A	1.755 (240 - 2265)	878	8,00	
42 + 42	2,60	2,60		5,20 (1,90 - 6,50)	3,38 A	1.540 (350 - 2.210)	770	6,80	3,40	3,40			6,80 (1,40 - 7,60)	3,86 A	1.760 (260 - 2170)	880	8,00	
42 + 50	2,31	2,89		5,20 (1,90 - 6,90)	3,50 A	1.485 (360 - 2.285)	743	6,50	3,02	3,78			6,80 (1,40 - 8,00)	3,90 A	1.745 (240 - 2265)	873	8,10	
<b>3 Rooms</b>																		
16 + 16 + 16	1,60	1,60	1,60	4,80 (1,80 - 7,20)	3,81 A	1.260 (360 - 2.340)	630	5,50	2,26	2,26	2,26		6,78 (1,50 - 8,10)	4,06 A	1.670 (290 - 2250)	835	7,70	
16 + 16 + 20	1,60	1,60	2,00	5,20 (1,80 - 7,30)	3,69 A	1.410 (360 - 2.390)	705	6,20	2,09	2,09	2,62		6,80 (1,60 - 8,30)	4,10 A	1.660 (320 - 2320)	830	7,70	
16 + 16 + 25	1,46	1,46	2,28	5,20 (1,90 - 7,20)	3,69 A	1.410 (390 - 2.300)	705	6,20	1,91	1,91	2,98		6,80 (1,60 - 8,30)	4,10 A	1.660 (320 - 2320)	830	7,70	
16 + 16 + 35	1,30	1,30	2,60	5,20 (1,90 - 7,20)	3,69 A	1.410 (390 - 2.250)	705	6,20	1,70	1,70	3,40		6,80 (1,60 - 8,30)	4,15 A	1.640 (310 - 2250)	820	7,60	
16 + 16 + 42	1,16	1,16	2,88	5,20 (1,80 - 7,30)	3,69 A	1.410 (390 - 2.300)	705	6,20	1,51	1,51	3,78		6,80 (1,60 - 8,30)	4,17 A	1.630 (310 - 2250)	815	7,50	
16 + 16 + 50	1,01	1,01	3,18	5,20 (1,80 - 7,30)	3,62 A	1.435 (420 - 2.225)	718	6,30	1,33	1,33	4,14		6,80 (1,60 - 8,30)	4,16 A	1.635 (360 - 2215)	818	7,50	
16 + 20 + 20	1,48	1,86	1,86	5,20 (1,90 - 7,20)	3,69 A	1.410 (390 - 2.300)	705	6,20	1,94	2,43	2,43		6,80 (1,60 - 8,30)	4,12 A	1.650 (310 - 2270)	825	7,60	
16 + 20 + 25	1,36	1,70	2,14	5,20 (1,90 - 7,20)	3,69 A	1.410 (390 - 2.300)	705	6,20	1,78	2,23	2,79		6,80 (1,60 - 8,30)	4,12 A	1.650 (310 - 2270)	825	7,60	
16 + 20 + 35	1,22	1,53	2,45	5,20 (1,90 - 7,20)	3,69 A	1.410 (390 - 2.210)	705	6,20	1,60	2,00	3,20		6,80 (1,60 - 8,30)	4,17 A	1.630 (310 - 2250)	815	7,50	
16 + 20 + 42	1,09	1,37	2,74	5,20 (1,80 - 7,30)	3,69 A	1.410 (390 - 2.300)	705	6,20	1,43	1,79	3,58		6,80 (1,60 - 8,30)	4,17 A	1.630 (310 - 2240)	815	7,50	
16 + 20 + 50	0,97	1,21	3,02	5,20 (1,80 - 7,30)	3,62 A	1.435 (420 - 2.175)	718	6,30	1,27	1,58	3,95		6,80 (1,60 - 8,30)	4,18 A	1.625 (360 - 2215)	813	7,50	
16 + 25 + 25	1,26	1,97	1,97	5,20 (1,90 - 7,20)	3,69 A	1.410 (390 - 2.300)	705	6,20	1,64	2,58	2,58		6,80 (1,60 - 8,30)	4,12 A	1.650 (310 - 2270)	825	7,60	
16 + 25 + 35	1,14	1,78	2,28	5,20 (1,80 - 7,30)	3,69 A	1.410 (390 - 2.300)	705	6,20	1,49	2,33	2,98		6,80 (1,60 - 8,30)	4,17 A	1.630 (310 - 2250)	815	7,50	
16 + 25 + 42	1,03	1,60	2,57	5,20 (1,80 - 7,30)	3,69 A	1.410 (390 - 2.300)	705	6,20	1,34	2,10	3,36		6,80 (1,60 - 8,30)	4,17 A	1.630 (310 - 2240)	815	7,50	
16 + 35 + 35	1,04	2,08	2,08	5,20 (1,80 - 7,30)	3,80 A	1.370 (390 - 2.250)	685	6,00	1,36	2,72	2,72		6,80 (1,60 - 8,30)	4,22 A	1.610 (320 - 2220)	805	7,40	
16 + 35 + 42	0,95	1,89	2,36	5,20 (1,80 - 7,30)	3,80 A	1.370 (390 - 2.250)	685	6,00	1,24	2,47	3,09		6,80 (1,60 - 8,30)	4,22 A	1.610 (320 - 2210)	805	7,40	
20 + 20 + 20	1,73	1,73	1,73	5,19 (1,90 - 7,20)	3,68 A	1.410 (390 - 2.250)	705	6,20	2,26	2,26	2,26		6,78 (1,60 - 8,30)	4,11 A	1.650 (310 - 2260)	825	7,60	
20 + 20 + 25	1,60	1,60	2,00	5,20 (1,90 - 7,20)	3,69 A	1.410 (390 - 2.250)	705	6,20	2,09	2,09	2,62		6,80 (1,60 - 8,30)	4,12 A	1.650 (310 - 2260)	825	7,60	
20 + 20 + 35	1,44	1,44	2,32	5,20 (1,90 - 7,20)	3,80 A	1.370 (390 - 2.210)	685	6,00	1,89	1,89	3,02		6,80 (1,60 - 8,30)	4,17 A	1.630 (310 - 2240)	815	7,50	
20 + 20 + 42	1,30	1,30	2,60	5,20 (1,80 - 7,30)	3,80 A	1.370 (390 - 2.250)	685	6,00	1,70	1,70	3,40		6,80 (1,60 - 8,30)	4,20 A	1.620 (320 - 2230)	810	7,50	
20 + 20 + 50	1,16	1,16	2,88	5,20 (1,80 - 7,30)	3,62 A	1.435 (420 - 2.175)	718	6,30	1,51	1,51	3,78		6,80 (1,60 - 8,30)	4,18 A	1.625 (360 - 2205)	813	7,50	
20 + 25 + 25	1,48	1,86	1,86	5,20 (1,90 - 7,20)	3,69 A	1.410 (390 - 2.250)	705	6,20	1,94	2,43	2,43		6,80 (1,60 - 8,30)	4,12 A	1.650 (310 - 2260)	825	7,60	
20 + 25 + 35	1,35	1,69	2,16	5,20 (1,90 - 7,20)	3,80 A	1.370 (390 - 2.210)	685	6,00	1,76	2,21	2,83		6,80 (1,60 - 8,30)	4,17 A	1.630 (310 - 2240)	815	7,50	
20 + 25 + 42	1,22	1,53	2,45	5,20 (1,80 - 7,30)	3,80 A	1.370 (390 - 2.250)	685	6,00	1,60	2,00	3,20		6,80 (1,60 - 8,30)	4,20 A	1.620 (320 - 2230)	810	7,50	
20 + 35 + 35	1,24	1,98	1,98	5,20 (1,80 - 7,30)	3,80 A	1.370 (390 - 2.210)	685	6,00	1,62	2,59	2,59		6,80 (1,60 - 8,30)	4,22 A	1.610 (320 - 2210)	805	7,40	
25 + 25 + 25	1,73	1,73	1,73	5,19 (1,90 - 7,20)	3,68 A	1.410 (390 - 2.250)	705	6,20	2,26	2,26	2,26		6,78 (1,60 - 8,30)	4,11 A	1.650 (310 - 2260)	825	7,60	
25 + 25 + 35	1,59	1,59	2,02	5,20 (1,90 - 7,20)	3,80 A	1.370 (390 - 2.210)	685	6,										

Free Multi 3x1 CU-3E23SBE. Minimum capacity connected: 4,5kW. Maximum capacity connected: 11,0kW • R410 GAS

Indoor unit capacity	Cooling capacity (kW)				EER	Input power rating	A.E.C.	Current	Heating capacity (kW)				COP	Input power rating	A.E.C.	Current				
	Rooms								W/W	W	kWh	230V					Rooms			
	A	B	C	Total (Min - Max)													A	B	C	Total (Min - Max)
<b>1 Room</b>																				
16		1,60			1,60 (1,30 - 2,30)	3,40 A	470 (250 - 710)	235	2,30	2,60			2,60 (1,20 - 3,20)	3,88 A	670 (300 - 960)	335	3,20			
20		2,00			2,00 (1,80 - 2,90)	3,51 A	570 (340 - 880)	285	2,80	3,20			3,20 (1,20 - 4,10)	3,95 A	810 (300 - 1.300)	405	4,00			
25		2,50			2,50 (1,80 - 2,90)	3,57 A	700 (340 - 880)	350	3,40	3,60			3,60 (1,20 - 4,30)	3,56 B	1.010 (300 - 1.300)	505	5,00			
35		3,20			3,20 (1,80 - 3,80)	3,68 A	870 (340 - 1.430)	435	4,20	4,50			4,50 (1,20 - 5,80)	3,46 B	1.300 (300 - 2.170)	650	6,30			
42		4,00			4,00 (1,80 - 4,30)	3,05 B	1.310 (340 - 2.060)	655	6,10	5,60			5,60 (1,20 - 6,80)	3,13 D	1.790 (300 - 3.000)	895	8,30			
50		5,00			5,00 (1,90 - 5,70)	2,90 C	1.725 (340 - 2.305)	863	8,00	6,80			6,80 (1,20 - 6,90)	2,99 D	2.275 (300 - 2.695)	1.138	10,50			
<b>2 Rooms</b>																				
16 + 16	1,60	1,60			3,20 (1,90 - 6,40)	4,16 A	770 (270 - 2.150)	385	3,60	2,60	2,60		5,20 (2,70 - 9,80)	3,61 A	1.440 (660 - 3.060)	720	6,70			
16 + 20	1,60	2,00			3,60 (1,90 - 6,40)	3,96 A	910 (270 - 2.110)	455	4,10	2,58	3,22		5,80 (2,70 - 9,80)	3,58 B	1.620 (650 - 3.060)	810	7,50			
16 + 25	1,60	2,50			4,10 (1,90 - 6,40)	3,83 A	1.070 (270 - 2.110)	535	4,80	2,38	3,72		6,10 (2,70 - 9,80)	3,55 B	1.720 (650 - 3.060)	860	8,00			
16 + 35	1,60	3,20			4,80 (1,90 - 6,90)	3,48 A	1.380 (270 - 2.500)	690	6,10	2,13	4,27		6,40 (2,70 - 9,90)	3,64 A	1.760 (630 - 3.070)	880	8,10			
16 + 42	1,60	4,00			5,60 (1,90 - 6,90)	3,08 B	1.820 (270 - 2.460)	910	8,00	2,29	5,71		8,00 (2,70 - 9,90)	3,39 C	2.360 (630 - 3.070)	1.180	10,90			
16 + 50	1,60	5,00			6,60 (2,00 - 7,50)	2,89 C	2.285 (280 - 2.645)	1.143	10,00	2,06	6,44		8,50 (2,80 - 10,20)	3,39 C	2.505 (560 - 3.145)	1.253	11,60			
20 + 20	2,00	2,00			4,00 (1,90 - 6,40)	3,85 A	1.040 (270 - 2.080)	520	4,70	2,90	2,90		5,80 (2,70 - 9,80)	3,67 A	1.580 (640 - 3.070)	790	7,40			
20 + 25	2,00	2,50			4,50 (1,90 - 6,40)	3,63 A	1.240 (270 - 2.080)	620	5,50	2,71	3,39		6,10 (2,70 - 9,80)	3,57 B	1.710 (640 - 3.070)	855	8,00			
20 + 35	2,00	3,20			5,20 (1,90 - 6,90)	3,29 A	1.580 (270 - 2.460)	790	7,00	2,69	4,31		7,00 (2,70 - 9,90)	3,50 B	2.000 (630 - 3.070)	1.000	9,20			
20 + 42	2,00	4,00			6,00 (1,90 - 6,90)	2,96 C	2.030 (270 - 2.420)	1.015	8,90	2,73	5,47		8,20 (2,70 - 9,90)	3,37 C	2.430 (620 - 3.070)	1.215	11,20			
20 + 50	1,94	4,86			6,80 (2,00 - 7,50)	2,80 C	2.425 (280 - 2.595)	1.213	10,60	2,43	6,07		8,50 (2,80 - 10,20)	3,39 C	2.505 (560 - 3.145)	1.253	11,60			
25 + 25	2,50	2,50			5,00 (1,90 - 6,80)	3,33 A	1.500 (270 - 2.450)	750	6,70	3,20	3,20		6,40 (2,70 - 9,80)	3,54 B	1.810 (640 - 3.070)	905	8,30			
25 + 35	2,50	3,20			5,70 (1,90 - 6,90)	3,06 B	1.860 (270 - 2.460)	930	8,20	3,55	4,55		8,10 (2,70 - 9,90)	3,39 C	2.390 (630 - 3.070)	1.195	11,00			
25 + 42	2,50	4,00			6,50 (1,90 - 6,90)	2,65 D	2.450 (270 - 2.460)	1.225	10,80	3,27	5,23		8,50 (2,70 - 9,90)	3,29 C	2.580 (620 - 3.070)	1.290	11,90			
25 + 50	2,27	4,53			6,80 (1,90 - 7,50)	2,80 C	2.425 (260 - 2.595)	1.213	10,60	2,83	5,67		8,50 (2,80 - 10,20)	3,39 C	2.505 (560 - 3.145)	1.253	11,60			
35 + 35	3,20	3,20			6,40 (1,90 - 7,00)	2,77 D	2.310 (270 - 2.420)	1.195	10,10	4,25	4,25		8,50 (2,80 - 10,00)	3,36 C	2.530 (640 - 3.070)	1.265	11,70			
35 + 42	3,02	3,78			6,80 (1,90 - 7,10)	2,57 E	2.650 (270 - 2.660)	1.325	11,60	3,78	4,72		8,50 (2,80 - 10,00)	3,36 C	2.530 (640 - 3.070)	1.265	11,70			
35 + 50	2,65	4,15			6,80 (2,00 - 7,60)	2,91 C	2.335 (280 - 2.605)	1.168	10,30	3,32	5,18		8,50 (2,80 - 10,00)	3,48 B	2.445 (640 - 3.125)	1.223	11,30			
42 + 42	3,40	3,40			6,80 (1,90 - 7,10)	2,57 E	2.650 (260 - 2.660)	1.325	11,60	4,25	4,25		8,50 (2,80 - 10,00)	3,37 C	2.520 (600 - 3.030)	1.260	11,60			
42 + 50	3,02	3,78			6,80 (2,00 - 7,60)	2,91 C	2.335 (280 - 2.555)	1.168	10,30	3,78	4,72		8,50 (2,80 - 10,00)	3,49 B	2.435 (540 - 3.115)	1.218	11,20			
50 + 50	3,40	3,40			6,80 (2,10 - 8,10)	3,08 B	2.210 (320 - 2.720)	1.105	9,70	4,25	4,25		8,50 (2,80 - 10,50)	3,54 B	2.400 (510 - 3.130)	1.200	11,10			
<b>3 Rooms</b>																				
16 + 16 + 16	1,60	1,60	1,60		4,80 (1,90 - 8,00)	3,90 A	1.230 (270 - 2.710)	615	5,50	2,60	2,60	2,60	7,80 (3,30 - 10,40)	3,70 A	2.110 (640 - 3.070)	1.055	9,70			
16 + 16 + 20	1,60	1,60	2,00		5,20 (1,90 - 8,00)	3,80 A	1.370 (270 - 2.670)	685	6,10	2,58	2,58	3,24	8,40 (3,30 - 10,40)	3,61 A	2.330 (640 - 3.060)	1.165	10,70			
16 + 16 + 25	1,60	1,60	2,50		5,70 (1,90 - 8,00)	3,56 A	1.600 (270 - 2.670)	800	7,10	2,39	2,39	3,72	8,50 (3,30 - 10,40)	3,59 B	2.370 (640 - 3.060)	1.185	10,90			
16 + 16 + 35	1,60	1,60	3,20		6,40 (1,90 - 8,00)	3,39 A	1.890 (270 - 2.580)	945	8,30	2,13	2,13	4,24	8,50 (3,30 - 10,40)	3,68 A	2.310 (630 - 3.040)	1.155	10,70			
16 + 16 + 42	1,51	1,51	3,78		6,80 (1,90 - 8,10)	3,21 A	2.120 (270 - 2.670)	1.060	9,30	1,89	1,89	4,72	8,50 (3,30 - 10,50)	3,70 A	2.300 (620 - 3.070)	1.150	10,60			
16 + 16 + 50	1,33	1,33	4,14		6,80 (2,00 - 8,50)	3,26 A	2.085 (320 - 2.735)	1.043	9,20	1,66	1,66	5,18	8,50 (3,20 - 10,60)	3,74 A	2.275 (600 - 3.035)	1.138	10,50			
16 + 20 + 20	1,60	2,00	2,00		5,60 (1,90 - 8,00)	3,68 A	1.520 (270 - 2.670)	760	6,70	2,42	3,04	3,04	8,50 (3,30 - 10,40)	3,60 A	2.360 (630 - 3.050)	1.180	10,90			
16 + 20 + 25	1,60	2,00	2,50		6,10 (1,90 - 8,00)	3,45 A	1.770 (270 - 2.670)	885	7,80	2,23	2,79	3,48	8,50 (3,30 - 10,40)	3,60 A	2.360 (630 - 3.050)	1.180	10,90			
16 + 20 + 35	1,60	2,00	3,20		6,80 (1,90 - 8,00)	3,21 A	2.120 (270 - 2.580)	1.060	9,30	2,00	2,50	4,00	8,50 (3,30 - 10,40)	3,70 A	2.300 (620 - 2.990)	1.150	10,60			
16 + 20 + 42	1,43	1,79	3,58		6,80 (1,90 - 8,10)	3,21 A	2.120 (270 - 2.630)	1.060	9,30	1,79	2,24	4,47	8,50 (3,30 - 10,50)	3,71 A	2.290 (620 - 3.020)	1.145	10,60			
16 + 20 + 50	1,27	1,58	3,95		6,80 (2,00 - 8,50)	3,34 A	2.035 (320 - 2.735)	1.018	8,90	1,58	1,98	4,94	8,50 (3,20 - 10,60)	3,75 A	2.265 (600 - 3.025)	1.133	10,40			
16 + 25 + 25	1,60	2,50	2,50		6,60 (1,90 - 8,00)	3,25 A	2.030 (270 - 2.670)	1.015	8,90	2,06	3,22	3,22	8,50 (3,30 - 10,40)	3,60 A	2.360 (630 - 3.050)	1.180	10,90			
16 + 25 + 35	1,49	2,33	2,98		6,80 (1,90 - 8,00)	3,21 A	2.120 (270 - 2.580)	1.060	9,30	1,86	2,91	3,73	8,50 (3,30 - 10,40)	3,70 A	2.300 (620 - 2.990)	1.150	10,60			
16 + 25 + 42	1,34	2,10	3,36		6,80 (1,90 - 8,10)	3,21 A	2.120 (270 - 2.630)	1.060	9,30	1,68	2,62	4,20	8,50 (3,30 - 10,50)	3,71 A	2.290 (620 - 3.020)	1.145	10,60			
16 + 25 + 50	1,19	1,87	3,74		6,80 (2,00 - 8,50)	3,34 A	2.035 (320 - 2.735)	1.018	8,90	1,49	2,34	4,67	8,50 (3,20 - 10,60)	3,75 A	2.265 (600 - 3.025)	1.133	10,40			
16 + 35 + 35	1,36	2,72	2,72		6,80 (1,90 - 8,10)	3,29 A	2.070 (290 - 2.580)	1.035	9,10	1,70	3,40	3,40	8,50 (3,30 - 10,50)	3,73 A	2.280 (640 - 3.000)	1.140	10,50			
16 + 35 + 42	1,24	2,47	3,09		6,80 (1,90 - 8,20)	3,29 A	2.070 (290 - 2.630)	1.035	9,10	1,55	3,09	3,86	8,50 (3,30 - 10,50)	3,74 A	2.270 (640 - 3.000)	1.135	10,50			
16 + 35 + 50	1,11	2,22	3,47		6,80 (2,00 - 8,50)	3,34 A	2.035 (340 - 2.695)	1.018	8,90	1,38	2,78	4,34	8,50 (3,20 - 10,60)	3,79 A	2.245 (600 - 2.995)	1.123	10,40			
16 + 42 + 42	1,14	2,83	2,83		6,80 (1,90 - 8,20)	3,29 A	2.070 (290 - 2.630)	1.035	9,10	1,42	3,54	3,54	8,50 (3,30 - 10,50)	3,76 A	2.260 (640 - 2.990)	1.130	10,40			
16 + 42 + 50	1,02	2,57	3,21		6,80 (2,00 - 8,50)	3,34 A	2.035 (340 - 2.645)	1.018	8,90	1,28	3,21	4,01	8,50 (3,20 - 10,60)	3,80 A	2.235 (600 - 2.985)	1.118	10,30			
20 + 20 + 20	2,00	2,00	2,00		6,00 (1,90 - 8,00)	3,49 A	1.720 (270 - 2.620)	860	7,60	2,83	2,83	3,28	8,50 (3,30 - 10,40)	3,66 A	2.320 (630 - 3.040)	1.160	10,70			
20 + 20 + 25	2,00	2,00	2,50		6,50 (1,90 - 8,00)	3,28 A	1.980 (270 - 2.620)	990	8,70	2,62	2,62	3,26	8,50 (3,30 - 10,40)	3,66 A	2.320 (630 - 3.040)	1.160	10,70			
20 + 20 + 35	1,89	1,89	3,02		6,80 (1,90 - 8,00)	3,21 A	2.120 (270 - 2.530)	1.060	9,30	2,36	2,36	3,78	8,50 (3,30 - 10,40)	3,71 A	2.290 (620 - 2.980)	1.145	10,60			
20 + 20 + 42	1,70	1,70	3,40		6,80 (1,90 - 8,10)	3,29 A	2.070 (290 - 2.630)	1.035	9,10	2,13	2,13	4,24	8,50 (3,30 - 10,50)	3,73 A	2.280 (620 - 3.010)	1.140	10,50			
20 + 20 + 50	1,51	1,51	3,78		6,80 (2,00 - 8,50)	3,34 A	2.035 (340 - 2.695)	1.018	8,90	1,89	1,89	4,72	8,50 (3,20 - 10,60)	3						

# FREE MULTI 4X1 COMBINATIONS TABLE

Free Multi 4x1 CU-4E23PBE. Minimum capacity connected: 4.5kW. Maximum capacity connected: 11.0kW • R410 GAS

Indoor unit capacity Rooms	Cooling capacity (kW)					EER	Input power rating		A.E.C.	Current	Heating capacity (kW)					COP	Input power rating		A.E.C.	Current				
	A	B	C	D	Total (Min - Max)		W/W	W			kWh	230V	A	B	C		D	Total (Min - Max)			W/W	W	kWh	230V
<b>1 Room</b>																								
16	1.60				1.60 (1.30 - 2.30)	3.40 A	470 (250 - 710)	235	2.30	2.60				2.60 (1.20 - 3.20)	3.88 A	670 (300 - 1.030)	335	3.20						
20	2.00				2.00 (1.80 - 2.90)	3.51 A	570 (340 - 880)	285	2.80	3.20				3.20 (1.20 - 4.10)	3.95 A	810 (300 - 1.300)	405	4.00						
25	2.50				2.50 (1.80 - 2.90)	3.57 A	700 (340 - 880)	350	3.40	3.60				3.60 (1.20 - 4.30)	3.56 B	1.010 (300 - 1.300)	505	5.00						
35	3.20				3.20 (1.80 - 3.80)	3.68 A	870 (340 - 1.430)	435	4.20	4.50				4.50 (1.20 - 5.80)	3.46 B	1.300 (300 - 2.100)	650	6.30						
42	4.00				4.00 (1.80 - 4.30)	3.05 B	1.310 (340 - 2.060)	655	6.10	5.60				5.60 (1.20 - 6.80)	3.13 D	1.790 (300 - 3.000)	895	8.30						
50	5.00				5.00 (1.90 - 5.70)	2.90 C	1.725 (340 - 2.305)	863	8.00	6.80				6.80 (1.20 - 6.90)	2.99 D	2.275 (300 - 2.695)	1.138	10.50						
<b>2 Rooms</b>																								
16 + 16	1.60	1.60			3.20 (1.90 - 6.40)	4.16 A	770 (270 - 2.150)	385	3.60	2.60	2.60			5.20 (2.70 - 9.80)	3.61 A	1.440 (660 - 3.060)	720	6.70						
16 + 20	1.60	2.00			3.60 (1.90 - 6.40)	3.96 A	910 (270 - 2.110)	455	4.10	2.58	3.22			5.80 (2.70 - 9.80)	3.58 B	1.620 (650 - 3.060)	810	7.50						
16 + 25	1.60	2.50			4.10 (1.90 - 6.40)	3.83 A	1.070 (270 - 2.110)	535	4.80	2.38	3.72			6.10 (2.70 - 9.80)	3.55 B	1.720 (650 - 3.060)	860	8.00						
16 + 35	1.60	3.20			4.80 (1.90 - 6.90)	3.48 A	1.380 (270 - 2.500)	690	6.10	2.13	4.27			6.40 (2.70 - 9.90)	3.64 A	1.760 (630 - 3.070)	880	8.10						
16 + 42	1.60	4.00			5.60 (1.90 - 6.90)	3.08 B	1.820 (270 - 2.460)	910	8.00	2.29	5.71			8.00 (2.70 - 9.90)	3.39 C	2.560 (650 - 3.070)	1.180	10.90						
16 + 50	1.60	5.00			6.60 (2.00 - 7.50)	2.89 C	2.285 (280 - 2.645)	1.143	10.00	2.06	6.44			8.50 (2.80 - 10.20)	3.39 C	2.505 (650 - 3.145)	1.253	11.60						
20 + 20	2.00	2.00			4.00 (1.90 - 6.40)	3.85 A	1.040 (270 - 2.080)	520	4.70	2.90	2.90			5.80 (2.70 - 9.80)	3.67 A	1.580 (640 - 3.070)	790	7.40						
20 + 25	2.00	2.50			4.50 (1.90 - 6.40)	3.63 A	1.240 (270 - 2.080)	620	5.50	2.71	3.39			6.10 (2.70 - 9.80)	3.57 B	1.710 (640 - 3.070)	855	8.00						
20 + 35	2.00	3.20			5.20 (1.90 - 6.90)	3.29 A	1.580 (270 - 2.460)	790	7.00	2.49	4.31			7.00 (2.70 - 9.90)	3.50 B	2.000 (630 - 3.070)	1.000	9.20						
20 + 42	2.00	4.00			6.00 (1.90 - 6.90)	2.96 C	2.030 (270 - 2.420)	1.015	8.90	2.73	5.47			8.20 (2.70 - 9.90)	3.37 C	2.430 (620 - 3.070)	1.215	11.20						
20 + 50	1.94	4.86			6.80 (2.00 - 7.50)	2.80 C	2.425 (280 - 2.595)	1.213	10.60	2.43	6.07			8.50 (2.80 - 10.20)	3.39 C	2.505 (650 - 3.175)	1.253	11.60						
25 + 25	2.50	2.50			5.00 (1.90 - 6.80)	3.33 A	1.500 (270 - 2.450)	750	6.70	3.20	3.20			6.40 (2.70 - 9.80)	3.54 B	1.810 (640 - 3.070)	905	8.30						
25 + 35	2.50	3.20			5.70 (1.90 - 6.90)	3.06 B	1.860 (270 - 2.460)	930	8.20	3.55	4.55			8.10 (2.70 - 9.90)	3.39 C	2.390 (630 - 3.070)	1.195	11.00						
25 + 42	2.50	4.00			6.50 (1.90 - 6.90)	2.65 D	2.450 (270 - 2.460)	1.225	10.80	3.27	5.23			8.50 (2.70 - 9.90)	3.29 C	2.580 (620 - 3.070)	1.290	11.90						
25 + 50	2.27	4.53			6.80 (1.90 - 7.50)	2.89 C	2.425 (260 - 2.595)	1.213	10.60	2.83	5.67			8.50 (2.80 - 10.20)	3.39 C	2.560 (650 - 3.135)	1.253	11.60						
35 + 35	3.20	3.20			6.40 (1.90 - 7.00)	2.77 D	2.310 (270 - 2.420)	1.155	10.10	4.25	4.25			8.50 (2.80 - 10.00)	3.36 C	2.530 (640 - 3.070)	1.265	11.70						
35 + 42	3.02	3.78			6.80 (1.90 - 7.10)	2.57 E	2.650 (270 - 2.660)	1.325	11.60	3.78	4.72			8.50 (2.80 - 10.00)	3.36 C	2.530 (630 - 3.070)	1.265	11.70						
35 + 50	2.65	4.15			6.80 (2.00 - 7.60)	2.91 C	2.335 (280 - 2.605)	1.168	10.30	3.32	5.18			8.50 (2.80 - 10.30)	3.48 B	2.445 (640 - 3.125)	1.223	11.30						
42 + 42	3.40	3.40			6.80 (1.90 - 7.10)	2.57 E	2.650 (260 - 2.660)	1.325	11.60	4.25	4.25			8.50 (2.80 - 10.00)	3.37 C	2.560 (600 - 3.030)	1.260	11.60						
42 + 50	3.02	3.78			6.80 (2.00 - 7.60)	2.91 C	2.335 (280 - 2.555)	1.168	10.30	3.78	4.72			8.50 (2.80 - 10.30)	3.49 B	2.435 (640 - 3.115)	1.218	11.20						
50 + 50	3.40	3.40			6.80 (2.10 - 8.10)	3.08 B	2.210 (320 - 2.720)	1.105	9.70	4.25	4.25			8.50 (2.80 - 10.50)	3.54 B	2.400 (610 - 3.130)	1.200	11.10						
<b>3 Rooms</b>																								
16 + 16 + 16	1.60	1.60	1.60		4.80 (1.90 - 8.00)	3.90 A	1.230 (270 - 2.710)	615	5.50	2.60	2.60			7.80 (3.30 - 10.40)	3.70 A	2.110 (640 - 3.070)	1.055	9.70						
16 + 16 + 20	1.60	1.60	2.00		5.20 (1.90 - 8.00)	3.80 A	1.370 (270 - 2.670)	685	6.10	2.58	2.58			8.40 (3.30 - 10.40)	3.61 A	2.260 (640 - 3.060)	1.165	10.70						
16 + 16 + 25	1.60	1.60	2.50		5.70 (1.90 - 8.00)	3.56 A	1.600 (270 - 2.670)	800	7.10	2.39	2.39			8.50 (3.30 - 10.40)	3.59 B	2.370 (640 - 3.060)	1.185	10.90						
16 + 16 + 35	1.60	1.60	3.20		6.40 (1.90 - 8.00)	3.39 A	1.890 (270 - 2.580)	945	8.30	2.13	2.13			8.50 (3.30 - 10.40)	3.68 A	2.310 (630 - 3.040)	1.155	10.70						
16 + 16 + 42	1.51	1.51	3.78		6.80 (1.90 - 8.10)	3.21 A	2.120 (270 - 2.670)	1.060	9.30	1.89	1.89			8.50 (3.30 - 10.50)	3.70 A	2.260 (620 - 3.070)	1.150	10.60						
16 + 16 + 50	1.33	1.33	4.14		6.80 (2.00 - 8.50)	3.26 A	2.085 (320 - 2.735)	1.043	9.20	1.66	1.66			8.50 (3.20 - 10.60)	3.74 A	2.275 (600 - 3.035)	1.138	10.50						
16 + 20 + 20	1.60	2.00	2.00		5.60 (1.90 - 8.00)	3.68 A	1.520 (270 - 2.670)	760	6.70	2.42	3.04			8.50 (3.30 - 10.40)	3.60 A	2.360 (630 - 3.050)	1.180	10.90						
16 + 20 + 25	1.60	2.00	2.50		6.10 (1.90 - 8.00)	3.45 A	1.770 (270 - 2.670)	885	7.80	2.23	2.79			8.50 (3.30 - 10.40)	3.60 A	2.360 (630 - 3.050)	1.180	10.90						
16 + 20 + 35	1.60	2.00	3.20		6.80 (1.90 - 8.00)	3.21 A	2.120 (270 - 2.580)	1.060	9.30	2.00	2.50			8.50 (3.30 - 10.40)	3.70 A	2.300 (620 - 2.990)	1.150	10.60						
16 + 20 + 42	1.43	1.79	3.58		6.80 (1.90 - 8.10)	3.21 A	2.120 (270 - 2.630)	1.060	9.30	1.79	2.24			8.50 (3.30 - 10.50)	3.71 A	2.290 (620 - 3.020)	1.145	10.60						
16 + 20 + 50	1.27	1.58	3.95		6.80 (2.00 - 8.50)	3.34 A	2.035 (320 - 2.735)	1.018	8.90	1.58	1.98			8.50 (3.20 - 10.60)	3.75 A	2.265 (600 - 3.025)	1.133	10.40						
16 + 25 + 25	1.60	2.50	2.50		6.60 (1.90 - 8.00)	3.25 A	2.030 (270 - 2.670)	1.015	8.90	2.06	3.22			8.50 (3.30 - 10.40)	3.60 A	2.360 (630 - 3.050)	1.180	10.90						
16 + 25 + 35	1.49	2.33	2.98		6.80 (1.90 - 8.00)	3.25 A	2.120 (270 - 2.580)	1.060	9.30	1.86	2.91			8.50 (3.30 - 10.40)	3.70 A	2.300 (620 - 2.990)	1.150	10.60						
16 + 25 + 42	1.34	2.10	3.36		6.80 (1.90 - 8.10)	3.21 A	2.120 (270 - 2.630)	1.060	9.30	1.68	2.62			8.50 (3.30 - 10.50)	3.71 A	2.290 (620 - 3.020)	1.145	10.60						
16 + 25 + 50	1.19	1.87	3.74		6.80 (2.00 - 8.50)	3.34 A	2.035 (320 - 2.735)	1.018	8.90	1.49	2.34			8.50 (3.20 - 10.60)	3.75 A	2.265 (600 - 3.025)	1.133	10.40						
16 + 35 + 35	1.36	2.72	2.72		6.80 (1.90 - 8.10)	3.29 A	2.070 (290 - 2.580)	1.035	9.10	1.70	3.40			8.50 (3.30 - 10.50)	3.73 A	2.280 (640 - 3.000)	1.140	10.50						
16 + 35 + 42	1.24	2.47	3.09		6.80 (1.90 - 8.20)	3.29 A	2.070 (290 - 2.630)	1.035	9.10	1.55	3.09			8.50 (3.30 - 10.50)	3.74 A	2.270 (640 - 3.000)	1.135	10.50						
16 + 35 + 50	1.11	2.22	3.47		6.80 (2.00 - 8.50)	3.34 A	2.035 (340 - 2.695)	1.018	8.90	1.38	2.78			8.50 (3.20 - 10.60)	3.79 A	2.245 (600 - 2.995)	1.123	10.40						
16 + 42 + 42	1.14	2.83	2.83		6.80 (1.90 - 8.20)	3.29 A	2.070 (290 - 2.630)	1.035	9.10	1.42	3.54			8.50 (3.30 - 10.50)	3.76 A	2.260 (640 - 2.990)	1.130	10.40						
16 + 42 + 50	1.02	2.57	3.21		6.80 (2.00 - 8.50)	3.34 A	2.035 (340 - 2.645)	1.018	8.90	1.28	3.21			8.50 (3.20 - 10.60)	3.80 A	2.235 (600 - 2.985)	1.118	10.30						
20 + 20 + 20	2.00	2.00	2.00		6.00 (1.90 - 8.00)	3.49 A	1.720 (270 - 2.670)	860	7.60	2.83	2.83			8.49 (3.30 - 10.40)	3.66 A	2.320 (630 - 3.040)	1.160	10.70						
20 + 20 + 25	2.00	2.00	2.50		6.50 (1.90 - 8.00)	3.28 A	1.980 (270 - 2.620)	990	8.70	2.62	2.62			8.50 (3.30 - 10.40)	3.66 A	2.320 (630 - 3.040)	1.160	10.70						
20 + 20 + 35	1.89	1.89	3.02		6.80 (1.90 - 8.00)	3.21 A	2.120 (270 - 2.530)	1.060	9.30	2.36	2.36			8.50 (3.30 - 10.40)</										

Free Multi 4x1 CU-4E23PBE. Minimum capacity connected: 4.5kW. Maximum capacity connected: 11,0kW • R410 GAS

Indoor unit capacity	Cooling capacity (kW)					EER	Input power rating		A.E.C.	Current	Heating capacity (kW)					COP	Input power rating		A.E.C.	Current			
	Rooms						W/W	W			kWh	Rooms					W/W	W			kWh	230V	
	A	B	C	D	Total (Min - Max)							A	B	C	D								Total (Min - Max)
16 + 20 + 20 + 25	1,34	1,68	1,68	2,10	6,80 (1,90 - 8,80)	3,47 A	1,960 (340 - 2,710)	980	8,60	1,68	2,10	2,10	2,62	8,50 (3,10 - 10,60)	3,94 A	2,160 (600 - 2,860)	1,080	10,00					
16 + 20 + 20 + 35	1,23	1,55	1,55	2,47	6,80 (1,90 - 8,80)	3,54 A	1,920 (370 - 2,660)	960	8,40	1,55	1,93	3,09	3,09	8,50 (3,00 - 10,60)	3,97 A	2,140 (600 - 2,840)	1,070	9,90					
16 + 20 + 20 + 42	1,13	1,42	1,42	2,83	6,80 (1,90 - 8,80)	3,54 A	1,920 (370 - 2,660)	960	8,40	1,42	1,77	1,77	3,54	8,50 (3,00 - 10,60)	3,97 A	2,140 (610 - 2,830)	1,070	9,90					
16 + 20 + 20 + 50	1,03	1,28	1,28	3,21	6,80 (1,90 - 8,80)	3,36 A	2,025 (420 - 2,585)	1,013	8,90	1,28	1,60	1,60	4,02	8,50 (3,00 - 10,60)	3,85 A	2,205 (680 - 2,835)	1,103	10,20					
16 + 20 + 25 + 25	1,26	1,58	1,58	1,98	6,80 (1,90 - 8,80)	3,47 A	1,960 (340 - 2,710)	980	8,60	1,58	1,98	2,47	2,47	8,50 (3,10 - 10,60)	3,94 A	2,160 (600 - 2,860)	1,080	10,00					
16 + 20 + 25 + 35	1,17	1,46	1,46	2,34	6,80 (1,90 - 8,80)	3,54 A	1,920 (370 - 2,660)	960	8,40	1,46	1,83	2,28	2,93	8,50 (3,00 - 10,60)	3,97 A	2,140 (600 - 2,840)	1,070	9,90					
16 + 20 + 25 + 42	1,08	1,35	1,35	2,69	6,80 (1,90 - 8,80)	3,54 A	1,920 (370 - 2,660)	960	8,40	1,35	1,68	2,10	3,37	8,50 (3,00 - 10,60)	3,97 A	2,140 (610 - 2,830)	1,070	9,90					
16 + 20 + 35 + 35	1,08	1,36	2,18	2,18	6,80 (1,90 - 8,80)	3,54 A	1,920 (370 - 2,610)	960	8,40	1,36	1,70	2,72	2,72	8,50 (3,00 - 10,60)	4,01 A	2,120 (610 - 2,810)	1,060	9,80					
16 + 20 + 35 + 42	1,01	1,26	2,01	2,52	6,80 (1,90 - 8,80)	3,54 A	1,920 (370 - 2,610)	960	8,40	1,26	1,57	2,52	3,15	8,50 (3,00 - 10,60)	4,01 A	2,120 (610 - 2,810)	1,060	9,80					
16 + 25 + 25 + 25	1,19	1,87	1,87	1,87	6,80 (1,90 - 8,80)	3,47 A	1,960 (340 - 2,710)	980	8,60	1,48	2,34	2,34	2,34	8,50 (3,10 - 10,60)	3,94 A	2,160 (600 - 2,860)	1,080	10,00					
16 + 25 + 25 + 35	1,11	1,73	1,73	2,23	6,80 (1,90 - 8,80)	3,54 A	1,920 (370 - 2,660)	960	8,40	1,38	2,17	2,17	2,78	8,50 (3,00 - 10,60)	3,97 A	2,140 (600 - 2,840)	1,070	9,90					
16 + 25 + 25 + 42	1,03	1,60	1,60	2,57	6,80 (1,90 - 8,80)	3,54 A	1,920 (370 - 2,660)	960	8,40	1,28	2,00	2,00	3,22	8,50 (3,00 - 10,60)	3,97 A	2,140 (610 - 2,830)	1,070	9,90					
16 + 25 + 35 + 35	1,04	1,62	2,07	2,07	6,80 (1,90 - 8,80)	3,54 A	1,920 (370 - 2,610)	960	8,40	1,30	2,02	2,59	2,59	8,50 (3,00 - 10,60)	4,01 A	2,120 (610 - 2,810)	1,060	9,80					
20 + 20 + 20 + 20	1,70	1,70	1,70	1,70	6,80 (1,90 - 8,80)	3,47 A	1,960 (340 - 2,660)	980	8,60	2,12	2,12	2,12	2,12	8,48 (3,10 - 10,60)	3,93 A	2,160 (600 - 2,850)	1,080	10,00					
20 + 20 + 20 + 25	1,60	1,60	1,60	2,00	6,80 (1,90 - 8,80)	3,47 A	1,960 (340 - 2,660)	980	8,60	2,00	2,00	2,00	2,50	8,50 (3,10 - 10,60)	3,94 A	2,160 (600 - 2,850)	1,080	10,00					
20 + 20 + 20 + 35	1,48	1,48	1,48	2,36	6,80 (1,90 - 8,80)	3,54 A	1,920 (370 - 2,610)	960	8,40	1,85	1,85	2,95	2,95	8,50 (3,00 - 10,60)	3,97 A	2,140 (610 - 2,830)	1,070	9,90					
20 + 20 + 20 + 42	1,36	1,36	1,36	2,72	6,80 (1,90 - 8,80)	3,54 A	1,920 (370 - 2,610)	960	8,40	1,70	1,70	1,70	3,40	8,50 (3,00 - 10,60)	3,99 A	2,130 (610 - 2,820)	1,065	9,80					
20 + 20 + 20 + 50	1,24	1,24	1,24	3,08	6,80 (1,90 - 8,80)	3,36 A	2,025 (420 - 2,585)	1,013	8,90	1,55	1,55	1,55	3,85	8,50 (3,00 - 10,60)	3,87 A	2,195 (680 - 2,825)	1,098	10,10					
20 + 20 + 25 + 25	1,51	1,51	1,89	1,89	6,80 (1,90 - 8,80)	3,47 A	1,960 (340 - 2,660)	980	8,60	1,89	1,89	2,36	2,36	8,50 (3,10 - 10,60)	3,94 A	2,160 (600 - 2,850)	1,080	10,00					
20 + 20 + 25 + 35	1,40	1,40	1,75	2,25	6,80 (1,90 - 8,80)	3,54 A	1,920 (370 - 2,610)	960	8,40	1,75	1,75	2,19	2,81	8,50 (3,00 - 10,60)	3,97 A	2,140 (610 - 2,830)	1,070	9,90					
20 + 20 + 25 + 42	1,30	1,30	1,61	2,59	6,80 (1,90 - 8,80)	3,54 A	1,920 (370 - 2,610)	960	8,40	1,62	1,62	2,02	3,24	8,50 (3,00 - 10,60)	3,99 A	2,130 (610 - 2,820)	1,065	9,80					
20 + 20 + 35 + 35	1,31	1,31	2,09	2,09	6,80 (1,90 - 8,80)	3,54 A	1,920 (370 - 2,610)	960	8,40	1,63	1,63	2,62	2,62	8,50 (3,00 - 10,60)	4,01 A	2,120 (610 - 2,810)	1,060	9,80					
20 + 25 + 25 + 25	1,43	1,79	1,79	1,79	6,80 (1,90 - 8,80)	3,47 A	1,960 (340 - 2,660)	980	8,60	1,78	2,24	2,24	2,24	8,50 (3,10 - 10,60)	3,94 A	2,160 (600 - 2,850)	1,080	10,00					
20 + 25 + 25 + 35	1,33	1,67	1,67	2,13	6,80 (1,90 - 8,80)	3,54 A	1,920 (370 - 2,610)	960	8,40	1,67	2,08	2,08	2,67	8,50 (3,00 - 10,60)	3,97 A	2,140 (610 - 2,830)	1,070	9,90					
20 + 25 + 25 + 42	1,23	1,55	1,55	2,47	6,80 (1,90 - 8,80)	3,54 A	1,920 (370 - 2,610)	960	8,40	1,55	1,93	1,93	3,09	8,50 (3,00 - 10,60)	3,99 A	2,130 (610 - 2,820)	1,065	9,80					
20 + 25 + 35 + 35	1,24	1,56	2,00	2,00	6,80 (1,90 - 8,80)	3,54 A	1,920 (370 - 2,610)	960	8,40	1,55	1,95	2,50	2,50	8,50 (3,00 - 10,60)	4,01 A	2,120 (610 - 2,810)	1,060	9,80					
25 + 25 + 25 + 25	1,70	1,70	1,70	1,70	6,80 (1,90 - 8,80)	3,47 A	1,960 (340 - 2,660)	980	8,60	2,12	2,12	2,12	2,12	8,48 (3,10 - 10,60)	3,93 A	2,160 (600 - 2,850)	1,080	10,00					
25 + 25 + 25 + 35	1,59	1,59	1,59	2,03	6,80 (1,90 - 8,80)	3,54 A	1,920 (370 - 2,610)	960	8,40	1,99	1,99	1,99	2,53	8,50 (3,00 - 10,60)	3,97 A	2,140 (610 - 2,830)	1,070	9,90					
25 + 25 + 28 + 35	1,55	1,55	1,72	1,98	6,80 (1,90 - 8,80)	3,68 A	1,850 (370 - 2,540)	925	8,10	1,93	1,93	2,16	2,48	8,50 (3,00 - 10,60)	4,11 A	2,070 (610 - 2,760)	1,035	9,50					

1) Showing SEER and Pdesign (kWh) / SCOP and Pdesign at -10°C (kWh).  
 \* All combinations refer to New Etherea SKE and Wall Mounted TZ / RE indoor units.  
 \*\* EER, COP, SEER, SCOP, Input Power, Annual consumption is show following the ErP directive only on the 100% capacity combination as requested by the ErP directive.  
 \* Data for not simultaneous operation.

Free Multi 4x1 CU-4E27PBE. Minimum capacity connected: 4.5kW. Maximum capacity connected: 13,6 kW • R410 GAS

Indoor unit capacity	Cooling capacity (kW)					EER	Input power rating		A.E.C.	Current	Heating capacity (kW)					COP	Input power rating		A.E.C.	Current				
	Rooms						W/W	W			kWh	230V	Rooms					W/W			W	kWh	230V	
	A	B	C	D	Total (Min - Max)								A	B	C		D							Total (Min - Max)
<b>1 Room</b>																								
16	1,60				1,60 (1,30 - 2,30)	3,40 A	470 (250 - 710)	235	2,30	2,60				2,60 (1,20 - 3,20)	3,88 A	670 (300 - 1,030)	335	3,20						
20	2,00				2,00 (1,80 - 2,90)	3,51 A	570 (340 - 880)	285	2,80	3,20				3,20 (2,10 - 4,10)	3,95 A	810 (300 - 1,300)	405	4,00						
25	2,50				2,50 (1,80 - 2,90)	3,57 A	700 (340 - 880)	350	3,40	3,60				3,60 (1,20 - 4,30)	3,56 B	1,010 (300 - 1,300)	505	5,00						
35	3,20				3,20 (1,80 - 3,80)	3,68 A	870 (340 - 1,430)	435	4,20	4,50				4,50 (1,20 - 5,80)	3,46 B	1,300 (300 - 2,170)	650	6,30						
42	4,00				4,00 (1,80 - 4,30)	3,05 B	1,310 (340 - 2,060)	655	6,10	5,60				5,60 (1,20 - 6,80)	3,13 D	1,790 (300 - 3,000)	895	8,30						
50	5,00				5,00 (1,90 - 5,70)	2,90 C	1,725 (340 - 2,305)	863	8,00	6,80				6,80 (1,20 - 6,95)	2,99 D	2,275 (300 - 2,695)	1,138	10,50						
71	7,00				7,00 (2,00 - 7,20)	2,63 D	2,665 (370 - 2,945)	1,333	12,10	8,70				8,70 (1,40 - 9,20)	3,19 D	2,725 (680 - 2,895)	1,363	12,60						
<b>2 Rooms</b>																								
16 + 16	1,60	1,60			3,20 (2,40 - 5,80)	3,68 A	870 (380 - 2,130)	435	4,30	2,35	2,35			4,70 (2,20 - 8,20)	3,05 D	1,540 (440 - 3,050)	770	7,30						
16 + 20	1,60	2,00			3,60 (2,40 - 5,80)	3,56 A	1,010 (380 - 2,130)	505	4,90	2,31	2,89			5,20 (2,20 - 8,20)	3,02 D	1,720 (440 - 3,040)	860	8,20						
16 + 25	1,60	2,50			4,10 (2,40 - 5,80)	3,39 A	1,210 (380 - 2,130)	605	5,90	2,19	3,41			5,60 (2,20 - 8,20)	2,99 D	1,870 (440 - 3,040)	935	8,80						
16 + 35	1,60	3,20			4,80 (2,40 - 5,80)	3,29 A	1,460 (370 - 2,060)	730	7,00	2,13	4,27			6,40 (2,20 - 8,20)	3,17 D	2,020 (390 - 2,960)	1,010	9,50						
16 + 42	1,60	4,00			5,60 (2,40 - 5,80)	3,15 B	1,780 (370 - 2,000)	890	8,40	2,11	5,29			7,40 (2,20 - 10,00)	3,26 C	2,270 (380 - 3,060)	1,135	10,70						
16 + 50	1,60	5,00			6,60 (2,40 - 7,20)	2,97 C	2,225 (350 - 2,725)	1,113	10,60	2,06	6,44			8,50 (2,20 - 10,00)	3,28 C	2,595 (330 - 3,575)	1,298	12,20						
16 + 71	1,49	6,51			8,00 (2,40 - 8,50)	2,79 D	2,865 (350 - 3,585)	1,433	13,60	1,75	7,65			9,40 (2,20 - 10,30)	3,48 B	3,075 (330 - 3,745)	1,353	12,70						
20 + 20	2,00	2,00			4,00 (2,40 - 5,80)	3,48 A	1,150 (380 - 2,070)	575	5,60	2,90	2,90			5,80 (2,20 - 8,20)	3,14 D	1,850 (400 - 3,030)	925	8,70						
20 + 25	2,00	2,50			4,50 (2,40 - 5,80)	3,31 A	1,360 (380 - 2,070)	680	6,50	2,71	3,39			6,10 (2,20 - 8,20)	3,14 D	1,940 (400 - 3,030)	970	9,10						
20 + 35	2,00	3,20			5,20 (2,40 - 5,80)	3,33 A	1,560 (370 - 2,000)	780	7,50	2,65	4,25			6,90 (2,20 - 8,60)	3,33 C	2,070 (380 - 3,060)	1,035	9,70						
20 + 42	2,00	4,00			6,00 (2,40 - 6,70)	3,00 C	2,000 (370 - 2,620)	1,000	9,50	2,63	5,27			7,90 (2,20 - 9,80)	3,22 C	2,450 (380 - 3,650)	1,225	11,50						
20 + 50	2,00	5,00			7,00 (2,40 - 8,10)	3,02 B	2,315 (350 - 3,345)	1,158	11,00	2,57	6,43			9,00 (2,20 - 10,00)	3,51 B	2,565 (330 - 3,555)	1,283	12,10						
20 + 71	1,78	6,22			8,00 (2,50 - 8,50)	2,86 C	2,795 (380 - 3,585)	1,398	13,30	2,09	7,31			9,40 (2,20 - 10,30)	3,49 B	2,695 (330 - 3,735)	1,348	12,70						
25 + 25	2,50	2,50			5,00 (2,40 - 5,80)	3,31 A	1,510 (380 - 2,070)	755	7,20	3,25	3,25			6,50 (2,20 - 8,60)	3,32 C	1,960 (400 - 3,140)	980	9,20						
25 + 35	2,50	3,20			5,70 (2,40 - 6,70)	3,11 B	1,830 (370 - 2,620)	915	8,70	3,20	4,10			7,30 (2,20 - 9,80)	3,29 C	2,220 (380 - 3,660)	1,110	10,40						

# FREE MULTI 4X1 COMBINATIONS TABLE

Free Multi 4x1 CU-4E27PBE. Minimum capacity connected: 4.5kW. Maximum capacity connected: 13.6 kW = R410 GAS

Indoor unit capacity	Cooling capacity (kW)				EER	Input power rating		A.E.C.	Current	Heating capacity (kW)				COP	Input power rating		A.E.C.	Current				
	Rooms					W/W	W			kWh	230V	Rooms				W/W			W	kWh	230V	
	A	B	C	D								Total (Min - Max)	A		B							C
16 + 25 + 42	1.58	2.47	3.95		8.00 (3.00 - 8.60)	3.20 B	2.500 (480 - 3.240)	1.250	11.90	1.70	2.66	4.25		8.61 (3.20 - 10.40)	3.90 A	2.210 (500 - 3.490)	1.105	10.40				
16 + 25 + 50	1.40	2.20	4.40		8.00 (3.00 - 8.60)	3.31 A	2.415 (520 - 3.045)	1.208	11.50	1.51	2.37	4.73		8.61 (3.20 - 10.50)	3.89 A	2.215 (520 - 3.435)	1.108	10.40				
16 + 25 + 71	1.15	1.80	5.05		8.00 (3.00 - 8.80)	3.40 A	2.355 (520 - 3.115)	1.178	11.20	1.24	1.94	5.43		8.61 (3.20 - 10.60)	3.90 A	2.205 (520 - 3.485)	1.103	10.40				
16 + 35 + 35	1.60	3.20	3.20		8.00 (3.00 - 8.60)	3.28 A	2.440 (480 - 3.160)	1.220	11.60	1.73	3.44	3.44		8.61 (3.20 - 10.40)	3.93 A	2.190 (500 - 3.460)	1.095	10.30				
16 + 35 + 42	1.45	2.91	3.64		8.00 (3.00 - 8.60)	3.28 A	2.440 (480 - 3.160)	1.220	11.60	1.57	3.13	3.91		8.61 (3.20 - 10.50)	3.95 A	2.180 (490 - 3.450)	1.090	10.20				
16 + 35 + 50	1.31	2.61	4.08		8.00 (3.00 - 8.60)	3.40 A	2.355 (520 - 2.965)	1.178	11.20	1.41	2.81	4.39		8.61 (3.20 - 10.50)	3.94 A	2.185 (520 - 3.405)	1.093	10.30				
16 + 35 + 71	1.08	2.17	4.75		8.00 (3.00 - 9.00)	3.40 A	2.355 (520 - 3.185)	1.178	11.20	1.17	2.33	5.11		8.61 (3.20 - 10.60)	3.96 A	2.175 (520 - 3.445)	1.088	10.20				
16 + 42 + 42	1.34	3.33	3.33		8.00 (3.00 - 8.60)	3.28 A	2.440 (480 - 3.160)	1.220	11.60	1.43	3.59	3.59		8.61 (3.20 - 10.50)	3.95 A	2.180 (490 - 3.440)	1.090	10.20				
16 + 42 + 50	1.21	3.02	3.77		8.00 (3.00 - 8.80)	3.40 A	2.355 (520 - 3.115)	1.178	11.20	1.30	3.25	4.06		8.61 (3.20 - 10.50)	3.94 A	2.185 (520 - 3.385)	1.093	10.30				
16 + 42 + 71	1.02	2.54	4.44		8.00 (3.00 - 9.00)	3.49 A	2.295 (520 - 3.115)	1.148	10.90	1.09	2.73	4.79		8.61 (3.20 - 10.60)	3.96 A	2.175 (530 - 3.335)	1.088	10.20				
16 + 50 + 50	1.10	3.45	3.45		8.00 (3.00 - 8.80)	3.42 A	2.340 (570 - 3.000)	1.170	11.10	1.19	3.71	3.71		8.61 (3.20 - 10.60)	3.90 A	2.210 (580 - 3.420)	1.105	10.40				
16 + 50 + 71	0.94	2.94	4.12		8.00 (3.00 - 9.00)	3.42 A	2.340 (570 - 3.070)	1.170	11.10	1.01	3.17	4.43		8.61 (3.20 - 10.60)	3.84 A	2.240 (610 - 3.410)	1.120	10.50				
20 + 20 + 20	2.00	2.00	2.00		6.00 (3.00 - 8.50)	3.51 A	1.710 (480 - 3.240)	855	8.20	2.87	2.87	2.87		9.40 (3.20 - 10.40)	3.84 A	2.240 (500 - 3.530)	1.120	10.50				
20 + 20 + 25	2.00	2.00	2.50		6.50 (3.00 - 8.50)	3.35 A	1.940 (480 - 3.240)	970	9.20	2.77	2.77	3.46		9.40 (3.20 - 10.40)	3.78 A	2.250 (500 - 3.530)	1.190	11.20				
20 + 20 + 35	2.00	2.00	3.20		7.20 (3.00 - 8.50)	3.35 A	2.150 (480 - 3.160)	1.075	10.20	2.61	2.61	4.18		9.40 (3.20 - 10.40)	3.76 A	2.500 (500 - 3.490)	1.250	11.70				
20 + 20 + 42	2.00	2.00	4.00		8.00 (3.00 - 8.60)	3.20 B	2.500 (480 - 3.240)	1.250	11.90	2.35	2.35	4.70		9.40 (3.20 - 10.40)	3.78 A	2.490 (500 - 3.470)	1.245	11.70				
20 + 20 + 50	1.78	1.78	4.44		8.00 (3.00 - 8.60)	3.40 A	2.355 (520 - 2.965)	1.178	11.20	2.09	2.09	5.22		9.40 (3.20 - 10.50)	3.80 A	2.475 (520 - 3.425)	1.238	11.60				
20 + 20 + 71	1.45	1.45	5.10		8.00 (3.00 - 8.80)	3.40 A	2.355 (520 - 3.035)	1.178	11.20	1.71	1.71	5.98		9.40 (3.20 - 10.50)	3.81 A	2.465 (520 - 3.405)	1.233	11.60				
20 + 25 + 25	2.00	2.50	2.50		7.00 (3.00 - 8.50)	3.33 A	2.100 (480 - 3.240)	1.050	10.00	2.68	3.36	3.36		9.40 (3.20 - 10.40)	3.72 A	2.530 (500 - 3.530)	1.265	11.90				
20 + 25 + 35	2.00	2.50	3.20		7.70 (3.00 - 8.50)	3.32 A	2.320 (480 - 3.160)	1.160	11.00	2.44	3.05	3.91		9.40 (3.20 - 10.40)	3.76 A	2.500 (500 - 3.490)	1.250	11.70				
20 + 25 + 42	1.88	2.35	3.77		8.00 (3.00 - 8.60)	3.20 B	2.500 (480 - 3.240)	1.250	11.90	2.21	2.76	4.43		9.40 (3.20 - 10.40)	3.78 A	2.490 (500 - 3.470)	1.245	11.70				
20 + 25 + 50	1.68	2.11	4.21		8.00 (3.00 - 8.60)	3.40 A	2.355 (520 - 2.965)	1.178	11.20	1.98	2.47	4.95		9.40 (3.20 - 10.50)	3.80 A	2.475 (520 - 3.425)	1.238	11.60				
20 + 25 + 71	1.39	1.74	4.87		8.00 (3.00 - 8.80)	3.40 A	2.355 (520 - 3.035)	1.178	11.20	1.63	2.04	5.73		9.40 (3.20 - 10.60)	3.81 A	2.465 (520 - 3.465)	1.233	11.60				
20 + 35 + 35	1.90	3.05	3.05		8.00 (3.00 - 8.60)	3.28 A	2.440 (480 - 3.160)	1.220	11.60	2.24	3.58	3.58		9.40 (3.20 - 10.40)	3.81 A	2.470 (490 - 3.450)	1.235	11.60				
20 + 35 + 42	1.74	2.78	3.48		8.00 (3.00 - 8.60)	3.28 A	2.440 (480 - 3.160)	1.220	11.60	2.04	3.27	4.09		9.40 (3.20 - 10.50)	3.82 A	2.460 (490 - 3.440)	1.230	11.60				
20 + 35 + 50	1.57	2.51	3.92		8.00 (3.00 - 8.80)	3.40 A	2.355 (520 - 3.115)	1.178	11.20	1.84	2.95	4.61		9.40 (3.20 - 10.50)	3.83 A	2.455 (520 - 3.385)	1.228	11.50				
20 + 35 + 71	1.31	2.10	4.59		8.00 (3.00 - 9.00)	3.49 A	2.295 (520 - 3.115)	1.148	10.90	1.54	2.47	5.39		9.40 (3.20 - 10.60)	3.86 A	2.435 (530 - 3.435)	1.218	11.40				
20 + 42 + 42	1.60	3.20	3.20		8.00 (3.00 - 8.80)	3.28 A	2.440 (480 - 3.240)	1.220	11.60	1.88	3.76	3.76		9.40 (3.20 - 10.50)	3.84 A	2.450 (490 - 3.420)	1.225	11.50				
20 + 42 + 50	1.45	2.91	3.64		8.00 (3.00 - 8.80)	3.40 A	2.355 (520 - 3.035)	1.178	11.20	1.71	3.42	4.27		9.40 (3.20 - 10.50)	3.84 A	2.445 (530 - 3.375)	1.223	11.50				
20 + 42 + 71	1.23	2.46	4.31		8.00 (3.00 - 9.00)	3.49 A	2.295 (520 - 3.115)	1.148	10.90	1.45	2.89	5.06		9.40 (3.20 - 10.60)	3.86 A	2.435 (530 - 3.425)	1.218	11.40				
20 + 50 + 50	1.34	3.33	3.33		8.00 (3.00 - 9.00)	3.42 A	2.340 (570 - 3.070)	1.170	11.10	1.56	3.92	3.92		9.40 (3.20 - 10.60)	3.82 A	2.460 (600 - 3.410)	1.230	11.60				
25 + 25 + 25	2.50	2.50	2.50		7.50 (3.00 - 8.50)	3.21 A	2.340 (480 - 3.240)	1.170	11.10	3.13	3.13	3.13		9.39 (3.20 - 10.40)	3.71 A	2.530 (500 - 3.530)	1.265	11.90				
25 + 25 + 35	2.44	2.44	3.12		8.00 (3.00 - 8.60)	3.20 B	2.500 (480 - 3.240)	1.250	11.90	2.87	2.87	3.66		9.40 (3.20 - 10.40)	3.76 A	2.500 (500 - 3.490)	1.250	11.70				
25 + 25 + 42	2.22	2.22	3.56		8.00 (3.00 - 8.60)	3.20 B	2.500 (480 - 3.240)	1.250	11.90	2.61	2.61	4.18		9.40 (3.20 - 10.50)	3.78 A	2.490 (500 - 3.540)	1.245	11.70				
25 + 25 + 50	2.00	2.00	4.00		8.00 (3.00 - 8.80)	3.40 A	2.355 (520 - 3.115)	1.178	11.20	2.35	2.35	4.70		9.40 (3.20 - 10.50)	3.80 A	2.475 (520 - 3.425)	1.238	11.60				
25 + 25 + 71	1.67	1.67	4.66		8.00 (3.00 - 9.00)	3.40 A	2.355 (520 - 3.185)	1.178	11.20	1.96	1.96	5.48		9.40 (3.20 - 10.60)	3.81 A	2.465 (520 - 3.465)	1.233	11.60				
25 + 35 + 35	2.24	2.88	2.88		8.00 (3.00 - 8.60)	3.28 A	2.440 (480 - 3.160)	1.220	11.60	2.64	3.38	3.38		9.40 (3.20 - 10.50)	3.81 A	2.470 (490 - 3.450)	1.235	11.60				
25 + 35 + 42	2.06	2.64	3.80		8.00 (3.00 - 8.60)	3.28 A	2.440 (480 - 3.160)	1.220	11.60	2.42	3.10	3.88		9.40 (3.20 - 10.50)	3.82 A	2.460 (490 - 3.440)	1.230	11.60				
25 + 35 + 50	1.87	2.39	3.74		8.00 (3.00 - 8.80)	3.40 A	2.355 (520 - 3.115)	1.178	11.20	2.20	2.81	4.39		9.40 (3.20 - 10.50)	3.83 A	2.455 (520 - 3.385)	1.228	11.50				
25 + 35 + 71	1.57	2.02	4.41		8.00 (3.00 - 9.00)	3.49 A	2.295 (520 - 3.115)	1.148	10.90	1.85	2.37	5.18		9.40 (3.20 - 10.60)	3.86 A	2.435 (530 - 3.435)	1.218	11.40				
25 + 42 + 42	1.90	3.05	3.05		8.00 (3.00 - 8.80)	3.28 A	2.440 (480 - 3.240)	1.220	11.60	2.24	3.58	3.58		9.40 (3.20 - 10.50)	3.84 A	2.450 (490 - 3.420)	1.225	11.50				
25 + 42 + 50	1.74	2.78	3.48		8.00 (3.00 - 8.80)	3.40 A	2.355 (520 - 3.035)	1.178	11.20	2.04	3.27	4.09		9.40 (3.20 - 10.60)	3.84 A	2.445 (530 - 3.435)	1.223	11.50				
25 + 42 + 71	1.48	2.37	4.15		8.00 (3.00 - 9.00)	3.49 A	2.295 (520 - 3.115)	1.148	10.90	1.74	2.79	4.87		9.40 (3.20 - 10.60)	3.86 A	2.435 (530 - 3.425)	1.218	11.40				
25 + 50 + 50	1.60	3.20	3.20		8.00 (3.00 - 9.00)	3.42 A	2.340 (570 - 3.070)	1.170	11.10	1.88	3.76	3.76		9.40 (3.20 - 10.60)	3.82 A	2.460 (600 - 3.410)	1.230	11.60				
35 + 35 + 35	2.66	2.66	2.66		7.98 (3.00 - 8.60)	3.35 A	2.380 (480 - 3.090)	1.190	11.30	3.13	3.13	3.13		9.39 (3.20 - 10.50)	3.85 A	2.440 (490 - 3.410)	1.220	11.50				
35 + 35 + 42	2.46	2.46	3.08		8.00 (3.00 - 8.80)	3.36 A	2.380 (480 - 3.240)	1.190	11.30	2.89	2.89	3.62		9.40 (3.20 - 10.50)	3.87 A	2.430 (490 - 3.400)	1.215	11.40				
35 + 35 + 50	2.25	2.25	3.50		8.00 (3.00 - 8.80)	3.49 A	2.295 (520 - 3.035)	1.148	10.90	2.64	2.64	4.12		9.40 (3.20 - 10.60)	3.88 A	2.425 (530 - 3.415)	1.213	11.40				
35 + 35 + 71	1.91	1.91	4.18		8.00 (3.00 - 9.00)	3.49 A	2.295 (520 - 3.115)	1.148	10.90	2.24	2.24	4.92		9.40 (3.20 - 10.60)	3.89 A	2.415 (530 - 3.405)	1.208	11.30				
35 + 42 + 42	2.28	2.86	2.																			

Free Multi 4x1 CU-4E27PBE. Minimum capacity connected: 4,5kW. Maximum capacity connected: 13,6 kW • R410 GAS

Indoor unit capacity	Cooling capacity (kW)					EER	Input power rating		A.E.C.	Current	Heating capacity (kW)					COP	Input power rating		A.E.C.	Current				
	Rooms						W/W	W			kWh	230V	Rooms					W/W			W	kWh	230V	
	A	B	C	D	Total (Min - Max)								A	B	C		D							Total (Min - Max)
16 + 20 + 42 + 50	1,02	1,27	2,54	3,17	8,00 (3,00 - 9,20)	3,55 A	2,255 (630 - 3.045)	1,128	10,70	1,19	1,49	2,98	3,74	9,40 (4,20 - 10,60)	3,91 A	2,405 (830 - 3.325)	1,203	11,30						
16 + 20 + 50 + 50	0,94	1,18	2,94	2,94	8,00 (3,00 - 9,20)	3,36 A	2,380 (690 - 3.090)	1,190	11,30	1,10	1,38	3,46	3,46	9,40 (4,20 - 10,60)	3,69 A	2,550 (950 - 3.460)	1,275	12,00						
16 + 25 + 25 + 25	1,40	2,20	2,20	2,20	8,00 (3,00 - 9,20)	3,54 A	2,260 (530 - 3.150)	1,130	10,70	1,66	2,58	2,58	2,58	9,40 (4,20 - 10,60)	3,97 A	2,370 (700 - 3.350)	1,185	11,10						
16 + 25 + 25 + 35	1,31	2,04	2,04	2,61	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,53	2,40	2,40	3,07	9,40 (4,20 - 10,60)	4,00 A	2,350 (730 - 3.320)	1,175	11,00						
16 + 25 + 25 + 42	1,20	1,89	1,89	3,02	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,41	2,22	2,22	3,55	9,40 (4,20 - 10,60)	4,02 A	2,340 (730 - 3.310)	1,170	11,00						
16 + 25 + 25 + 50	1,10	1,72	1,72	3,46	8,00 (3,00 - 9,20)	3,55 A	2,255 (620 - 3.035)	1,128	10,70	1,29	2,03	2,03	4,05	9,40 (4,20 - 10,60)	3,89 A	2,415 (810 - 3.355)	1,208	11,30						
16 + 25 + 25 + 71	0,94	1,47	1,47	4,12	8,00 (3,00 - 9,20)	3,55 A	2,255 (630 - 3.045)	1,128	10,70	1,10	1,73	1,73	4,84	9,40 (4,20 - 10,60)	3,89 A	2,415 (820 - 3.345)	1,208	11,30						
16 + 25 + 35 + 35	1,22	1,90	2,44	2,44	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,43	2,25	2,86	2,86	9,40 (4,20 - 10,60)	4,03 A	2,330 (740 - 3.290)	1,165	10,90						
16 + 25 + 35 + 42	1,13	1,77	2,27	2,83	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,33	2,08	2,66	3,33	9,40 (4,20 - 10,60)	4,05 A	2,320 (740 - 3.280)	1,160	10,90						
16 + 25 + 35 + 50	1,04	1,63	2,08	3,25	8,00 (3,00 - 9,20)	3,55 A	2,255 (630 - 3.045)	1,128	10,70	1,22	1,91	2,45	3,82	9,40 (4,20 - 10,60)	3,91 A	2,405 (820 - 3.335)	1,203	11,30						
16 + 25 + 42 + 42	1,06	1,66	2,64	2,64	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,24	1,94	3,11	3,11	9,40 (4,20 - 10,60)	4,05 A	2,320 (740 - 3.270)	1,160	10,90						
16 + 25 + 42 + 50	0,98	1,53	2,44	3,05	8,00 (3,00 - 9,20)	3,55 A	2,255 (630 - 3.045)	1,128	10,70	1,15	1,79	2,87	3,59	9,40 (4,20 - 10,60)	3,91 A	2,405 (830 - 3.325)	1,203	11,30						
16 + 35 + 35 + 35	1,13	2,29	2,29	2,29	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,33	2,69	2,69	2,69	9,40 (4,20 - 10,60)	4,07 A	2,310 (740 - 3.260)	1,155	10,90						
16 + 35 + 35 + 42	1,07	2,13	2,13	2,67	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,25	2,51	2,51	3,13	9,40 (4,20 - 10,60)	4,07 A	2,310 (770 - 3.250)	1,155	10,90						
16 + 35 + 35 + 50	0,98	1,97	1,97	3,08	8,00 (3,00 - 9,20)	3,55 A	2,255 (630 - 3.045)	1,128	10,70	1,16	2,31	2,31	3,62	9,40 (4,20 - 10,60)	3,86 A	2,435 (860 - 3.315)	1,218	11,40						
16 + 35 + 42 + 42	1,00	2,00	2,50	2,50	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,17	2,35	2,94	2,94	9,40 (4,20 - 10,60)	4,09 A	2,300 (770 - 3.240)	1,150	10,80						
16 + 42 + 42 + 42	0,95	2,35	2,35	2,35	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,12	2,76	2,76	2,76	9,40 (4,20 - 10,60)	4,10 A	2,290 (770 - 3.230)	1,145	10,80						
20 + 20 + 20 + 20	2,00	2,00	2,00	2,00	8,00 (3,00 - 9,20)	3,54 A	2,260 (530 - 3.150)	1,130	10,70	2,35	2,35	2,35	2,35	9,40 (4,20 - 10,60)	3,98 A	2,360 (700 - 3.340)	1,180	11,10						
20 + 20 + 20 + 25	1,88	1,88	1,88	2,36	8,00 (3,00 - 9,20)	3,54 A	2,260 (530 - 3.150)	1,130	10,70	2,21	2,21	2,21	2,77	9,40 (4,20 - 10,60)	3,98 A	2,360 (700 - 3.340)	1,180	11,10						
20 + 20 + 20 + 35	1,74	1,74	1,74	2,78	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	2,04	2,04	2,04	3,28	9,40 (4,20 - 10,60)	4,02 A	2,340 (730 - 3.310)	1,170	11,00						
20 + 20 + 20 + 42	1,60	1,60	1,60	3,20	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,88	1,88	1,88	3,76	9,40 (4,20 - 10,60)	4,02 A	2,340 (730 - 3.300)	1,170	11,00						
20 + 20 + 20 + 50	1,45	1,45	1,45	3,65	8,00 (3,00 - 9,20)	3,55 A	2,255 (620 - 3.035)	1,128	10,70	1,71	1,71	1,71	4,27	9,40 (4,20 - 10,60)	3,89 A	2,415 (810 - 3.345)	1,208	11,30						
20 + 20 + 20 + 71	1,23	1,23	1,23	4,31	8,00 (3,00 - 9,20)	3,55 A	2,255 (630 - 3.045)	1,128	10,70	1,45	1,45	1,45	5,05	9,40 (4,20 - 10,60)	3,91 A	2,405 (820 - 3.335)	1,203	11,30						
20 + 20 + 25 + 25	1,78	1,78	2,22	2,22	8,00 (3,00 - 9,20)	3,54 A	2,260 (530 - 3.150)	1,130	10,70	2,09	2,09	2,61	2,61	9,40 (4,20 - 10,60)	3,98 A	2,360 (700 - 3.340)	1,180	11,10						
20 + 20 + 25 + 35	1,65	1,65	2,06	2,64	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,94	1,94	2,42	3,10	9,40 (4,20 - 10,60)	4,02 A	2,340 (730 - 3.310)	1,170	11,00						
20 + 20 + 25 + 42	1,52	1,52	1,90	3,06	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,79	1,79	2,24	3,58	9,40 (4,20 - 10,60)	4,02 A	2,340 (730 - 3.300)	1,170	11,00						
20 + 20 + 25 + 50	1,39	1,39	1,74	3,48	8,00 (3,00 - 9,20)	3,55 A	2,255 (620 - 3.035)	1,128	10,70	1,63	1,63	2,04	4,10	9,40 (4,20 - 10,60)	3,89 A	2,415 (810 - 3.345)	1,208	11,30						
20 + 20 + 25 + 71	1,19	1,19	1,47	4,15	8,00 (3,00 - 9,20)	3,55 A	2,255 (630 - 3.045)	1,128	10,70	1,39	1,39	1,74	4,88	9,40 (4,20 - 10,60)	3,91 A	2,405 (820 - 3.335)	1,203	11,30						
20 + 20 + 35 + 35	1,54	1,54	2,46	2,46	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,81	1,81	2,89	2,89	9,40 (4,20 - 10,60)	4,05 A	2,320 (740 - 3.280)	1,160	10,90						
20 + 20 + 35 + 42	1,43	1,43	2,28	2,86	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,68	1,68	2,68	3,36	9,40 (4,20 - 10,60)	4,05 A	2,320 (740 - 3.270)	1,160	10,90						
20 + 20 + 35 + 50	1,31	1,31	2,10	3,28	8,00 (3,00 - 9,20)	3,55 A	2,255 (630 - 3.045)	1,128	10,70	1,54	1,54	2,47	3,85	9,40 (4,20 - 10,60)	3,91 A	2,405 (830 - 3.325)	1,203	11,30						
20 + 20 + 42 + 42	1,33	1,33	2,67	2,67	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,57	1,57	3,13	3,13	9,40 (4,20 - 10,60)	4,07 A	2,310 (740 - 3.260)	1,155	10,90						
20 + 20 + 42 + 50	1,23	1,23	2,46	3,08	8,00 (3,00 - 9,20)	3,55 A	2,255 (630 - 3.045)	1,128	10,70	1,45	1,45	2,88	3,62	9,40 (4,20 - 10,60)	3,86 A	2,435 (830 - 3.315)	1,218	11,40						
20 + 25 + 25 + 25	1,67	2,11	2,11	2,11	8,00 (3,00 - 9,20)	3,54 A	2,260 (530 - 3.150)	1,130	10,70	1,99	2,47	2,47	2,47	9,40 (4,20 - 10,60)	3,98 A	2,360 (700 - 3.340)	1,180	11,10						
20 + 25 + 25 + 35	1,57	1,96	1,96	2,51	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,84	2,30	2,30	2,96	9,40 (4,20 - 10,60)	4,02 A	2,340 (730 - 3.310)	1,170	11,00						
20 + 25 + 25 + 42	1,45	1,82	1,82	2,91	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,70	2,14	2,14	3,42	9,40 (4,20 - 10,60)	4,02 A	2,340 (730 - 3.300)	1,170	11,00						
20 + 25 + 25 + 50	1,33	1,67	1,67	3,33	8,00 (3,00 - 9,20)	3,55 A	2,255 (620 - 3.035)	1,128	10,70	1,56	1,96	1,96	3,92	9,40 (4,20 - 10,60)	3,89 A	2,415 (810 - 3.345)	1,208	11,30						
20 + 25 + 35 + 35	1,47	1,83	2,35	2,35	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,72	2,16	2,76	2,76	9,40 (4,20 - 10,60)	4,05 A	2,320 (740 - 3.280)	1,160	10,90						
20 + 25 + 35 + 42	1,36	1,71	2,19	2,74	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,61	2,01	2,57	3,21	9,40 (4,20 - 10,60)	4,05 A	2,320 (740 - 3.270)	1,160	10,90						
20 + 25 + 35 + 50	1,26	1,57	2,02	3,15	8,00 (3,00 - 9,20)	3,55 A	2,255 (630 - 3.045)	1,128	10,70	1,48	1,85	2,37	3,70	9,40 (4,20 - 10,60)	3,91 A	2,405 (830 - 3.325)	1,203	11,30						
20 + 25 + 42 + 42	1,28	1,60	2,56	2,56	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,50	1,88	3,01	3,01	9,40 (4,20 - 10,60)	4,07 A	2,310 (740 - 3.260)	1,155	10,90						
20 + 25 + 42 + 50	1,19	1,48	2,37	2,96	8,00 (3,00 - 9,20)	3,55 A	2,255 (630 - 3.045)	1,128	10,70	1,39	1,74	2,79	3,48	9,40 (4,20 - 10,60)	3,86 A	2,435 (830 - 3.315)	1,218	11,40						
20 + 35 + 35 + 35	1,37	2,21	2,21	2,21	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,63	2,59	2,59	2,59	9,40 (4,20 - 10,60)	4,07 A	2,310 (770 - 3.250)	1,155	10,90						
20 + 35 + 35 + 42	1,29	2,06	2,06	2,59	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,51	2,43	2,43	3,03	9,40 (4,20 - 10,60)	4,09 A	2,300 (770 - 3.240)	1,150	10,80						
20 + 35 + 35 + 50	1,19	1,91	1,91	2,99	8,00 (3,00 - 9,20)	3,55 A	2,255 (630 - 3.045)	1,128	10,70	1,40	2,24	2,24	3,52	9,40 (4,20 - 10,60)	3,86 A	2,435 (860 - 3.305)	1,218	11,40						
20 + 35 + 42 + 42	1,21	1,95	2,42	2,42	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,42	2,28	2,85	2,85	9,40 (4,2										

# FREE MULTI 5X1 COMBINATIONS TABLE

Free Multi 5x1 CU-5E34PBE. Minimum capacity connected: 4,5kW. Maximum capacity connected: 17,5kW • R410 GAS

Indoor unit capacity	Cooling capacity (kW)					EER	Input power rating		A.E.C.	Current	Heating capacity (kW)					COP	Input power rating		A.E.C.	Current			
	Rooms						W/W	W			kWh	Rooms					W/W	W			kWh	230V	
	A	B	C	D	E							Total (Min - Max)	A	B	C								D
<b>1 Room</b>																							
16	1,60					1,60 (1,30 - 2,30)	3,40 A	470 (250 - 710)	235	2,30	2,60				2,60 (1,20 - 3,20)	3,88 A	670 (300 - 1.030)	335	3,20				
20	2,00					2,00 (1,80 - 2,90)	3,51 A	570 (340 - 880)	285	2,80	3,20				3,20 (2,20 - 4,10)	4,21 A	760 (300 - 1.250)	380	3,70				
25	2,50					2,50 (1,80 - 2,90)	3,57 A	700 (340 - 880)	350	3,40	3,60				3,60 (1,20 - 4,30)	3,75 A	960 (300 - 1.250)	480	4,80				
35	3,20					3,20 (1,80 - 3,80)	3,68 A	870 (340 - 1.430)	435	4,20	4,50				4,50 (1,20 - 5,80)	3,60 B	1.250 (300 - 2.120)	625	6,10				
42	4,00					4,00 (1,80 - 4,30)	3,05 B	1.310 (340 - 2.060)	655	6,10	5,60				5,60 (1,20 - 6,80)	3,22 C	1.740 (300 - 2.950)	870	8,10				
50	5,00					5,00 (1,90 - 5,70)	2,90 C	1.725 (340 - 2.305)	863	8,00	6,80				6,80 (1,20 - 6,90)	3,16 D	2.150 (300 - 2.570)	1.075	9,90				
71	7,00					7,00 (2,00 - 7,20)	2,63 D	2.665 (370 - 2.945)	1.333	12,10	8,70				8,70 (1,40 - 9,20)	3,35 C	2.600 (680 - 2.770)	1.300	12,00				
<b>2 Rooms</b>																							
16 + 16	1,60	1,60				3,20 (2,40 - 5,80)	3,68 A	870 (300 - 2.060)	435	4,20	2,35	2,35			4,70 (2,00 - 8,20)	3,05 D	1.540 (260 - 2.920)	770	7,30				
16 + 20	1,60	2,00				3,60 (2,40 - 5,80)	3,56 A	1.010 (300 - 2.060)	505	4,80	2,31	2,89			5,20 (2,00 - 8,20)	3,11 D	1.670 (250 - 2.860)	835	7,90				
16 + 25	1,60	2,50				4,10 (2,40 - 5,80)	3,39 A	1.210 (300 - 2.060)	605	5,70	2,19	3,41			5,60 (2,00 - 8,20)	3,08 D	1.820 (250 - 2.860)	910	8,60				
16 + 35	1,60	3,20				4,80 (2,40 - 5,80)	3,24 A	1.480 (300 - 2.000)	740	6,90	2,13	4,27			6,40 (2,00 - 8,20)	3,14 D	2.040 (240 - 2.780)	1.020	9,60				
16 + 42	1,60	4,00				5,60 (2,40 - 5,80)	3,08 B	1.820 (300 - 1.940)	910	8,40	2,11	5,29			7,40 (2,00 - 8,60)	3,11 D	2.380 (240 - 2.840)	1.190	11,20				
16 + 50	1,60	5,00				6,60 (2,40 - 7,20)	2,90 C	2.275 (280 - 2.605)	1.138	10,50	2,06	6,44			8,50 (2,00 - 11,00)	3,21 C	2.650 (190 - 3.630)	1.325	12,50				
16 + 71	1,60	7,00				8,60 (2,50 - 9,10)	2,45 E	3.505 (310 - 3.735)	1.753	16,20	1,90	8,30			10,20 (2,00 - 13,00)	3,19 D	3.200 (190 - 4.540)	1.600	15,00				
20 + 20	2,00	2,00				4,00 (2,40 - 5,80)	3,48 A	1.150 (300 - 2.000)	575	5,40	2,90	2,90			5,00 (2,00 - 8,20)	3,20 C	1.810 (250 - 2.800)	905	8,50				
20 + 25	2,00	2,50				4,50 (2,40 - 5,80)	3,26 A	1.380 (300 - 2.000)	690	6,40	2,71	3,39			6,10 (2,00 - 8,20)	3,19 D	1.910 (250 - 2.800)	955	9,00				
20 + 35	2,00	3,20				5,20 (2,40 - 5,80)	3,25 A	1.600 (300 - 1.940)	800	7,50	2,65	4,25			6,90 (2,00 - 8,60)	3,25 C	2.120 (240 - 2.840)	1.060	10,00				
20 + 42	2,00	4,00				6,00 (2,40 - 6,70)	2,91 C	2.060 (300 - 2.500)	1.030	9,50	2,63	5,27			7,90 (2,00 - 11,00)	3,12 D	2.530 (230 - 3.530)	1.265	11,90				
20 + 50	2,00	5,00				7,00 (2,40 - 8,10)	2,91 C	2.405 (280 - 3.135)	1.203	11,10	2,57	6,43			9,00 (2,00 - 11,00)	3,36 C	2.680 (190 - 3.510)	1.340	12,60				
20 + 71	2,00	7,00				9,00 (2,50 - 10,00)	2,43 E	3.705 (310 - 4.705)	1.853	17,10	2,38	8,32			10,70 (2,00 - 13,00)	3,28 C	3.260 (190 - 4.480)	1.630	15,30				
25 + 25	2,50	2,50				5,00 (2,40 - 5,80)	3,23 A	1.550 (300 - 2.000)	775	7,20	3,25	3,25			6,50 (2,00 - 8,60)	3,25 C	2.000 (250 - 2.920)	1.000	9,40				
25 + 35	2,50	3,20				5,70 (2,40 - 6,70)	3,03 B	1.880 (300 - 2.500)	940	8,70	3,20	4,10			7,30 (2,00 - 10,10)	3,20 C	2.280 (240 - 3.530)	1.140	10,70				
25 + 42	2,50	4,00				6,50 (2,40 - 7,20)	2,74 D	2.370 (300 - 2.900)	1.185	10,90	3,19	5,11			8,30 (2,00 - 11,00)	3,07 D	2.700 (300 - 3.760)	1.350	12,70				
25 + 50	2,50	5,00				7,50 (2,40 - 8,60)	2,74 D	2.735 (280 - 3.575)	1.368	12,60	3,13	6,27			9,40 (2,00 - 11,00)	3,24 C	2.900 (190 - 3.510)	1.450	13,60				
25 + 71	2,50	7,00				9,50 (2,50 - 10,10)	2,30 F	4.125 (310 - 4.840)	2.063	19,00	2,92	8,18			11,10 (2,00 - 13,00)	3,33 C	3.330 (190 - 4.480)	1.665	15,60				
35 + 35	3,20	3,20				6,40 (2,40 - 7,20)	2,86 C	2.240 (290 - 2.760)	1.120	10,30	4,05	4,05			8,10 (2,00 - 11,00)	3,15 D	2.570 (230 - 3.750)	1.285	12,10				
35 + 42	3,20	4,00				7,20 (2,40 - 8,10)	2,61 D	2.760 (290 - 3.530)	1.380	12,70	4,04	5,06			9,10 (2,00 - 11,00)	3,12 D	2.920 (230 - 3.680)	1.460	13,70				
35 + 50	3,20	5,00				8,20 (2,50 - 9,10)	2,62 D	3.135 (310 - 3.735)	1.568	14,50	3,98	6,22			10,20 (2,00 - 11,90)	3,33 C	3.060 (180 - 3.820)	1.530	14,40				
35 + 71	3,14	6,86				10,00 (2,50 - 10,40)	2,24 F	4.465 (310 - 4.840)	2.233	20,60	3,76	8,24			12,00 (2,00 - 13,80)	3,35 C	3.580 (180 - 4.840)	1.790	16,80				
42 + 42	4,00	4,00				8,00 (2,50 - 8,60)	5,60  (10,00) <sup>1</sup>	2,37 F	3.380 (320 - 4.070)	1.690	15,60	5,05	5,05		10,10 (2,00 - 11,90)	3,10 D	3.260 (220 - 4.080)	1.630	15,30				
42 + 50	4,00	5,00				9,00 (2,50 - 10,00)	2,43 E	3.705 (310 - 4.705)	1.853	17,10	4,98	6,22			11,20 (2,00 - 13,00)	3,51 B	3.190 (180 - 4.380)	1.595	15,00				
42 + 60							5,60  (10,00) <sup>1</sup>	2,28 F	4.395 (310 - 4.840)	2.198	20,30	4,36	7,64		12,00 (2,00 - 13,80)	3,37 C	3.560 (180 - 4.840)	1.780	16,70				
42 + 71	3,64	6,36				10,00 (2,50 - 10,40)	2,53 E	3.960 (300 - 4.350)	1.980	18,30	6,00	6,00			12,00 (2,00 - 13,80)	3,57 B	3.360 (200 - 4.600)	1.680	15,80				
50 + 50	5,00	5,00				10,00 (2,50 - 10,40)	5,60  (10,00) <sup>1</sup>	2,62 D	3.820 (300 - 4.200)	1.910	17,60	5,00	7,00		12,00 (2,00 - 13,80)	3,59 B	3.340 (200 - 4.580)	1.670	15,70				
50 + 71	4,17	5,83				10,00 (2,50 - 10,40)	2,72 D	3.670 (330 - 4.040)	1.835	16,90	6,00	6,00		12,00 (2,00 - 13,80)	3,60 A	3.330 (200 - 4.560)	1.665	15,60					
71 + 71	5,00	5,00				10,00 (2,50 - 10,40)								12,00 (2,00 - 13,80)									
<b>3 Rooms</b>																							
16 + 16 + 16	1,60	1,60	1,60			4,80 (2,90 - 8,50)	3,66 A	1.310 (360 - 3.100)	655	6,10	2,33	2,33	2,33		6,99 (2,70 - 12,30)	3,53 B	1.980 (270 - 4.110)	1.090	9,30				
16 + 16 + 20	1,60	1,60	2,00			5,20 (2,90 - 8,50)	3,64 A	1.430 (360 - 3.100)	715	6,70	2,34	2,34	2,92		7,60 (2,70 - 12,30)	3,50 B	2.170 (270 - 4.050)	1.085	10,20				
16 + 16 + 25	1,60	1,60	2,50			5,70 (2,90 - 8,50)	3,48 A	1.640 (360 - 3.100)	820	7,60	2,22	2,22	3,46		7,90 (2,70 - 12,30)	3,46 B	2.280 (270 - 4.050)	1.140	10,70				
16 + 16 + 35	1,60	1,60	3,20			6,40 (2,90 - 8,50)	3,32 A	1.930 (360 - 3.030)	965	8,90	2,18	2,18	4,34		8,70 (2,70 - 12,30)	3,49 B	2.490 (270 - 3.950)	1.245	11,70				
16 + 16 + 42	1,60	1,60	4,00			7,20 (2,90 - 8,50)	3,21 A	2.240 (390 - 2.960)	1.120	10,30	2,16	2,16	5,38		9,70 (2,70 - 12,30)	3,32 C	2.920 (270 - 3.940)	1.460	13,70				
16 + 16 + 50	1,60	1,60	5,00			8,20 (2,90 - 8,70)	3,09 B	2.655 (390 - 2.845)	1.328	12,20	2,11	2,11	6,58		10,80 (2,70 - 12,90)	3,70 A	2.920 (290 - 4.060)	1.460	13,70				
16 + 16 + 71	1,57	1,57	6,86			10,00 (2,90 - 10,70)	2,92 C	3.425 (390 - 4.015)	1.713	15,80	1,88	1,88	8,24		12,00 (2,70 - 13,60)	3,58 B	3.350 (290 - 4.370)	1.675	15,70				
16 + 20 + 20	1,60	2,00	2,00			5,60 (2,90 - 8,50)	3,52 A	1.590 (360 - 3.030)	795	7,40	2,32	2,89	2,89		8,10 (2,70 - 12,30)	3,57 B	2.270 (270 - 3.990)	1.135	10,70				
16 + 20 + 25	1,60	2,00	2,50			6,10 (2,90 - 8,50)	3,37 A	1.810 (360 - 3.030)	905	8,30	2,23	2,79	3,48		8,50 (2,70 - 12,30)	3,43 B	2.480 (270 - 3.990)	1.240	11,70				
16 + 20 + 35	1,60	2,00	3,20			6,80 (2,90 - 8,50)	3,32 A	2.050 (390 - 2.960)	1.025	9,50	2,18	2,74	4,38		9,30 (2,70 - 12,30)	3,52 B	2.640 (270 - 3.890)	1.320	12,40				
16 + 20 + 42	1,60	2,00	4,00			7,60 (2,90 - 8,50)	3,13 B	2.430 (390 - 2.960)	1.215	11,20	2,17	2,71	5,42		10,30 (2,70 - 12,30)	3,55 B	2.900 (270 - 3.870)	1.450	13,60				
16 + 20 + 50	1,60	2,00	5,00			8,60 (2,90 - 9,60)	3,01 B	2.855 (390 - 3.215)	1.428	13,20	2,10	2,63	6,57		11,30 (2,70 - 13,60)	3,79 A	2.980 (290 - 4.330)	1.490	14,50				
16 + 20 + 71	1,51	1,89	6,60			10,00 (2,90 - 10,70)	2,92 C	3.425 (390 - 4.015)	1.713	15,80	1,81	2,26	7,93		12,00 (2,70 - 13,60)	3,65 A	3.290 (290 - 4.440)	1.645	15,50				
16 + 25 + 25	1,60	2,50	2,50			6,60 (2,90 - 8,50)	3,22 A	2.050 (360 - 3.030)	1.025	9,50	2,14	3,33	3,33										

Free Multi 5x1 CU-5E34PBE. Minimum capacity connected: 4.5kW. Maximum capacity connected: 17,5kW • R410 GAS

Indoor unit capacity	Cooling capacity (kW)					EER	Input power rating		A.E.C.	Current		Heating capacity (kW)					COP	Input power rating		A.E.C.	Current				
	Rooms						W/W	W		kWh	230V	Rooms						W/W	W		kWh	230V			
	A	B	C	D	E							Total (Min - Max)	A	B	C	D							E	Total (Min - Max)	
25 + 25 + 50	2,50	2,50	5,00			10,00 (2,90 - 10,70)	5,60	2,86 (10,00)	3.495 (390 - 4.085)	1.748	16,10	3,00	3,00	6,00						12,00 (2,70 - 13,60)	3,80	3,70 (10,00)	3.240 (290 - 4.260)	1.620	15,20
25 + 25 + 71	2,08	2,08	5,84			10,00 (2,90 - 10,70)		2,92 (10,00)	3.425 (390 - 3.935)	1.713	15,80	2,50	2,50	7,00						12,00 (2,70 - 13,80)	3,79	3.170 (290 - 4.380)	1.585	14,90	
25 + 35 + 35	2,50	3,20	3,20			8,90 (2,90 - 9,60)		2,88 (10,00)	3.090 (390 - 3.460)	1.545	14,20	3,18	4,06	4,06						11,30 (2,70 - 13,60)	3,70	3.050 (280 - 4.510)	1.525	14,30	
25 + 35 + 42	2,50	3,20	4,00			9,70 (2,90 - 10,70)		2,80 (10,00)	3.460 (390 - 4.530)	1.730	16,00	3,09	3,96	4,95						12,00 (2,70 - 13,60)	3,61	3.320 (280 - 4.420)	1.660	15,60	
25 + 35 + 50	2,34	2,99	4,67			10,00 (2,90 - 10,70)		2,92 (10,00)	3.425 (390 - 4.015)	1.713	15,80	2,80	3,59	5,61						12,00 (2,70 - 13,80)	3,81	3.150 (310 - 4.360)	1.575	14,80	
25 + 35 + 71	1,97	2,52	5,51			10,00 (2,90 - 10,70)		2,98 (10,00)	3.355 (420 - 3.855)	1.678	15,50	2,36	3,02	6,62						12,00 (2,70 - 14,10)	3,82	3.140 (310 - 4.470)	1.570	14,80	
25 + 42 + 42	2,38	3,81	3,81			10,00 (2,90 - 10,70)		2,67 (10,00)	3.750 (390 - 4.530)	1.875	17,30	2,86	4,57	4,57						12,00 (2,70 - 13,80)	3,63	3.310 (280 - 4.550)	1.655	15,60	
25 + 42 + 50	2,17	3,48	4,35			10,00 (2,90 - 10,70)		2,92 (10,00)	3.425 (390 - 3.935)	1.713	15,80	2,61	4,17	5,22						12,00 (2,70 - 13,80)	3,82	3.140 (310 - 4.460)	1.570	14,80	
25 + 42 + 71	1,85	2,96	5,19			10,00 (2,90 - 10,70)		3,04 (10,00)	3.285 (420 - 3.855)	1.643	15,10	2,22	3,56	6,22						12,00 (2,70 - 14,10)	3,85	3.120 (310 - 4.340)	1.560	14,70	
25 + 50 + 50	2,00	4,00	4,00			10,00 (2,90 - 10,70)		3,08 (10,00)	3.250 (430 - 3.670)	1.625	15,00	2,40	4,80	4,80						12,00 (2,70 - 13,80)	3,95	3.040 (350 - 4.140)	1.520	14,30	
25 + 50 + 71	1,72	3,45	4,83			10,00 (2,90 - 10,70)		3,14 (10,00)	3.180 (460 - 3.600)	1.590	14,70	2,07	4,14	5,79						12,00 (2,70 - 14,10)	3,96	3.030 (370 - 4.320)	1.515	14,20	
25 + 71 + 71	1,52	4,24	4,24			10,00 (2,90 - 10,70)		3,22 (10,00)	3.110 (460 - 3.530)	1.555	14,30	1,82	5,09	5,09						12,00 (2,70 - 14,10)	3,91	3.070 (380 - 4.430)	1.535	14,40	
35 + 35 + 35	3,20	3,20	3,20			9,60 (2,90 - 10,10)		2,89 (10,00)	3.320 (390 - 3.750)	1.660	15,30	4,00	4,00	4,00						12,00 (2,70 - 13,60)	3,64	3.300 (280 - 4.400)	1.650	15,50	
35 + 35 + 42	3,08	3,08	3,84			10,00 (2,90 - 10,70)		2,72 (10,00)	3.680 (390 - 4.370)	1.840	17,00	3,69	3,69	4,62						12,00 (2,70 - 13,60)	3,66	3.280 (280 - 4.390)	1.640	15,40	
35 + 35 + 50	2,81	2,81	3,84			10,00 (2,90 - 10,70)		2,98 (10,00)	3.355 (390 - 3.855)	1.678	15,50	3,37	3,37	5,26						12,00 (2,70 - 13,80)	3,85	3.120 (310 - 4.320)	1.560	14,70	
35 + 35 + 71	2,39	2,39	5,22			10,00 (2,90 - 10,70)		3,04 (10,00)	3.285 (420 - 3.785)	1.643	15,10	2,87	2,87	6,26						12,00 (2,70 - 14,10)	3,86	3.110 (320 - 4.430)	1.555	14,60	
35 + 42 + 42	2,86	3,57	3,57			10,00 (2,90 - 10,70)		2,78 (10,00)	3.600 (390 - 4.370)	1.800	16,60	3,42	4,29	4,29						12,00 (2,70 - 13,80)	3,67	3.270 (380 - 4.510)	1.635	15,40	
35 + 42 + 50	2,62	3,28	4,10			10,00 (2,90 - 10,70)		2,98 (10,00)	3.355 (420 - 3.855)	1.678	15,50	3,15	3,93	4,92						12,00 (2,70 - 13,80)	3,86	3.110 (320 - 4.380)	1.555	14,60	
35 + 42 + 71	2,25	2,82	4,93			10,00 (2,90 - 10,70)		3,04 (10,00)	3.285 (420 - 3.785)	1.643	15,10	2,70	3,38	5,92						12,00 (2,70 - 14,10)	3,88	3.090 (320 - 4.410)	1.545	14,50	
35 + 50 + 50	2,42	3,79	3,79			10,00 (2,90 - 10,70)		3,14 (10,00)	3.180 (460 - 3.600)	1.590	14,70	2,90	4,55	4,55						12,00 (2,70 - 14,10)	3,91	3.070 (380 - 4.300)	1.535	14,40	
35 + 50 + 71	2,10	3,29	4,61			10,00 (2,90 - 10,70)		3,22 (10,00)	3.110 (460 - 3.530)	1.555	14,30	2,52	3,95	5,53						12,00 (2,70 - 14,10)	3,93	3.050 (380 - 4.410)	1.525	14,30	
35 + 71 + 71	1,86	4,07	4,07			10,00 (2,90 - 10,70)		3,21 (10,00)	3.120 (470 - 3.530)	1.560	14,40	2,24	4,88	4,88						12,00 (2,70 - 14,10)	3,95	3.040 (390 - 4.390)	1.520	14,30	
42 + 42 + 42	3,33	3,33	3,33			9,99 (2,90 - 10,70)		2,78 (10,00)	3.600 (390 - 4.290)	1.800	16,60	4,00	4,00	4,00						12,00 (2,70 - 13,80)	3,88	3.260 (280 - 4.420)	1.630	15,30	
42 + 42 + 50	3,08	3,08	3,84			10,00 (2,90 - 10,70)		3,04 (10,00)	3.285 (420 - 3.855)	1.643	15,10	3,69	3,69	4,62						12,00 (2,70 - 14,10)	3,87	3.100 (320 - 4.420)	1.550	14,60	
42 + 42 + 71	2,67	2,67	4,66			10,00 (2,90 - 10,70)		3,11 (10,00)	3.215 (420 - 3.715)	1.608	14,80	3,20	3,20	5,60						12,00 (2,70 - 14,10)	3,90	3.080 (320 - 4.540)	1.540	14,50	
42 + 50 + 50	2,86	3,57	3,57			10,00 (2,90 - 10,70)		3,14 (10,00)	3.180 (460 - 3.600)	1.590	14,70	3,42	4,29	4,29						12,00 (2,70 - 14,10)	3,92	3.060 (380 - 4.280)	1.530	14,40	
42 + 50 + 71	2,49	3,13	3,48			10,00 (2,90 - 10,70)		3,22 (10,00)	3.110 (460 - 3.530)	1.555	14,30	3,00	3,75	5,25						12,00 (2,70 - 14,40)	3,95	3.040 (390 - 4.400)	1.520	14,30	
50 + 50 + 50	3,33	3,33	3,33			9,99 (2,90 - 10,70)		2,78 (10,00)	3.095 (510 - 3.495)	1.548	14,30	4,00	4,00	4,00						12,00 (2,70 - 14,40)	3,96	3.030 (460 - 4.350)	1.515	14,20	
50 + 50 + 71	2,94	2,94	4,12			10,00 (2,90 - 10,70)		3,23 (10,00)	3.095 (510 - 3.495)	1.548	14,30	3,53	3,53	4,94						12,00 (2,70 - 14,40)	3,97	3.020 (480 - 4.340)	1.510	14,20	
<b>4 Rooms</b>																									
16 + 16 + 16 + 16	1,60	1,60	1,60	1,60		6,40 (2,90 - 10,60)		3,50 (10,00)	1.830 (420 - 4.130)	915	8,40	2,88	2,88	2,88	2,88				11,52 (3,40 - 14,20)	3,65	3.160 (390 - 4.720)	1.580	14,80		
16 + 16 + 16 + 20	1,60	1,60	1,60	2,00		6,80 (2,90 - 10,60)		3,43 (10,00)	1.980 (420 - 4.130)	990	9,10	2,71	2,71	2,71	3,39				11,52 (3,40 - 14,20)	3,73	3.090 (390 - 4.650)	1.545	14,50		
16 + 16 + 16 + 25	1,60	1,60	1,60	2,50		7,30 (2,90 - 10,60)		3,36 (10,00)	2.170 (420 - 4.130)	1.085	10,00	2,52	2,52	2,52	3,96				11,52 (3,40 - 14,20)	3,73	3.090 (390 - 4.650)	1.545	14,50		
16 + 16 + 16 + 30	1,60	1,60	1,60	3,20		8,00 (2,90 - 10,60)		3,25 (10,00)	2.460 (420 - 4.050)	1.230	11,20	2,30	2,30	2,30	4,62				11,52 (3,40 - 14,20)	3,76	3.060 (390 - 4.610)	1.530	14,40		
16 + 16 + 16 + 42	1,60	1,60	1,60	4,00		8,80 (2,90 - 10,60)		3,10 (10,00)	2.840 (420 - 4.050)	1.420	12,10	2,09	2,09	2,09	5,25				11,52 (3,40 - 14,20)	3,78	3.050 (400 - 4.610)	1.525	14,30		
16 + 16 + 16 + 50	1,60	1,60	1,60	5,00		9,80 (2,90 - 10,60)		3,03 (10,00)	3.235 (470 - 3.825)	1.618	14,90	1,88	1,88	1,88	5,88				11,52 (3,40 - 14,20)	3,88	2.970 (460 - 4.460)	1.485	14,00		
16 + 16 + 16 + 71	1,36	1,36	1,36	5,92		10,00 (2,90 - 10,60)		3,02 (10,00)	3.315 (470 - 3.745)	1.658	15,30	1,56	1,56	1,56	6,84				11,52 (3,40 - 14,20)	3,89	2.960 (460 - 4.440)	1.480	13,90		
16 + 16 + 20 + 20	1,60	1,60	2,00	2,00		7,20 (2,90 - 10,60)		3,43 (10,00)	2.100 (420 - 4.040)	1.050	9,70	2,56	2,56	3,20	3,20				11,52 (3,40 - 14,20)	3,80	3.030 (390 - 4.590)	1.515	14,20		
16 + 16 + 20 + 25	1,60	1,60	2,00	2,50		7,70 (2,90 - 10,60)		3,30 (10,00)	2.330 (420 - 4.040)	1.165	10,70	2,39	2,39	2,99	3,75				11,52 (3,40 - 14,20)	3,84	3.030 (390 - 4.590)	1.515	14,20		
16 + 16 + 20 + 35	1,60	1,60	2,00	3,20		8,40 (2,90 - 10,60)		3,24 (10,00)	2.590 (420 - 3.960)	1.295	11,90	2,19	2,19	2,74	4,40				11,52 (3,40 - 14,20)	3,80	3.000 (400 - 4.550)	1.500	14,10		
16 + 16 + 20 + 42	1,60	1,60	2,00	4,00		9,20 (2,90 - 10,60)		3,05 (10,00)	3.020 (420 - 3.960)	1.510	13,90	2,00	2,00	2,50	5,02				11,52 (3,40 - 14,20)	3,85	2.990 (400 - 4.530)	1.495	14,10		
16 + 16 + 20 + 50	1,57	1,57	1,96	4,90		10,00 (2,90 - 10,60)		2,95 (10,00)	3.385 (470 - 3.825)	1.693	15,60	1,81	1,81	2,25	5,65				11,52 (3,40 - 14,20)	3,96	2.910 (460 - 4.400)	1.455	13,70		
16 + 16 + 20 + 71	1,31	1,31	1,64	5,74		10,00 (2,90 - 10,80)		3,02 (10,00)	3.315 (470 - 3.905)	1.658															

# FREE MULTI 5X1 COMBINATIONS TABLE

Free Multi 5x1 CU-5E34PBE. Minimum capacity connected: 4.5kW. Maximum capacity connected: 17.5kW • R410 GAS

Indoor unit capacity Rooms	Cooling capacity (kW)					EER	Input power rating		A.E.C.	Current	Heating capacity (kW)					COP	Input power rating		A.E.C.	Current						
	A	B	C	D	E		Total (Min - Max)	W/W			W	kWh	230V	A	B		C	D			E	Total (Min - Max)	W/W	W	kWh	230V
	16 + 35 + 35 + 50	1.23	2.46	2.46	3.85			10.00			(2.90 - 10.80)	3.02 B	3.315 (510 - 3.835)	1.658	15.30		1.41	2.84			2.84	4.43		11.52	(3.40 - 14.40)	4.03 A
16 + 35 + 35 + 71	1.07	2.13	2.13	4.67		10.00	(3.00 - 11.00)	3.08 B	3.245 (540 - 3.915)	1.623	15.00	1.22	2.46	2.46	5.38		11.52	(3.40 - 14.40)	4.04 A	2.850 (520 - 4.370)	1.425	13.40				
16 + 35 + 42 + 42	1.24	2.50	3.13	3.13		10.00	(2.90 - 10.80)	2.99 C	3.350 (460 - 3.960)	1.675	15.40	1.44	2.88	3.60	3.60		11.52	(3.40 - 14.40)	4.01 A	2.870 (430 - 4.440)	1.435	13.50				
16 + 35 + 42 + 50	1.16	2.32	2.90	3.62		10.00	(2.90 - 10.80)	3.08 B	3.245 (510 - 3.835)	1.623	15.00	1.34	2.67	3.34	4.17		11.52	(3.40 - 14.40)	4.04 A	2.850 (510 - 4.380)	1.425	13.40				
16 + 35 + 42 + 71	1.01	2.03	2.53	4.43		10.00	(3.00 - 11.20)	3.08 B	3.245 (540 - 4.075)	1.623	15.00	1.17	2.33	2.92	5.10		11.52	(3.40 - 14.40)	4.06 A	2.840 (520 - 4.360)	1.420	13.30				
16 + 35 + 50 + 50	1.08	2.16	3.38	3.38		10.00	(3.00 - 11.00)	3.04 B	3.290 (590 - 3.870)	1.645	15.20	1.25	2.49	3.89	3.89		11.52	(3.40 - 14.40)	3.97 A	2.900 (600 - 4.330)	1.450	13.60				
16 + 35 + 50 + 71	0.95	1.90	2.98	4.17		10.00	(3.00 - 11.20)	3.04 B	3.290 (600 - 4.030)	1.645	15.20	1.10	2.19	3.43	4.80		11.52	(3.40 - 14.40)	3.99 A	2.890 (620 - 4.310)	1.445	13.60				
16 + 42 + 42 + 42	1.18	2.94	2.94	2.94		10.00	(2.90 - 10.80)	2.99 C	3.350 (460 - 3.960)	1.675	15.40	1.35	3.39	3.39	3.39		11.52	(3.40 - 14.40)	4.03 A	2.860 (450 - 4.420)	1.430	13.40				
16 + 42 + 42 + 50	1.10	2.74	2.74	3.42		10.00	(3.00 - 11.00)	3.08 B	3.245 (510 - 3.915)	1.623	15.00	1.25	3.16	3.16	3.95		11.52	(3.40 - 14.40)	4.06 A	2.840 (520 - 4.360)	1.420	13.30				
16 + 42 + 42 + 71	0.96	2.41	4.11	4.22		10.00	(3.00 - 11.20)	3.08 B	3.245 (540 - 4.075)	1.623	15.00	1.10	2.78	2.78	4.86		11.52	(3.40 - 14.40)	4.07 A	2.830 (530 - 4.340)	1.415	13.30				
16 + 42 + 50 + 50	1.02	2.56	3.21	3.21		10.00	(3.00 - 11.00)	3.04 B	3.290 (590 - 3.870)	1.645	15.20	1.18	2.96	3.69	3.69		11.52	(3.40 - 14.40)	3.97 A	2.890 (620 - 4.320)	1.445	13.60				
16 + 50 + 50 + 50	0.97	3.01	3.01	3.01		10.00	(3.00 - 11.20)	2.99 C	3.345 (650 - 4.075)	1.673	15.40	1.11	3.47	3.47	3.47		11.52	(3.40 - 14.40)	3.89 A	2.960 (720 - 4.350)	1.480	13.90				
20 + 20 + 20 + 20	2.00	2.00	2.00	2.00		8.00	(2.90 - 10.60)	3.25 A	2.460 (420 - 4.050)	1.230	11.30	2.88	2.88	2.88	2.88		11.52	(3.40 - 14.20)	3.96 A	2.910 (390 - 4.460)	1.455	13.70				
20 + 20 + 20 + 25	2.00	2.00	2.00	2.50		8.50	(2.90 - 10.60)	3.20 B	2.660 (420 - 4.050)	1.330	12.30	3.80	2.80	2.80	3.50		11.90	(3.40 - 14.40)	3.88 A	3.070 (390 - 4.460)	1.535	14.40				
20 + 20 + 20 + 35	2.00	2.00	2.00	3.20		9.20	(2.90 - 10.60)	3.12 B	2.950 (420 - 3.960)	1.475	13.60	2.61	2.61	2.61	4.17		12.00	(3.40 - 14.20)	3.95 A	3.040 (400 - 4.420)	1.520	14.30				
20 + 20 + 20 + 42	2.00	2.00	2.00	4.00		10.00	(2.90 - 10.60)	2.92 C	3.430 (430 - 3.960)	1.715	15.80	2.40	2.40	2.40	4.80		12.00	(3.40 - 14.20)	3.96 A	3.030 (420 - 4.400)	1.515	14.20				
20 + 20 + 20 + 50	1.82	1.82	1.82	4.54		10.00	(2.90 - 10.60)	3.02 B	3.315 (470 - 3.745)	1.658	15.30	2.18	2.18	2.18	5.46		12.00	(3.40 - 14.20)	4.00 A	3.000 (480 - 4.270)	1.500	14.10				
20 + 20 + 20 + 71	1.54	1.54	1.54	5.38		10.00	(2.90 - 10.80)	3.02 B	3.315 (500 - 3.835)	1.658	15.30	1.85	1.85	1.85	6.45		12.00	(3.40 - 14.40)	4.01 A	2.990 (480 - 4.310)	1.495	14.10				
20 + 20 + 25 + 25	2.00	2.00	2.50	2.50		9.00	(2.90 - 10.60)	3.09 B	2.910 (420 - 4.050)	1.455	13.40	2.67	2.67	3.33	3.33		12.00	(3.40 - 14.20)	3.91 A	3.070 (390 - 4.460)	1.535	14.40				
20 + 20 + 25 + 35	2.00	2.00	2.50	3.20		9.70	(2.90 - 10.60)	3.03 B	3.200 (420 - 3.960)	1.600	14.80	2.47	2.47	3.09	3.97		12.00	(3.40 - 14.20)	3.95 A	3.040 (400 - 4.420)	1.520	14.30				
20 + 20 + 25 + 42	1.90	1.90	2.38	3.82		10.00	(2.90 - 10.60)	2.92 C	3.430 (430 - 3.960)	1.715	15.80	2.29	2.29	2.85	4.57		12.00	(3.40 - 14.20)	3.96 A	3.030 (420 - 4.400)	1.515	14.20				
20 + 20 + 25 + 50	1.74	1.74	2.17	4.35		10.00	(2.90 - 10.60)	3.02 B	3.315 (470 - 3.745)	1.658	15.30	2.09	2.09	2.60	5.22		12.00	(3.40 - 14.20)	4.00 A	3.000 (480 - 4.270)	1.500	14.10				
20 + 20 + 25 + 71	1.48	1.48	1.85	5.19		10.00	(2.90 - 10.80)	3.02 B	3.315 (500 - 3.835)	1.658	15.30	1.78	1.78	2.22	6.22		12.00	(3.40 - 14.40)	4.01 A	2.990 (480 - 4.310)	1.495	14.10				
20 + 20 + 35 + 35	1.92	1.92	3.08	3.08		10.00	(2.90 - 10.60)	2.99 C	3.350 (430 - 3.880)	1.675	15.40	2.31	2.31	3.69	3.69		12.00	(3.40 - 14.20)	3.99 A	3.010 (420 - 4.310)	1.505	14.10				
20 + 20 + 35 + 42	1.79	1.79	2.85	3.57		10.00	(2.90 - 10.60)	2.99 C	3.350 (430 - 3.880)	1.675	15.40	2.14	2.14	3.43	4.29		12.00	(3.40 - 14.20)	4.00 A	3.000 (420 - 4.290)	1.500	14.10				
20 + 20 + 35 + 50	1.64	1.64	2.62	4.10		10.00	(2.90 - 10.80)	3.02 B	3.315 (500 - 3.825)	1.658	15.30	1.97	1.97	3.14	4.92		12.00	(3.40 - 14.20)	4.04 A	2.970 (490 - 4.230)	1.485	14.00				
20 + 20 + 35 + 71	1.41	1.41	2.25	4.93		10.00	(2.90 - 11.00)	3.08 B	3.245 (510 - 3.915)	1.623	15.00	1.69	1.69	2.70	5.92		12.00	(3.40 - 14.40)	4.05 A	2.960 (500 - 4.280)	1.480	13.90				
20 + 20 + 42 + 42	1.67	1.67	3.33	3.33		10.00	(2.90 - 10.60)	2.99 C	3.350 (430 - 3.880)	1.675	15.40	2.00	2.00	4.00	4.00		12.00	(3.40 - 14.20)	4.01 A	2.990 (430 - 4.280)	1.495	14.10				
20 + 20 + 42 + 50	1.54	1.54	3.07	3.85		10.00	(2.90 - 10.80)	3.02 B	3.315 (500 - 3.835)	1.658	15.30	1.85	1.85	3.68	4.62		12.00	(3.40 - 14.40)	4.05 A	2.960 (490 - 4.280)	1.480	13.90				
20 + 20 + 42 + 71	1.33	1.33	2.67	4.67		10.00	(2.90 - 11.00)	3.08 B	3.245 (510 - 3.915)	1.623	15.00	1.60	1.60	3.20	5.60		12.00	(3.40 - 14.40)	4.07 A	2.950 (510 - 4.330)	1.475	13.90				
20 + 20 + 50 + 50	1.43	1.43	3.57	3.57		10.00	(2.90 - 10.80)	3.04 B	3.290 (560 - 3.790)	1.645	15.20	1.71	1.71	4.29	4.29		12.00	(3.40 - 14.40)	4.00 A	3.000 (590 - 4.300)	1.500	14.10				
20 + 20 + 50 + 71	1.25	1.25	3.12	4.38		10.00	(2.90 - 11.20)	3.04 B	3.290 (560 - 4.030)	1.645	15.20	1.50	1.50	3.75	5.25		12.00	(3.40 - 14.40)	4.00 A	3.000 (600 - 4.280)	1.500	14.10				
20 + 25 + 25 + 25	2.00	2.50	2.50	2.50		9.50	(2.90 - 10.60)	3.00 C	3.170 (420 - 4.050)	1.585	14.60	2.52	3.16	3.16	3.16		12.00	(3.40 - 14.20)	3.91 A	3.070 (390 - 4.460)	1.535	14.40				
20 + 25 + 25 + 28	2.00	2.50	2.50	2.80		9.80	(2.90 - 10.60)	2.99 C	3.280 (420 - 3.980)	1.640	15.10	2.45	3.06	3.06	3.43		12.00	(3.40 - 14.20)	3.93 A	3.050 (390 - 4.440)	1.525	14.30				
20 + 25 + 25 + 35	1.96	2.45	2.45	3.14		10.00	(2.90 - 10.60)	2.92 C	3.430 (420 - 3.960)	1.715	15.80	2.35	2.94	2.94	3.77		12.00	(3.40 - 14.20)	3.95 A	3.040 (400 - 4.420)	1.520	14.30				
20 + 25 + 25 + 42	1.82	2.27	2.27	3.64		10.00	(2.90 - 10.60)	2.92 C	3.430 (430 - 3.960)	1.715	15.80	2.18	2.73	2.73	4.36		12.00	(3.40 - 14.20)	3.96 A	3.030 (420 - 4.400)	1.515	14.20				
20 + 25 + 25 + 50	1.67	2.08	4.08	4.17		10.00	(2.90 - 10.60)	3.02 B	3.315 (470 - 3.745)	1.658	15.30	2.00	2.50	2.50	5.00		12.00	(3.40 - 14.20)	4.00 A	3.000 (480 - 4.270)	1.500	14.10				
20 + 25 + 25 + 71	1.42	1.79	1.79	5.00		10.00	(2.90 - 10.80)	3.02 B	3.315 (500 - 3.835)	1.658	15.30	1.71	2.14	2.14	6.01		12.00	(3.40 - 14.40)	4.01 A	2.990 (480 - 4.310)	1.495	14.10				
20 + 25 + 35 + 35	1.83	2.29	2.94	2.94		10.00	(2.90 - 10.60)	2.99 C	3.350 (430 - 3.880)	1.675	15.40	2.20	2.76	3.52	3.52		12.00	(3.40 - 14.20)	3.99 A	3.010 (420 - 4.310)	1.505	14.10				
20 + 25 + 35 + 42	1.70	2.14	2.74	3.42		10.00	(2.90 - 10.60)	2.99 C	3.350 (430 - 3.880)	1.675	15.40	2.05	2.56	3.28	4.11		12.00	(3.40 - 14.20)	4.00 A	3.000 (420 - 4.290)	1.500	14.10				
20 + 25 + 35 + 50	1.57	1.97	2.52	3.94		10.00	(2.90 - 10.80)	2.99 C	3.315 (500 - 3.825)	1.658	15.30	1.89	2.36	3.02	4.73		12.00	(3.40 - 14.40)	4.04 A	2.970 (490 - 4.230)	1.485	14.00				
20 + 25 + 35 + 71	1.36	1.70	2.18	4.76		10.00	(2.90 - 11.00)	3.08 B	3.245 (510 - 3.915)	1.623	15.00	1.63	2.04	2.61	5.72		12.00	(3.40 - 14.40)	4.05 A	2.960 (500 - 4.280)	1.480	13.90				

Free Multi 5x1 CU-5E34PBE. Minimum capacity connected: 4.5kW. Maximum capacity connected: 17,5kW • R410 GAS

Table with columns for Indoor unit capacity, Cooling capacity (kW) Rooms, EER, Input power rating, A.E.C., Current, Heating capacity (kW) Rooms, COP, Input power rating, A.E.C., Current. It lists various room configurations and their corresponding performance metrics.

# FREE MULTI 5X1 COMBINATIONS TABLE

Free Multi 5x1 CU-5E34PBE. Minimum capacity connected: 4.5kW. Maximum capacity connected: 17.5kW • R410 GAS

Indoor unit capacity	Cooling capacity (kW)					EER	Input power rating	A.E.C.	Current	Heating capacity (kW)					COP	Input power rating	A.E.C.	Current		
	Rooms									Rooms										
	A	B	C	D	E					Total (Min - Max)	W/W	W	kWh	230V					A	B
16 + 20 + 20 + 35 + 71	1,00	1,27	1,27	2,03	4,43	10,00 (2,90 - 11,50)	3,12 B	3.205 (660 - 4.095)	1.603	14,80	1,21	1,52	1,52	2,43	5,32	12,00 (3,40 - 14,50)	3,91 A	3.070 (700 - 4.330)	1.535	14,40
16 + 20 + 20 + 42 + 71	1,18	1,47	1,47	2,94	2,94	10,00 (2,90 - 11,50)	3,17 B	3.150 (560 - 4.130)	1.575	14,50	1,42	1,76	1,76	3,53	3,53	12,00 (3,40 - 14,50)	3,99 A	3.010 (590 - 4.310)	1.505	14,10
16 + 20 + 20 + 42 + 50	1,10	1,37	1,37	2,74	3,42	10,00 (2,90 - 11,50)	3,12 B	3.205 (650 - 4.085)	1.603	14,80	1,32	1,64	1,64	3,29	4,11	12,00 (3,40 - 14,50)	3,91 A	3.070 (690 - 4.330)	1.535	14,40
16 + 20 + 20 + 42 + 71	0,96	1,20	1,20	2,41	4,23	10,00 (2,90 - 11,50)	3,11 B	3.215 (660 - 4.095)	1.608	14,80	1,15	1,45	1,45	2,89	5,06	12,00 (3,40 - 14,50)	3,92 A	3.060 (710 - 4.320)	1.530	14,40
16 + 20 + 20 + 50 + 50	1,02	1,28	1,28	3,21	3,21	10,00 (2,90 - 11,50)	2,99 C	3.340 (720 - 4.140)	1.670	15,40	1,22	1,54	1,54	3,85	3,85	12,00 (3,40 - 14,50)	3,76 A	3.190 (820 - 4.380)	1.595	15,00
16 + 20 + 25 + 25 + 25	1,44	1,81	2,25	2,25	2,25	10,00 (2,90 - 11,50)	3,12 B	3.210 (520 - 4.210)	1.605	14,80	1,73	2,17	2,17	2,70	2,70	12,00 (3,40 - 14,50)	3,97 A	3.020 (530 - 4.400)	1.510	14,20
16 + 20 + 25 + 25 + 35	1,36	1,69	2,12	2,12	2,71	10,00 (2,90 - 11,50)	3,11 B	3.220 (550 - 4.130)	1.610	14,80	1,63	2,03	2,03	2,54	3,26	12,00 (3,40 - 14,50)	4,00 A	3.000 (550 - 4.360)	1.500	14,10
16 + 20 + 25 + 25 + 42	1,27	1,59	1,98	1,98	3,18	10,00 (2,90 - 11,50)	3,18 B	3.140 (550 - 4.130)	1.570	14,50	1,52	1,90	2,38	2,38	3,82	12,00 (3,40 - 14,50)	4,01 A	2.990 (560 - 4.350)	1.495	14,10
16 + 20 + 25 + 25 + 50	1,17	1,47	1,84	1,84	3,68	10,00 (2,90 - 11,50)	3,06 B	3.265 (610 - 4.085)	1.633	15,10	1,41	1,76	2,21	2,21	4,41	12,00 (3,40 - 14,50)	3,95 A	3.040 (660 - 4.310)	1.520	14,30
16 + 20 + 25 + 25 + 71	1,03	1,28	1,60	1,60	4,49	10,00 (2,90 - 11,50)	3,12 B	3.205 (650 - 4.085)	1.603	14,80	1,23	1,54	1,92	1,92	5,39	12,00 (3,40 - 14,50)	3,95 A	3.040 (670 - 4.360)	1.520	14,30
16 + 20 + 25 + 35 + 35	1,28	1,60	2,00	2,56	2,56	10,00 (2,90 - 11,50)	3,17 B	3.150 (560 - 4.130)	1.575	14,50	1,54	1,92	2,40	3,07	3,07	12,00 (3,40 - 14,50)	4,03 A	2.980 (580 - 4.330)	1.490	14,00
16 + 20 + 25 + 35 + 42	1,20	1,50	1,88	2,41	3,01	10,00 (2,90 - 11,50)	3,17 B	3.150 (560 - 4.130)	1.575	14,50	1,44	1,80	2,26	2,89	3,61	12,00 (3,40 - 14,50)	3,97 A	3.020 (580 - 4.320)	1.510	14,20
16 + 20 + 25 + 35 + 50	1,11	1,40	1,75	2,24	3,50	10,00 (2,90 - 11,50)	3,05 B	3.275 (650 - 4.085)	1.638	15,10	1,33	1,68	2,10	2,69	4,20	12,00 (3,40 - 14,50)	3,90 A	3.080 (690 - 4.340)	1.540	14,50
16 + 20 + 25 + 35 + 71	0,98	1,23	1,53	1,96	4,30	10,00 (2,90 - 11,50)	3,12 B	3.205 (660 - 4.095)	1.603	14,80	1,18	1,47	1,84	2,36	5,15	12,00 (3,40 - 14,50)	3,91 A	3.070 (700 - 4.330)	1.535	14,40
16 + 20 + 25 + 42 + 42	1,13	1,42	1,77	2,84	2,84	10,00 (2,90 - 11,50)	3,17 B	3.150 (560 - 4.130)	1.575	14,50	1,36	1,70	2,14	3,40	3,40	12,00 (3,40 - 14,50)	3,99 A	3.010 (590 - 4.310)	1.505	14,10
16 + 20 + 25 + 42 + 50	1,06	1,32	1,66	2,65	3,31	10,00 (2,90 - 11,50)	3,12 B	3.205 (650 - 4.085)	1.603	14,80	1,27	1,59	1,98	3,18	3,97	12,00 (3,40 - 14,50)	3,91 A	3.070 (690 - 4.330)	1.535	14,40
16 + 20 + 25 + 42 + 71	0,94	1,17	1,46	2,34	4,09	10,00 (2,90 - 11,50)	3,11 B	3.215 (660 - 4.095)	1.608	14,80	1,12	1,40	1,75	2,81	4,92	12,00 (3,40 - 14,50)	3,92 A	3.060 (710 - 4.320)	1.530	14,40
16 + 20 + 25 + 50 + 50	0,99	1,24	1,55	3,11	3,11	10,00 (2,90 - 11,50)	2,99 C	3.340 (720 - 4.140)	1.670	15,40	1,19	1,49	1,86	3,73	3,73	12,00 (3,40 - 14,50)	3,76 A	3.190 (820 - 4.380)	1.595	15,00
16 + 20 + 25 + 35 + 35	1,21	1,53	2,42	2,42	2,42	10,00 (2,90 - 11,50)	3,17 B	3.150 (560 - 4.050)	1.575	14,50	1,45	1,82	2,91	2,91	2,91	12,00 (3,40 - 14,50)	3,99 A	3.010 (590 - 4.300)	1.505	14,10
16 + 20 + 35 + 35 + 42	1,13	1,43	2,29	2,29	2,86	10,00 (2,90 - 11,50)	3,17 B	3.150 (560 - 4.050)	1.575	14,50	1,37	1,71	2,74	2,74	3,44	12,00 (3,40 - 14,50)	4,00 A	3.000 (660 - 4.350)	1.500	14,10
16 + 20 + 35 + 35 + 50	1,07	1,33	2,13	2,13	3,34	10,00 (2,90 - 11,50)	3,12 B	3.205 (660 - 4.095)	1.603	14,80	1,28	1,60	2,56	2,56	4,00	12,00 (3,40 - 14,50)	3,92 A	3.060 (720 - 4.320)	1.530	14,40
16 + 20 + 35 + 35 + 71	0,94	1,18	1,88	1,88	4,12	10,00 (2,90 - 11,50)	3,11 B	3.215 (670 - 4.095)	1.608	14,80	1,13	1,41	2,26	2,26	4,94	12,00 (3,40 - 14,50)	3,87 A	3.100 (730 - 4.370)	1.550	14,60
16 + 20 + 35 + 42 + 42	1,08	1,35	2,17	2,70	2,70	10,00 (2,90 - 11,50)	3,17 B	3.150 (570 - 4.050)	1.575	14,50	1,30	1,62	2,64	3,24	3,24	12,00 (3,40 - 14,50)	4,00 A	3.000 (620 - 4.340)	1.500	14,10
16 + 20 + 35 + 42 + 50	1,01	1,27	2,03	2,53	3,16	10,00 (2,90 - 11,50)	3,12 B	3.205 (660 - 4.095)	1.603	14,80	1,21	1,52	2,43	3,04	3,80	12,00 (3,40 - 14,50)	3,86 A	3.110 (720 - 4.370)	1.555	14,60
16 + 20 + 35 + 50 + 50	0,95	1,19	1,90	2,98	2,98	10,00 (2,90 - 11,50)	2,99 C	3.340 (760 - 4.140)	1.670	15,40	1,14	1,43	2,29	3,57	3,57	12,00 (3,40 - 14,50)	3,77 A	3.180 (850 - 4.420)	1.590	14,90
16 + 20 + 42 + 42 + 42	1,03	1,29	2,56	2,56	2,56	10,00 (2,90 - 11,50)	3,17 B	3.150 (600 - 4.050)	1.575	14,50	1,22	1,54	3,08	3,08	3,08	12,00 (3,40 - 14,50)	4,01 A	2.990 (620 - 4.330)	1.495	14,10
16 + 20 + 42 + 42 + 50	0,96	1,20	2,41	2,41	3,02	10,00 (2,90 - 11,50)	3,11 B	3.215 (660 - 4.095)	1.608	14,80	1,16	1,45	2,89	2,89	3,61	12,00 (3,40 - 14,50)	3,87 A	3.100 (730 - 4.360)	1.550	14,60
16 + 25 + 25 + 25 + 25	1,36	2,16	2,16	2,16	2,16	10,00 (2,90 - 11,50)	3,12 B	3.210 (520 - 4.210)	1.605	14,80	1,64	2,59	2,59	2,59	2,59	12,00 (3,40 - 14,50)	3,97 A	3.020 (530 - 4.400)	1.510	14,20
16 + 25 + 25 + 25 + 35	1,30	2,03	2,03	2,61	2,61	10,00 (2,90 - 11,50)	3,11 B	3.220 (550 - 4.130)	1.610	14,80	1,56	2,44	2,44	2,44	3,12	12,00 (3,40 - 14,50)	4,00 A	3.000 (550 - 4.360)	1.500	14,10
16 + 25 + 25 + 25 + 42	1,22	1,91	1,91	3,05	3,05	10,00 (2,90 - 11,50)	3,18 B	3.140 (550 - 4.130)	1.570	14,50	1,47	2,29	2,29	2,29	3,66	12,00 (3,40 - 14,50)	4,01 A	2.990 (560 - 4.350)	1.495	14,10
16 + 25 + 25 + 25 + 50	1,13	1,77	1,77	3,56	3,56	10,00 (2,90 - 11,50)	3,06 B	3.265 (610 - 4.085)	1.633	15,10	1,35	2,13	2,13	2,13	4,26	12,00 (3,40 - 14,50)	3,95 A	3.040 (660 - 4.310)	1.520	14,30
16 + 25 + 25 + 25 + 71	0,99	1,55	1,55	4,36	4,36	10,00 (2,90 - 11,50)	3,12 B	3.205 (650 - 4.085)	1.603	14,80	1,19	1,86	1,86	2,86	5,23	12,00 (3,40 - 14,50)	3,95 A	3.040 (670 - 4.360)	1.520	14,30
16 + 25 + 25 + 35 + 35	1,24	1,92	1,92	4,46	4,46	10,00 (2,90 - 11,50)	3,17 B	3.150 (560 - 4.130)	1.575	14,50	1,48	2,31	3,31	2,95	2,95	12,00 (3,40 - 14,50)	4,03 A	2.980 (580 - 4.330)	1.490	14,00
16 + 25 + 25 + 35 + 42	1,16	1,81	1,81	3,32	2,90	10,00 (2,90 - 11,50)	3,17 B	3.150 (560 - 4.130)	1.575	14,50	1,39	2,17	2,17	2,78	3,49	12,00 (3,40 - 14,50)	3,97 A	3.020 (580 - 4.320)	1.510	14,20
16 + 25 + 25 + 35 + 50	1,08	1,69	1,69	2,16	3,38	10,00 (2,90 - 11,50)	3,05 B	3.275 (650 - 4.085)	1.638	15,10	1,30	2,03	2,03	2,59	4,05	12,00 (3,40 - 14,50)	3,90 A	3.080 (690 - 4.340)	1.540	14,50
16 + 25 + 25 + 35 + 71	0,95	1,49	1,49	1,90	4,17	10,00 (2,90 - 11,50)	3,12 B	3.205 (660 - 4.095)	1.603	14,80	1,13	1,79	1,79	2,29	5,00	12,00 (3,40 - 14,50)	3,91 A	3.070 (700 - 4.330)	1.535	14,40
16 + 25 + 25 + 42 + 42	1,10	1,71	1,71	2,74	2,74	10,00 (2,90 - 11,50)	3,17 B	3.150 (560 - 4.130)	1.575	14,50	1,32	2,05	2,05	3,29	3,29	12,00 (3,40 - 14,50)	3,99 A	3.010 (590 - 4.310)	1.505	14,10
16 + 25 + 25 + 42 + 50	1,03	1,60	1,60	2,56	3,21	10,00 (2,90 - 11,50)	3,12 B	3.205 (650 - 4.085)	1.603	14,80	1,23	1,92	1,92	3,08	3,85	12,00 (3,40 - 14,50)	3,91 A	3.070 (690 - 4.330)	1.535	14,40
16 + 25 + 25 + 50 + 50	0,96	1,51	1,51	3,01	3,01	10,00 (2,90 - 11,50)	2,99 C	3.340 (720 - 4.140)	1.670	15,40	1,16	1,81	1,81	3,61	3,61	12,00 (3,40 - 14,50)	3,76 A	3.190 (820 - 4.380)	1.595	15,00
16 + 25 + 35 + 35 + 35	1,16	1,82	2,34	2,34	2,34	10,00 (2,90 - 11,50)	3,17 B	3.150 (560 - 4.050)	1.575	14,50	1,40	2,20	2,80	2,80	2,80	12,00 (3,40 - 14,50)	3,99 A	3.010 (590 - 4.300)	1.505	14,10
16 + 25 + 35 + 35 + 42	1,10	1,72	2,21	2,21	2,76	10,00 (2,90 - 11,50)	3,17 B	3.150 (560 - 4.050)	1.575	14,50	1,32	2,07	2,65	2,65	3,31	12,00 (3,40 - 14,50)	4,00 A	3.000 (660 - 4.350)	1.500	14,10
16 + 25 + 35 + 35 + 50	1,03	1,61	2,06	2,06	3,24	10,00 (2,90 - 11,50)														

Free Multi 5x1 CU-5E34PBE. Minimum capacity connected: 4,5kW. Maximum capacity connected: 17,5kW • R410 GAS

Table with columns: Indoor unit capacity, Cooling capacity (kW) Rooms (A-E, Total), EER, Input power rating (W/W, W, kWh), A.E.C., Current (230V), Heating capacity (kW) Rooms (A-E, Total), COP, Input power rating (W/W, W, kWh), A.E.C., Current (230V). Rows list various indoor unit capacity combinations and their corresponding performance metrics.

1) Showing SEER and Pdesign (kWh) / SCOP and Pdesign at -10°C (kWh): Using EN 14825. Other: A.E.C. using internal procedure (only for reference). \* EER, COP, SEER, SCOP, Input Power, Annual consumption is show following the ErP directive only on the 100% capacity combination as requested by the ErP directive. \* Data for not simultaneous operation.

# FREE MULTI R32 COMBINATIONS TABLE



Free Multi R32 2x1 CU-2Z35TBE. Minimum capacity connected: 3,2kW. Maximum capacity connected: 5,7kW • R32 GAS

Indoor unit capacity	Cooling capacity (kW) Rooms			EER	SEER	Input power rating	A.E.C.	Current	Heating capacity (kW) Rooms			COP	SCOP	Input power rating	A.E.C.	Current										
	A	B	Total (Min - Max)						W/W	W/W	W						kWh	230V	A	B	Total (Min - Max)	W/W	W/W	W	kWh	230V
	<b>1 Room</b>																									
16	1,60		1,60 (1,1 - 2,3)	<b>3,90 A</b>		410 (220 - 600)	205	1,95	2,60		2,60 (0,7 - 3,8)	<b>3,77 A</b>		690 (170 - 1.110)	345	3,20										
20	2,00		2,00 (1,1 - 2,9)	<b>3,85 A</b>		520 (220 - 770)	260	2,45	3,20		3,20 (0,7 - 4,8)	<b>3,76 A</b>		850 (170 - 1.410)	425	3,95										
25	2,50		2,50 (1,1 - 3,5)	<b>3,73 A</b>		670 (220 - 1.000)	335	3,15	3,60		3,60 (0,7 - 5,5)	<b>3,50 B</b>		1.030 (170 - 1.700)	515	4,75										
35	3,50		3,50 (1,1 - 4,0)	<b>3,47 A</b>		1010 (220 - 1.220)	505	4,70	4,20		4,20 (0,7 - 5,6)	<b>3,44 B</b>		1.220 (170 - 1.680)	610	5,65										
<b>2 Rooms</b>																										
16 + 16	1,60	1,60	3,20 (1,5 - 4,0)	<b>4,92 A</b>	8,50	650 (250 - 1.000)	325	3,05	2,10	2,10	4,20 (1,1 - 5,6)	<b>4,88 A</b>	<b>4,60</b>	860 (210 - 1.340)	430	4,00										
16 + 20	1,55	1,95	3,50 (1,5 - 4,5)	<b>4,86 A</b>	8,50	720 (250 - 1.100)	360	3,35	1,85	2,35	4,20 (1,1 - 5,6)	<b>4,88 A</b>	<b>4,60</b>	860 (210 - 1.340)	430	4,00										
16 + 25	1,35	2,15	3,50 (1,5 - 4,5)	<b>4,86 A</b>	8,50	720 (250 - 1.100)	360	3,35	1,65	2,55	4,20 (1,1 - 5,6)	<b>4,88 A</b>	<b>4,60</b>	860 (210 - 1.340)	430	4,00										
16 + 35	1,10	2,40	3,50 (1,5 - 4,5)	<b>4,86 A</b>	8,50	720 (250 - 1.100)	360	3,35	1,30	2,90	4,20 (1,1 - 5,6)	<b>4,88 A</b>	<b>4,60</b>	860 (210 - 1.340)	430	4,00										
20 + 20	1,75	1,75	3,50 (1,5 - 4,5)	<b>4,86 A</b>	8,50	720 (250 - 1.100)	360	3,35	2,10	2,10	4,20 (1,1 - 5,6)	<b>4,88 A</b>	<b>4,60</b>	860 (210 - 1.340)	430	4,00										
20 + 25	1,55	1,95	3,50 (1,5 - 4,5)	<b>4,86 A</b>	8,50	720 (250 - 1.100)	360	3,35	1,85	2,35	4,20 (1,1 - 5,6)	<b>4,88 A</b>	<b>4,60</b>	860 (210 - 1.340)	430	4,00										
20 + 35	1,25	2,25	3,50 (1,5 - 4,5)	<b>5,07 A</b>	8,50	690 (250 - 1.050)	345	3,25	1,55	2,65	4,20 (1,1 - 5,6)	<b>5,00 A</b>	<b>4,60</b>	840 (210 - 1.290)	420	3,90										
25 + 25	1,75	1,75	3,50 (1,5 - 4,5)	<b>5,07 A</b>	8,50	690 (250 - 1.050)	345	3,25	2,10	2,10	4,20 (1,1 - 5,6)	<b>5,00 A</b>	<b>4,60</b>	840 (210 - 1.290)	420	3,90										
25 + 35	1,45	2,05	3,50 (1,5 - 4,5)	<b>5,07 A</b>	8,50	690 (250 - 1.050)	345	3,25	1,75	2,45	4,20 (1,1 - 5,6)	<b>5,00 A</b>	<b>4,60</b>	840 (210 - 1.290)	420	3,90										

Free Multi R32 2x1 CU-2Z41TBE. Minimum capacity connected: 3,2kW. Maximum capacity connected: 6,0kW • R32 GAS

Indoor unit capacity	Cooling capacity (kW) Rooms			EER	SEER	Input power rating	A.E.C.	Current	Heating capacity (kW) Rooms			COP	SCOP	Input power rating	A.E.C.	Current										
	A	B	Total (Min - Max)						W/W	W/W	W						kWh	230V	A	B	Total (Min - Max)	W/W	W/W	W	kWh	230V
	<b>1 Room</b>																									
16	1,60		1,60 (1,1 - 2,3)	<b>3,90 A</b>		410 (220 - 600)	205	1,95	2,60		2,60 (0,7 - 3,8)	<b>3,77 A</b>		690 (170 - 1.110)	345	3,20										
20	2,00		2,00 (1,1 - 2,9)	<b>3,85 A</b>		520 (220 - 770)	260	2,45	3,20		3,20 (0,7 - 4,8)	<b>3,76 A</b>		850 (170 - 1.410)	425	3,95										
25	2,50		2,50 (1,1 - 3,5)	<b>3,73 A</b>		670 (220 - 1.000)	335	3,15	3,60		3,60 (0,7 - 5,5)	<b>3,50 B</b>		1.030 (170 - 1.700)	515	4,75										
35	3,50		3,50 (1,1 - 4,0)	<b>3,47 A</b>		1.010 (220 - 1.220)	505	4,70	4,60		4,50 (0,7 - 6,2)	<b>3,60 B</b>		1.250 (170 - 1.810)	625	5,80										
<b>2 Rooms</b>																										
16 + 16	1,60	1,60	3,20 (1,5 - 4,0)	<b>4,71 A</b>	8,50	680 (250 - 990)	340	3,15	2,20	2,20	4,40 (1,1 - 7,0)	<b>4,68 A</b>	<b>4,60</b>	940 (210 - 1.810)	470	4,35										
16 + 20	1,60	2,00	3,60 (1,5 - 4,5)	<b>4,62 A</b>	8,50	780 (250 - 1.150)	390	3,60	2,05	2,55	4,60 (1,1 - 7,0)	<b>4,79 A</b>	<b>4,60</b>	960 (210 - 1.790)	480	4,45										
16 + 25	1,60	2,50	4,10 (1,5 - 5,2)	<b>4,56 A</b>	8,50	900 (250 - 1.370)	450	4,15	1,80	2,80	4,60 (1,1 - 7,0)	<b>4,79 A</b>	<b>4,60</b>	960 (210 - 1.790)	480	4,45										
16 + 35	1,30	2,80	4,10 (1,5 - 5,2)	<b>4,56 A</b>	8,50	900 (250 - 1.370)	450	4,15	1,45	3,15	4,60 (1,1 - 7,0)	<b>4,79 A</b>	<b>4,60</b>	960 (210 - 1.790)	480	4,45										
20 + 20	2,00	2,00	4,00 (1,5 - 5,0)	<b>4,49 A</b>	8,50	890 (250 - 1.310)	445	4,10	2,30	2,30	4,60 (1,1 - 7,0)	<b>4,84 A</b>	<b>4,60</b>	950 (210 - 1.770)	475	4,40										
20 + 25	1,80	2,30	4,10 (1,5 - 5,2)	<b>4,56 A</b>	8,50	900 (250 - 1.370)	450	4,15	2,05	2,55	4,60 (1,1 - 7,0)	<b>4,84 A</b>	<b>4,60</b>	950 (210 - 1.770)	475	4,40										
20 + 35	1,50	2,60	4,10 (1,5 - 5,2)	<b>4,56 A</b>	8,50	900 (250 - 1.370)	450	4,15	1,65	2,95	4,60 (1,1 - 7,0)	<b>4,84 A</b>	<b>4,60</b>	950 (210 - 1.770)	475	4,40										
25 + 25	2,05	2,05	4,10 (1,5 - 5,2)	<b>4,56 A</b>	8,50	900 (250 - 1.370)	450	4,15	2,30	2,30	4,60 (1,1 - 7,0)	<b>4,84 A</b>	<b>4,60</b>	950 (210 - 1.770)	475	4,40										
25 + 35	1,70	2,40	4,10 (1,5 - 5,2)	<b>4,56 A</b>	8,50	900 (250 - 1.370)	450	4,15	1,90	2,70	4,60 (1,1 - 7,0)	<b>4,84 A</b>	<b>4,60</b>	950 (210 - 1.770)	475	4,40										

Free Multi R32 2x1 CU-2Z50TBE. Minimum capacity connected: 3,2kW. Maximum capacity connected: 7,7kW • R32 GAS

Indoor unit capacity	Cooling capacity (kW) Rooms			EER	SEER	Input power rating	A.E.C.	Current	Heating capacity (kW) Rooms			COP	SCOP	Input power rating	A.E.C.	Current										
	A	B	Total (Min - Max)						W/W	W/W	W						kWh	230V	A	B	Total (Min - Max)	W/W	W/W	W	kWh	230V
	<b>1 Room</b>																									
16	2,60		2,60 (1,1 - 2,3)	<b>3,90 A</b>		410 (220 - 600)	205	1,95	2,60		2,60 (0,7 - 3,8)	<b>3,77 A</b>		690 (170 - 1.110)	345	3,20										
20	3,20		3,20 (1,1 - 2,9)	<b>3,85 A</b>		520 (220 - 770)	260	2,45	3,20		3,20 (0,7 - 4,8)	<b>3,76 A</b>		850 (170 - 1.410)	425	3,95										
25	3,60		3,60 (1,1 - 3,5)	<b>3,73 A</b>		670 (220 - 1.000)	335	3,15	3,60		3,60 (0,7 - 5,5)	<b>3,50 B</b>		1.030 (170 - 1.700)	515	4,75										
35	4,50		4,50 (1,1 - 4,0)	<b>3,47 A</b>		1.010 (220 - 1.220)	505	4,70	4,50		4,50 (0,7 - 6,2)	<b>3,60 B</b>		1.250 (170 - 1.810)	625	5,80										
42	5,00		5,00 (1,1 - 4,5)	<b>3,09 B</b>		1.360 (220 - 1.500)	680	6,35	5,00		5,00 (1,1 - 6,4)	<b>3,23 C</b>		1.550 (210 - 2.180)	775	7,15										
50	5,30		5,30 (1,1 - 5,1)	<b>2,96 C</b>		1.690 (230 - 1.790)	845	7,80	5,30		5,30 (1,1 - 6,8)	<b>3,23 C</b>		1.640 (210 - 2.290)	820	7,60										
<b>2 Rooms</b>																										
16 + 16	2,60	2,60	3,20 (1,5 - 4,0)	<b>4,71 A</b>	8,50	680 (250 - 990)	340	3,15	2,60	2,60	5,20 (1,1 - 7,0)	<b>4,60 A</b>	<b>4,60</b>	1.130 (210 - 1.810)	565	5,10										
16 + 20	2,40	3,00	3,60 (1,5 - 4,5)	<b>4,62 A</b>	8,50	780 (250 - 1.150)	390	3,60	2,40	3,00	5,40 (1,1 - 7,0)	<b>4,58 A</b>	<b>4,60</b>	1.180 (210 - 1.790)	590	5,35										
16 + 25	2,10	3,30	4,10 (1,5 - 5,2)	<b>4,56 A</b>	8,50	900 (250 - 1.370)	450	4,15	2,10	3,30	5,40 (1,1 - 7,0)	<b>4,58 A</b>	<b>4,60</b>	1.180 (210 - 1.790)	590	5,35										
16 + 35	1,70	3,70	5,00 (1,5 - 5,2)	<b>4,24 A</b>	8,50	1.180 (250 - 1.370)	590	5,35	1,70	3,70	5,40 (1,1 - 7,0)	<b>4,58 A</b>	<b>4,60</b>	1.180 (210 - 1.790)	590	5,35										
16 + 42	1,55	4,05	5,00 (1,5 - 5,4)	<b>4,24 A</b>	8,50	1.180 (250 - 1.490)	590	5,35	1,55	4,05	5,60 (1,1 - 7,2)	<b>4,63 A</b>	<b>4,60</b>	1.210 (210 - 1.800)	605	5,50										
16 + 50	1,35	4,25	5,00 (1,5 - 5,4)	<b>4,24 A</b>	8,50	1.180 (250 - 1.490)	590	5,35	1,35	4,25	5,60 (1,1 - 7,2)	<b>4,63 A</b>	<b>4,60</b>	1.210 (210 - 1.800)	605	5,50										
20 + 20	2,70	2,70	4,00 (1,5 - 5,0)	<b>4,49 A</b>	8,50	890 (250 - 1.310)	445	4,10	2,70	2,70	5,40 (1,1 - 7,0)	<b>4,62 A</b>	<b>4,60</b>	1.170 (210 - 1.770)	585	5,30										
20 + 25	2,40	3,00	4,50 (1,5 - 5,2)	<b>4,37 A</b>	8,50	1.030 (250 - 1.370)	515	4,65	2,40	3,00	5,40 (1,1 - 7,0)	<b>4,62 A</b>	<b>4,60</b>	1.170 (210 - 1.770)	585	5,30										
20 + 35	2,05	3,55	5,00 (1,5 - 5,4)	<b>4,24 A</b>	8,50	1.180 (250 - 1.490)	590	5,35	2,05	3,55	5,60 (1,1 - 7,2)	<b>4,63 A</b>	<b>4,60</b>	1.210 (210 - 1.800)	605	5,50										
20 + 42	1,80	3,80	5,00 (1,5 - 5,4)	<b>4,24 A</b>	8,50	1.180 (250 - 1.490)	590	5,35	1,80	3,80	5,60 (1,1 - 7,2)	<b>4,63 A</b>	<b>4,60</b>	1.210 (210 - 1.800)	605	5,50										
20 + 50	1,60	4,00	5,00 (1,5 - 5,4)	<b>4,24 A</b>	8,50	1.180 (250 - 1.490)	590	5,35	1,60	4,00	5,60 (1,1 - 7,2)	<b>4,63 A</b>	<b>4,60</b>	1.210 (210 - 1.800)	605	5,50										
25 + 25	2,80	2,80	5,00 (1,5 - 5,4)	<b>4,24 A</b>	8,50	1.180 (250 - 1.490)	590	5,35	2,80	2,80	5,60 (1,1 - 7,2)	<b>4,63 A</b>	<b>4,60</b>	1.210 (210 - 1.800)	605	5,50										
25 + 35	2,35	3,25	5,00 (1,5 - 5,4)	<b>4,24 A</b>	8,50	1.180 (250 - 1.490)	590	5,35	2,35	3,25	5,60 (1,1 - 7,2)	<b>4,63 A</b>	<b>4,60</b>	1.210 (210 - 1.800)	605	5,50										
25 + 42	2,10	3,50	5,00 (1,5 - 5,4)	<b>4,24 A</b>	8,50	1.180 (250 - 1.490)	590	5,35	2,10	3,50	5,60 (1,1 - 7,2)	<b>4,63 A</b>	<b>4,60</b>	1.210 (210 - 1.800)	605	5,50										
25 + 50	1,85	3,75	5,00 (1,5 - 5,4)	<b>4,24 A</b>	8,50	1.180 (250 - 1.490)	590	5,35	1,85	3,75	5,60 (1,1 - 7,2)	<b>4,63 A</b>	<b>4,60</b>	1.210 (210 - 1.800)	605	5,50										
35 + 35	2,80	2,80	5,00 (1,5 - 5,4)	<b>4,24 A</b>	8,50	1.180 (250 - 1.490)	590	5,35	2,80	2,80	5,60 (1,1 - 7,2)	<b>4,63 A</b>	<b>4,60</b>	1.210 (210 - 1.800)	605	5,50										
35 + 42	2,55	3,05	5,00 (1,5 - 5,4)	<b>4,24 A</b>	8,50	1.180 (250 - 1.490)	590	5,35	2,55	3,05	5,60 (1,1 - 7,2)	<b>4,63 A</b>	<b>4,60</b>													

FREE MULTI R32 COMBINATIONS TABLE



Free Multi R32 3x1 CU-3Z52TBE. Minimum capacity connected: 4,5kW. Maximum capacity connected: 9,5kW • R32 GAS

Table with 21 columns: Indoor unit capacity, Cooling capacity (kW)Rooms, EER, SEER, Input power rating, A.E.C., Current, Heating capacity (kW)Rooms, COP, SCOP, Input power rating, A.E.C., Current. Includes rows for 3 Rooms and various room counts.

Free Multi R32 3x1 CU-3Z68TBE. Minimum capacity connected: 4,5kW. Maximum capacity connected: 11,2kW • R32 GAS

Table with 21 columns: Indoor unit capacity, Cooling capacity (kW) Rooms, EER, SEER, Input power rating, A.E.C., Current, Heating capacity (kW) Rooms, COP, SCOP, Input power rating, A.E.C., Current. Includes rows for 1 Room, 2 Rooms, and 3 Rooms with various room counts.

# FREE MULTI R32 COMBINATIONS TABLE



Free Multi R32 3x1 CU-3Z68TBE. Minimum capacity connected: 4.5kW. Maximum capacity connected: 11,2kW • R32 GAS

Indoor unit capacity	Cooling capacity (kW)				EER	SEER	Input power rating	A.E.C.	Current	Heating capacity (kW)				COP	SCOP	Input power rating	A.E.C.	Current										
	Rooms									W/W	W/W	W	kWh						230V	Rooms				W/W	W/W	W	kWh	230V
	A	B	C	Total (Min - Max)																A	B	C	Total (Min - Max)					
<b>3 Room</b>																												
16 + 35 + 50	1,07	2,36	3,37	6,80 (2,0 - 8,5)	4,05 A	8,00	1,680 (340 - 2,380)	840	7,7	1,34	2,95	4,21	8,50 (3,2 - 10,6)	<b>4,27 A</b>	<b>4,20</b>	1,990 (600 - 2,770)	995	9,0										
16 + 35 + 60	0,98	2,14	3,68	6,80 (2,0 - 8,5)	4,05 A	8,00	1,680 (340 - 2,380)	840	7,7	1,23	2,68	4,59	8,50 (3,2 - 10,6)	<b>4,27 A</b>	<b>4,20</b>	1,990 (600 - 2,770)	995	9,0										
16 + 42 + 42	1,08	2,86	2,86	6,80 (1,9 - 8,2)	3,74 A	8,00	1,820 (290 - 2,420)	910	8,2	1,36	3,57	3,57	8,50 (3,3 - 10,5)	<b>4,03 A</b>	<b>4,20</b>	2,110 (640 - 2,860)	1,055	9,5										
16 + 42 + 50	1,01	2,64	3,15	6,80 (2,0 - 8,5)	4,05 A	8,00	1,680 (340 - 2,330)	840	7,7	1,25	3,31	3,94	8,50 (3,2 - 10,6)	<b>4,29 A</b>	<b>4,20</b>	1,980 (600 - 2,760)	990	9,0										
20 + 20 + 20	2,00	2,00	2,00	6,00 (1,9 - 8,0)	4,05 A	8,00	1,480 (270 - 2,410)	740	6,8	2,83	2,83	2,83	8,49 (3,3 - 10,4)	<b>3,91 A</b>	<b>4,20</b>	2,170 (630 - 2,920)	1,085	9,8										
20 + 20 + 25	2,00	2,00	2,50	6,50 (1,9 - 8,0)	3,76 A	8,00	1,730 (270 - 2,410)	865	7,9	2,62	2,62	3,26	8,50 (3,3 - 10,4)	<b>3,92 A</b>	<b>4,20</b>	2,170 (630 - 2,920)	1,085	9,8										
20 + 20 + 35	1,81	1,81	3,18	6,80 (1,9 - 8,1)	3,66 A	8,00	1,860 (270 - 2,320)	930	8,4	2,27	2,27	3,96	8,50 (3,3 - 10,4)	<b>3,95 A</b>	<b>4,20</b>	2,150 (620 - 2,850)	1,075	9,7										
20 + 20 + 42	1,66	1,66	3,48	6,80 (1,9 - 8,1)	3,74 A	8,00	1,820 (290 - 2,420)	910	8,2	2,07	2,07	4,36	8,50 (3,3 - 10,5)	<b>3,97 A</b>	<b>4,20</b>	2,140 (620 - 2,890)	1,070	9,7										
20 + 20 + 50	1,51	1,51	3,78	6,80 (2,0 - 8,5)	4,05 A	8,00	1,680 (340 - 2,380)	840	7,7	1,89	1,89	4,72	8,50 (3,2 - 10,6)	<b>4,25 A</b>	<b>4,20</b>	2,000 (600 - 2,780)	1,000	9,0										
20 + 20 + 60	1,36	1,36	4,08	6,80 (2,0 - 8,5)	4,05 A	8,00	1,680 (340 - 2,380)	840	7,7	1,70	1,70	5,10	8,50 (3,2 - 10,6)	<b>4,25 A</b>	<b>4,20</b>	2,000 (600 - 2,780)	1,000	9,0										
20 + 25 + 25	1,94	2,43	2,43	6,80 (1,9 - 8,0)	3,66 A	8,00	1,860 (270 - 2,410)	930	8,4	2,42	3,04	3,04	8,50 (3,3 - 10,4)	<b>3,92 A</b>	<b>4,20</b>	2,170 (630 - 2,920)	1,085	9,8										
20 + 25 + 35	1,69	2,13	2,98	6,80 (1,9 - 8,0)	3,66 A	8,00	1,860 (270 - 2,320)	930	8,4	2,12	2,66	3,72	8,50 (3,3 - 10,4)	<b>3,95 A</b>	<b>4,20</b>	2,150 (620 - 2,850)	1,075	9,7										
20 + 25 + 42	1,56	1,95	3,29	6,80 (1,9 - 8,1)	3,74 A	8,00	1,820 (290 - 2,420)	910	8,2	1,95	2,44	4,11	8,50 (3,3 - 10,5)	<b>3,97 A</b>	<b>4,20</b>	2,140 (620 - 2,890)	1,070	9,7										
20 + 25 + 50	1,43	1,79	3,58	6,80 (2,0 - 8,5)	4,05 A	8,00	1,680 (340 - 2,380)	840	7,7	1,79	2,24	4,47	8,50 (3,2 - 10,6)	<b>4,25 A</b>	<b>4,20</b>	2,000 (600 - 2,780)	1,000	9,0										
20 + 25 + 60	1,29	1,62	3,89	6,80 (2,0 - 8,5)	4,05 A	8,00	1,680 (340 - 2,380)	840	7,7	1,62	2,02	4,86	8,50 (3,2 - 10,6)	<b>4,25 A</b>	<b>4,20</b>	2,000 (600 - 2,780)	1,000	9,0										
20 + 35 + 35	1,52	2,64	2,64	6,80 (1,9 - 8,1)	3,74 A	8,00	1,820 (290 - 2,330)	910	8,2	1,88	3,31	3,31	8,50 (3,3 - 10,5)	<b>4,01 A</b>	<b>4,20</b>	2,120 (640 - 2,870)	1,060	9,6										
20 + 35 + 42	1,40	2,45	2,95	6,80 (1,9 - 8,2)	3,74 A	8,00	1,820 (290 - 2,420)	910	8,2	1,75	3,07	3,68	8,50 (3,3 - 10,5)	<b>4,03 A</b>	<b>4,20</b>	2,110 (640 - 2,860)	1,055	9,5										
20 + 35 + 50	1,29	2,27	3,24	6,80 (2,0 - 8,5)	4,05 A	8,00	1,680 (340 - 2,330)	840	7,7	1,62	2,83	4,05	8,50 (3,3 - 10,6)	<b>4,29 A</b>	<b>4,20</b>	1,980 (600 - 2,760)	990	9,0										
20 + 42 + 42	1,30	2,75	2,75	6,80 (1,9 - 8,2)	3,84 A	8,00	1,770 (290 - 2,370)	885	8,0	1,64	3,43	3,43	8,50 (3,3 - 10,5)	<b>4,05 A</b>	<b>4,20</b>	2,100 (630 - 2,860)	1,050	9,5										
20 + 42 + 50	1,21	2,55	3,04	6,80 (2,0 - 8,5)	4,05 A	8,00	1,680 (340 - 2,330)	840	7,7	1,52	3,19	3,79	8,50 (3,2 - 10,6)	<b>4,31 A</b>	<b>4,20</b>	1,970 (620 - 2,750)	985	8,9										
25 + 25 + 25	2,26	2,26	2,26	6,78 (1,9 - 8,0)	3,65 A	8,00	1,860 (270 - 2,410)	930	8,4	2,83	2,83	2,83	8,49 (3,3 - 10,4)	<b>3,91 A</b>	<b>4,20</b>	2,170 (630 - 2,920)	1,085	9,8										
25 + 25 + 35	2,00	2,00	2,80	6,80 (1,9 - 8,0)	3,66 A	8,00	1,860 (270 - 2,320)	930	8,4	2,50	2,50	3,50	8,50 (3,3 - 10,4)	<b>3,95 A</b>	<b>4,20</b>	2,150 (620 - 2,850)	1,075	9,7										
25 + 25 + 42	1,85	1,85	3,10	6,80 (1,9 - 8,1)	3,74 A	8,00	1,820 (290 - 2,420)	910	8,2	2,31	2,31	3,88	8,50 (3,3 - 10,5)	<b>3,97 A</b>	<b>4,20</b>	2,140 (620 - 2,890)	1,070	9,7										
25 + 25 + 50	1,70	1,70	3,40	6,80 (2,0 - 8,5)	4,05 A	8,00	1,680 (340 - 2,380)	840	7,7	2,13	2,13	4,24	8,50 (3,2 - 10,6)	<b>4,25 A</b>	<b>4,20</b>	2,000 (600 - 2,780)	1,000	9,0										
25 + 25 + 60	1,55	1,55	3,70	6,80 (2,0 - 8,5)	4,05 A	8,00	1,680 (340 - 2,380)	840	7,7	1,93	1,93	4,64	8,50 (3,2 - 10,6)	<b>4,25 A</b>	<b>4,20</b>	2,000 (600 - 2,780)	1,000	9,0										
25 + 35 + 35	1,78	2,51	2,51	6,80 (1,9 - 8,1)	3,74 A	8,00	1,820 (290 - 2,330)	910	8,2	2,24	3,13	3,13	8,50 (3,3 - 10,5)	<b>4,01 A</b>	<b>4,20</b>	2,120 (640 - 2,870)	1,060	9,6										
25 + 35 + 42	1,67	2,33	2,80	6,80 (1,9 - 8,2)	3,74 A	8,00	1,820 (290 - 2,420)	910	8,2	2,08	2,92	3,50	8,50 (3,3 - 10,5)	<b>4,03 A</b>	<b>4,20</b>	2,110 (640 - 2,860)	1,055	9,5										
25 + 35 + 50	1,55	2,16	3,09	6,80 (2,0 - 8,5)	4,05 A	8,00	1,680 (340 - 2,330)	840	7,7	1,93	2,70	3,87	8,50 (3,2 - 10,6)	<b>4,29 A</b>	<b>4,20</b>	1,980 (600 - 2,760)	990	9,0										
25 + 42 + 42	1,56	2,62	2,62	6,80 (1,9 - 8,2)	3,84 A	8,00	1,770 (290 - 2,370)	885	8,0	1,94	3,28	3,28	8,50 (3,3 - 10,5)	<b>4,05 A</b>	<b>4,20</b>	2,100 (630 - 2,860)	1,050	9,5										
35 + 35 + 35	2,26	2,26	2,26	6,78 (1,9 - 8,2)	3,83 A	8,00	1,770 (290 - 2,330)	885	8,0	2,83	2,83	2,83	8,49 (3,3 - 10,5)	<b>4,12 A</b>	<b>4,20</b>	2,060 (630 - 2,850)	1,030	9,3										
35 + 35 + 42	2,13	2,13	2,54	6,80 (1,9 - 8,2)	3,84 A	8,00	1,770 (290 - 2,330)	885	8,0	2,66	2,66	3,18	8,50 (3,3 - 10,5)	<b>4,15 A</b>	<b>4,20</b>	2,050 (630 - 2,800)	1,025	9,3										

Free Multi R32 4x1 CU-4Z68TBE. Minimum capacity connected: 4.5kW. Maximum capacity connected: 11,5kW • R32 GAS

Indoor unit capacity	Cooling capacity (kW)					EER	SEER	Input power rating	A.E.C.	Current	Heating capacity (kW)					COP	SCOP	Input power rating	A.E.C.	Current										
	Rooms										W/W	W/W	W	kWh	230V						Rooms					W/W	W/W	W	kWh	230V
	A	B	C	D	Total (Min - Max)																A	B	C	D	Total (Min - Max)					
<b>1 Room</b>																														
16	1,60				1,60 (1,3 - 2,3)	4,00 A	—	400 (250 - 640)	200	2,0	2,60			2,60 (1,2 - 3,2)	<b>4,33 A</b>	—	600 (300 - 960)	300	3,0											
20	2,00				2,00 (1,8 - 2,9)	4,00 A	—	500 (340 - 810)	250	2,5	3,20			3,20 (1,2 - 4,1)	<b>4,32 A</b>	—	740 (300 - 1,230)	370	3,7											
25	2,50				2,50 (1,8 - 2,9)	3,97 A	—	630 (340 - 810)	315	3,2	3,60			3,60 (1,2 - 4,3)	<b>3,83 A</b>	—	940 (300 - 1,230)	470	4,7											
35	3,50				3,50 (1,8 - 3,8)	3,72 A	—	940 (340 - 1,360)	470	4,5	4,50			4,50 (1,2 - 5,8)	<b>3,66 A</b>	—	1,230 (300 - 2,100)	615	6,0											
42	4,20				4,20 (1,8 - 4,3)	3,07 B	—	1,370 (340 - 1,990)	685	6,4	5,60			5,60 (1,2 - 6,8)	<b>3,26 C</b>	—	1,720 (300 - 2,930)	860	8,0											
50	5,00				5,00 (1,9 - 5,7)	2,93 A	—	1,550 (340 - 2,130)	775	7,2	6,80			6,80 (1,2 - 6,9)	<b>3,24 C</b>	—	2,100 (300 - 2,520)	1,050	9,7											
60	6,00				6,00 (1,9 - 6,2)	2,96 C	—	2,030 (340 - 2,330)	1,015	9,2	8,50			8,50 (1,3 - 9,0)	<b>3,54 B</b>	—	2,400 (620 - 2,850)	1,200	11,1											
<b>2 Rooms</b>																														
16 + 16	1,60	1,60			3,20 (1,9 - 6,4)	5,71 A	<b>6,10</b>	560 (270 - 2,120)	280	2,8	2,60	2,60		5,20 (2,7 - 9,8)	<b>4,00 A</b>	<b>3,80</b>	1,300 (660 - 3,010)	650	5,9											
16 + 20	1,60	2,00			3,60 (1,9 - 6,4)	5,22 A	<b>6,10</b>	690 (270 - 2,080)	345	3,4	2,58	3,22		5,80 (2,7 - 9,8)	<b>3,92 A</b>	<b>3,80</b>	1,480 (650 - 3,020)	740	6,8											
16 + 25	1,60	2,50			4,10 (1,9 - 6,4)	4,94 A	<b>6,10</b>	830 (270 - 2,080)	415	3,9	2,42	3,78		6,20 (2,7 - 9,8)	<b>3,85 A</b>	<b>3,80</b>	1,610 (650 - 3,020)	805	7,4											
16 + 35	1,60	3,50			5,10 (1,9 - 6,9)	4,08 A	<b>6,10</b>	1,250 (270 - 2,480)	625	5,7	2,23	4,87		7,10 (2,7 - 9,9)	<b>3,74 A</b>	<b>3,80</b>	1,900 (630 - 3,020)	950	8,6											
16 + 42	1,60	4,20			5,80 (1,9 - 6,9)	3,63 A	<b>6,10</b>	1,610 (270 - 2,440)	805	7,4	2,26	5,94		8,20 (2,7 - 9,9)	<b>3,52 B</b>	<b>3,80</b>	2,330 (630 - 3,020)	1,165	10,5											
16 + 50	1,60	5,00			6,60 (2,0 - 7,5)	3,60 A	<b>6,50</b>	1,820 (280 - 2,520)	910	8,2	2,06	6,44		8,50 (2,8 - 10,2)	<b>3,76 A</b>	<b>3,80</b>	2,260 (620 - 2,990)	1,130	10,2											
16 + 60	1,43	5,37			6,80 (2,0 - 7,5)	3,49 A	<b>6,50</b>	1,950 (280 - 2,520)	975	8,8	1																			



# FREE MULTI R32 COMBINATIONS TABLE

Free Multi R32 4x1 CU-4268TBE. Minimum capacity connected: 4,5kW. Maximum capacity connected: 11,5kW • R32 GAS

Indoor unit capacity	Cooling capacity (kW)				EER	SEER	Input power rating	A.E.C.	Current	Heating capacity (kW)				COP	SCOP	Input power rating	A.E.C.	Current	
	A	B	C	D						Total (Min - Max)	W/W	W/W	W						kWh
<b>4 Room</b>																			
16 + 42 + 42	1,08	2,86	2,86		6,80 (1,9 - 8,2)	3,74 A	8,00	1820 (290 - 2420)	910	8,2	1,36	3,57	3,57	8,50 (3,3 - 10,5)	4,03 A	4,00	2110 (640 - 2860)	1055	9,5
16 + 42 + 50	1,01	2,64	3,15		6,80 (2,0 - 8,5)	4,05 A	8,00	1680 (340 - 2330)	840	7,7	1,25	3,31	3,94	8,50 (3,2 - 10,6)	4,29 A	4,00	1980 (600 - 2760)	990	9,0
20 + 20 + 20	2,00	2,00	2,00		6,80 (1,9 - 8,0)	4,05 A	8,00	1480 (270 - 2410)	740	6,8	2,83	2,83	2,83	8,49 (3,3 - 10,4)	3,91 A	4,00	2170 (630 - 2920)	1085	9,8
20 + 20 + 25	2,00	2,00	2,50		6,50 (1,9 - 8,0)	3,76 A	8,00	1730 (270 - 2410)	865	7,9	2,62	2,62	3,26	8,50 (3,3 - 10,4)	3,92 A	4,00	2170 (630 - 2920)	1085	9,8
20 + 20 + 35	1,81	1,81	3,10		6,80 (1,9 - 8,0)	3,66 A	8,00	1860 (270 - 2320)	930	8,4	2,27	2,27	3,96	8,50 (3,3 - 10,4)	3,95 A	4,00	2150 (620 - 2850)	1075	9,7
20 + 20 + 42	1,66	1,66	3,48		6,80 (1,9 - 8,1)	3,74 A	8,00	1820 (290 - 2420)	910	8,2	2,07	2,07	4,36	8,50 (3,3 - 10,5)	3,97 A	4,00	2140 (620 - 2890)	1070	9,7
20 + 20 + 50	1,51	1,51	3,78		6,80 (2,0 - 8,5)	4,05 A	8,00	1680 (340 - 2380)	840	7,7	1,89	1,89	4,72	8,50 (3,2 - 10,6)	4,25 A	4,00	2000 (600 - 2780)	1000	9,0
20 + 20 + 60	1,36	1,36	4,08		6,80 (2,0 - 8,5)	4,05 A	8,00	1680 (340 - 2380)	840	7,7	1,70	1,70	5,10	8,50 (3,2 - 10,6)	4,25 A	4,00	2000 (600 - 2780)	1000	9,0
20 + 25 + 25	1,94	2,43	2,43		6,80 (1,9 - 8,0)	3,66 A	8,00	1860 (270 - 2410)	930	8,4	2,42	3,04	3,04	8,50 (3,3 - 10,4)	3,92 A	4,00	2170 (630 - 2920)	1085	9,8
20 + 25 + 35	1,69	2,13	2,98		6,80 (1,9 - 8,0)	3,66 A	8,00	1860 (270 - 2320)	930	8,4	2,12	3,06	3,72	8,50 (3,3 - 10,4)	3,95 A	4,00	2150 (620 - 2850)	1075	9,7
20 + 25 + 42	1,56	1,95	3,29		6,80 (1,9 - 8,1)	3,74 A	8,00	1820 (290 - 2420)	910	8,2	1,95	2,44	4,11	8,50 (3,3 - 10,5)	3,97 A	4,00	2140 (620 - 2890)	1070	9,7
20 + 25 + 50	1,43	1,79	3,58		6,80 (2,0 - 8,5)	4,05 A	8,00	1680 (340 - 2380)	840	7,7	1,79	2,24	4,47	8,50 (3,2 - 10,6)	4,25 A	4,00	2000 (600 - 2780)	1000	9,0
20 + 25 + 60	1,29	1,62	3,89		6,80 (2,0 - 8,5)	4,05 A	8,00	1680 (340 - 2380)	840	7,7	1,62	2,02	4,86	8,50 (3,2 - 10,6)	4,25 A	4,00	2000 (600 - 2780)	1000	9,0
20 + 35 + 35	1,52	2,64	2,64		6,80 (1,9 - 8,1)	3,74 A	8,00	1820 (290 - 2330)	910	8,2	1,88	3,31	3,31	8,50 (3,3 - 10,5)	4,01 A	4,00	2120 (640 - 2870)	1060	9,6
20 + 35 + 42	1,40	2,45	2,95		6,80 (1,9 - 8,2)	3,74 A	8,00	1820 (290 - 2420)	910	8,2	1,75	3,07	3,68	8,50 (3,3 - 10,5)	4,03 A	4,00	2110 (640 - 2860)	1055	9,5
20 + 35 + 50	1,29	2,27	3,24		6,80 (2,0 - 8,5)	4,05 A	8,00	1680 (340 - 2330)	840	7,7	1,62	2,83	4,05	8,50 (3,2 - 10,6)	4,29 A	4,00	1980 (600 - 2760)	990	9,0
20 + 35 + 60	1,18	2,07	3,55		6,80 (2,0 - 8,5)	4,05 A	8,00	1680 (340 - 2330)	840	7,7	1,48	2,59	4,43	8,50 (3,2 - 10,6)	4,29 A	4,00	1980 (600 - 2760)	990	9,0
20 + 42 + 42	1,30	2,75	2,75		6,80 (1,9 - 8,2)	3,84 A	8,00	1770 (290 - 2370)	885	8,0	1,64	3,43	3,43	8,50 (3,3 - 10,5)	4,05 A	4,00	2100 (630 - 2860)	1050	9,5
20 + 42 + 50	1,21	2,55	3,04		6,80 (2,0 - 8,5)	4,05 A	8,00	1680 (340 - 2330)	840	7,7	1,52	3,19	3,79	8,50 (3,2 - 10,6)	4,31 A	4,00	1970 (620 - 2750)	985	8,9
25 + 25 + 25	2,26	2,26	2,26		6,78 (1,9 - 8,0)	3,65 A	8,00	1860 (270 - 2410)	930	8,4	2,83	2,83	2,83	8,49 (3,3 - 10,4)	3,91 A	4,00	2170 (630 - 2920)	1085	9,8
25 + 25 + 35	2,00	2,00	2,80		6,80 (1,9 - 8,0)	3,66 A	8,00	1860 (270 - 2320)	930	8,4	2,50	2,50	3,50	8,50 (3,3 - 10,4)	3,95 A	4,00	2150 (620 - 2850)	1075	9,7
25 + 25 + 42	1,85	1,85	3,10		6,80 (1,9 - 8,1)	3,74 A	8,00	1820 (290 - 2420)	910	8,2	2,31	3,31	3,88	8,50 (3,3 - 10,5)	3,97 A	4,00	2140 (620 - 2890)	1070	9,7
25 + 25 + 50	1,70	1,70	3,40		6,80 (2,0 - 8,5)	4,05 A	8,00	1680 (340 - 2380)	840	7,7	2,13	2,13	4,24	8,50 (3,2 - 10,6)	4,25 A	4,00	2000 (600 - 2780)	1000	9,0
25 + 25 + 60	1,55	1,55	3,70		6,80 (2,0 - 8,5)	4,05 A	8,00	1680 (340 - 2380)	840	7,7	1,93	3,93	4,64	8,50 (3,2 - 10,6)	4,25 A	4,00	2000 (600 - 2780)	1000	9,0
25 + 35 + 35	1,78	2,51	2,51		6,80 (1,9 - 8,1)	3,74 A	8,00	1820 (290 - 2330)	910	8,2	2,24	3,13	3,13	8,50 (3,3 - 10,5)	4,01 A	4,00	2120 (640 - 2870)	1060	9,6
25 + 35 + 42	1,67	2,33	2,80		6,80 (1,9 - 8,2)	3,74 A	8,00	1820 (290 - 2420)	910	8,2	2,08	2,92	3,50	8,50 (3,3 - 10,5)	4,03 A	4,00	2110 (640 - 2860)	1055	9,5
25 + 35 + 50	1,55	2,16	3,09		6,80 (2,0 - 8,5)	4,05 A	8,00	1680 (340 - 2330)	840	7,7	1,93	2,70	3,87	8,50 (3,2 - 10,6)	4,29 A	4,00	1980 (600 - 2760)	990	9,0
25 + 42 + 42	1,56	2,62	2,62		6,80 (1,9 - 8,2)	3,84 A	8,00	1770 (290 - 2370)	885	8,0	1,94	3,28	3,28	8,50 (3,3 - 10,5)	4,05 A	4,00	2100 (630 - 2860)	1050	9,5
35 + 35 + 35	2,26	2,26	2,26		6,78 (1,9 - 8,2)	3,83 A	8,00	1770 (290 - 2330)	885	8,0	2,83	2,83	2,83	8,49 (3,3 - 10,5)	4,12 A	4,00	2060 (630 - 2850)	1030	9,3
35 + 35 + 42	2,13	2,13	2,54		6,80 (1,9 - 8,2)	3,84 A	8,00	1770 (290 - 2330)	885	8,0	2,66	2,66	3,18	8,50 (3,3 - 10,5)	4,15 A	4,00	2050 (630 - 2800)	1025	9,3
<b>4 Rooms</b>																			
16 + 16 + 16 + 16	1,65	1,65	1,65	1,65	6,60 (1,9 - 8,7)	4,49 A	8,50	1470 (340 - 2380)	735	6,7	2,12	2,12	2,12	8,48 (3,0 - 10,6)	4,44 A	4,20	1910 (580 - 2690)	955	8,6
16 + 16 + 16 + 20	1,60	1,60	1,60	2,00	6,80 (1,9 - 8,8)	4,39 A	8,00	1550 (340 - 2470)	775	7,0	2,00	2,00	2,50	8,50 (3,0 - 10,6)	4,47 A	4,20	1900 (580 - 2680)	950	8,6
16 + 16 + 16 + 25	1,49	1,49	1,49	2,33	6,80 (1,9 - 8,8)	4,39 A	8,00	1550 (340 - 2470)	775	7,0	1,86	1,86	1,86	8,50 (3,0 - 10,6)	4,47 A	4,20	1900 (580 - 2680)	950	8,6
16 + 16 + 16 + 35	1,31	1,31	1,31	2,87	6,80 (1,9 - 8,8)	4,39 A	8,00	1550 (340 - 2380)	775	7,0	1,64	1,64	3,58	8,50 (3,0 - 10,6)	4,52 A	4,20	1880 (580 - 2660)	940	8,5
16 + 16 + 16 + 42	1,21	1,21	1,21	3,17	6,80 (1,9 - 8,8)	4,50 A	8,00	1510 (340 - 2380)	755	6,8	1,51	1,51	3,97	8,50 (3,0 - 10,6)	4,55 A	4,20	1870 (580 - 2650)	935	8,5
16 + 16 + 16 + 50	1,11	1,11	1,11	3,47	6,80 (1,9 - 8,8)	4,50 A	8,00	1510 (400 - 2240)	755	6,8	1,39	1,39	4,33	8,50 (3,0 - 10,6)	4,64 A	4,20	1830 (650 - 2540)	915	8,3
16 + 16 + 16 + 60	1,01	1,01	1,01	3,77	6,80 (1,9 - 8,8)	4,50 A	8,00	1510 (400 - 2240)	755	6,8	1,26	1,26	4,72	8,50 (3,0 - 10,6)	4,64 A	4,20	1830 (650 - 2540)	915	8,3
16 + 16 + 20 + 20	1,51	1,51	1,89	1,89	6,80 (1,9 - 8,8)	4,39 A	8,00	1550 (340 - 2430)	775	7,0	1,89	2,36	2,36	8,50 (3,1 - 10,6)	4,50 A	4,20	1890 (600 - 2670)	945	8,5
16 + 16 + 20 + 25	1,41	1,41	1,77	2,21	6,80 (1,9 - 8,8)	4,39 A	8,00	1550 (340 - 2430)	775	7,0	1,77	2,20	2,76	8,50 (3,1 - 10,6)	4,50 A	4,20	1890 (600 - 2670)	945	8,5
16 + 16 + 20 + 35	1,25	1,25	1,56	2,74	6,80 (1,9 - 8,8)	4,50 A	8,00	1510 (340 - 2380)	755	6,8	1,56	1,56	3,43	8,50 (3,0 - 10,6)	4,55 A	4,20	1870 (580 - 2650)	935	8,5
16 + 16 + 20 + 42	1,16	1,16	1,44	3,04	6,80 (1,9 - 8,8)	4,50 A	8,00	1510 (370 - 2380)	755	6,8	1,45	1,45	3,80	8,50 (3,0 - 10,6)	4,57 A	4,20	1860 (600 - 2640)	930	8,4
16 + 16 + 20 + 50	1,07	1,07	1,33	3,33	6,80 (1,9 - 8,8)	4,50 A	8,00	1510 (400 - 2200)	755	6,8	1,33	1,67	4,17	8,50 (3,0 - 10,6)	4,64 A	4,20	1830 (660 - 2540)	915	8,3
16 + 16 + 20 + 60	0,97	0,97	1,21	3,65	6,80 (1,9 - 8,8)	4,50 A	8,00	1510 (400 - 2200)	755	6,8	1,21	1,52	4,56	8,50 (3,0 - 10,6)	4,64 A	4,20	1830 (660 - 2540)	915	8,3
16 + 16 + 25 + 25	1,33	1,33	2,07	2,07	6,80 (1,9 - 8,8)	4,39 A	8,00	1550 (340 - 2430)	775	7,0	1,66	1,66	2,59	8,50 (3,1 - 10,6)	4,50 A	4,20	1890 (600 - 2670)	945	8,5
16 + 16 + 25 + 35	1,18	1,18	1,85	2,59	6,80 (1,9 - 8,8)	4,50 A	8,00	1510 (340 - 2380)	755	6,8	1,48	1,48	3,23	8,50 (3,0 - 10,6)	4,55 A	4,20	1870 (580 - 2650)	935	8,5
16 + 16 + 25 + 42	1,10	1,10	1,72	2,88	6,80 (1,9 - 8,8)	4,50 A	8,00	1510 (370 - 2380)	755	6,8	1,37	1,37	3,61	8,50 (3,0 - 10,6)	4,57 A	4,20	1860 (600 - 2640)	930	8,4
16 + 16 + 25 + 50	1,02	1,02	1,58	3,18	6,80 (1,9 - 8,8)	4,50 A	8,00	1510 (400 - 2200)	755	6,8	1,27	1,27	3,						

## MULTI TZ / RE COMBINATIONS TABLE

Multi TZ / RE 2x1 CU-2RE15SBE. Minimum capacity connected: 4.0kW. Maximum capacity connected: 5.7kW • R410 GAS

Indoor unit capacity	Cooling capacity (kW)			EER	Input power rating		A.E.C.	Current	Heating capacity (kW)			COP	Input power rating		A.E.C.	Current				
	Rooms				W/W	W			kWh	230V	Rooms			W/W			W	kWh	230V	
	A	B	Total (Min - Max)								A		B							Total (Min - Max)
<b>1 Room</b>																				
20	2,00			2,00 (1,10 - 2,50)	3,64 A	550 (230 - 690)	275	2,60	3,20			3,20 (0,70 - 4,30)	3,40 B	940 (190 - 1,350)		470	4,15			
25	2,50			2,50 (1,10 - 3,10)	3,52 A	710 (230 - 950)	355	3,35	3,60			3,60 (0,70 - 5,00)	3,21 C	1,120 (190 - 1,660)		560	4,95			
35	3,20			3,20 (1,10 - 3,70)	3,27 A	980 (230 - 1,210)	490	4,60	4,50			4,50 (0,70 - 5,70)	3,24 C	1,390 (190 - 1,780)		695	6,15			
<b>2 Rooms</b>																				
20 + 20	2,00			2,00 4,00 (1,50 - 4,60)	3,42 A	1,170 (270 - 1,340)	585	5,45	2,40		2,40	4,80 (1,10 - 6,30)		4,00 A	1,200 (240 - 1,610)		600	5,35		
20 + 25	1,95			2,45 4,40 (1,50 - 4,80)	3,38 A	1,300 (270 - 1,520)	650	6,10	2,15		2,65	4,80 (1,10 - 6,50)		4,00 A	1,200 (240 - 1,670)		600	5,35		
20 + 35	1,70			2,70 4,40 (1,50 - 4,80)	3,38 A	1,300 (270 - 1,520)	650	6,10	1,85		2,95	4,80 (1,10 - 6,50)		4,00 A	1,200 (240 - 1,670)		600	5,35		
25 + 25	2,20			2,20 4,40 (1,50 - 4,80)	3,38 A	1,300 (270 - 1,520)	650	6,10	2,40		2,40	4,80 (1,10 - 6,50)		4,00 A	1,200 (240 - 1,670)		600	5,35		
25 + 35	1,95			2,45 4,40 (1,50 - 4,80)	3,38 A	1,300 (270 - 1,520)	650	6,10	2,15		2,65	4,80 (1,10 - 6,50)		4,00 A	1,200 (240 - 1,670)		600	5,35		

Multi TZ / RE 2x1 CU-2RE18SBE. Minimum capacity connected: 4.0kW. Maximum capacity connected: 7.5kW • R410 GAS

Indoor unit capacity	Cooling capacity (kW)			EER	Input power rating		A.E.C.	Current	Heating capacity (kW)			COP	Input power rating		A.E.C.	Current				
	Rooms				W/W	W			kWh	230V	Rooms			W/W			W	kWh	230V	
	A	B	Total (Min - Max)								A		B							Total (Min - Max)
<b>1 Room</b>																				
20	2,00			2,00 (1,10 - 2,50)	3,64 A	550 (230 - 690)	275	2,60	3,20			3,20 (0,70 - 4,30)	3,40 B	940 (190 - 1,350)		470	4,15			
25	2,50			2,50 (1,10 - 3,10)	3,52 A	710 (230 - 950)	355	3,35	3,60			3,60 (0,70 - 5,00)	3,21 C	1,120 (190 - 1,660)		560	4,95			
12	3,20			3,20 (1,10 - 3,70)	3,27 A	980 (230 - 1,210)	490	4,60	4,50			4,50 (0,70 - 5,70)	3,24 C	1,390 (190 - 1,780)		695	6,15			
42	4,00			4,00 (1,10 - 4,20)	3,10 B	1,290 (230 - 1,420)	645	6,05	5,00			5,00 (1,10 - 6,40)	3,03 D	1,650 (240 - 2,180)		825	7,30			
50	5,00			5,00 (1,20 - 5,10)	2,94 C	1,700 (240 - 1,820)	850	7,95	5,30			5,30 (1,10 - 6,80)	3,01 D	1,760 (240 - 2,290)		880	7,80			
<b>2 Rooms</b>																				
20 + 20	2,00			2,00 4,00 (1,50 - 4,60)	3,45 A	1,160 (270 - 1,340)	580	5,45	2,60		2,60	5,20 (1,10 - 6,30)		4,00 A	1,300 (240 - 1,610)		650	5,80		
20 + 25	2,00			2,50 4,50 (1,50 - 4,90)	3,44 A	1,310 (270 - 1,510)	655	6,10	2,30		2,90	5,20 (1,10 - 6,30)		4,00 A	1,300 (240 - 1,610)		650	5,80		
20 + 12	1,85			2,95 4,80 (1,50 - 4,90)	3,22 A	1,490 (270 - 1,580)	745	6,95	2,00		3,20	5,20 (1,10 - 6,70)		4,00 A	1,300 (240 - 1,700)		650	5,75		
20 + 42	1,60			3,20 4,80 (1,50 - 5,00)	3,22 A	1,490 (270 - 1,580)	745	6,95	1,75		3,45	5,20 (1,10 - 6,70)		4,00 A	1,300 (240 - 1,700)		650	5,75		
20 + 50	1,35			3,45 4,80 (1,50 - 5,00)	3,22 A	1,490 (270 - 1,580)	745	6,95	1,50		3,70	5,20 (1,10 - 6,70)		4,00 A	1,300 (240 - 1,700)		650	5,75		
25 + 25	2,40			2,40 4,80 (1,50 - 5,00)	3,22 A	1,490 (270 - 1,580)	745	6,95	2,60		2,60	5,20 (1,10 - 6,70)		4,00 A	1,300 (240 - 1,700)		650	5,75		
25 + 12	2,10			2,70 4,80 (1,50 - 5,00)	3,22 A	1,490 (270 - 1,580)	745	6,95	2,30		2,90	5,20 (1,10 - 6,70)		4,00 A	1,300 (240 - 1,700)		650	5,75		
25 + 42	1,85			2,95 4,80 (1,50 - 5,00)	3,22 A	1,490 (270 - 1,580)	745	6,95	2,00		3,20	5,20 (1,10 - 6,70)		4,00 A	1,300 (240 - 1,700)		650	5,75		
25 + 50	1,60			3,20 4,80 (1,50 - 5,00)	3,22 A	1,490 (270 - 1,580)	745	6,95	1,75		3,45	5,20 (1,10 - 6,70)		4,00 A	1,300 (240 - 1,700)		650	5,75		
12 + 12	2,40			2,40 4,80 (1,50 - 5,00)	3,22 A	1,490 (270 - 1,580)	745	6,95	2,60		2,60	5,20 (1,10 - 6,70)		4,00 A	1,300 (240 - 1,700)		650	5,75		
12 + 42	2,15			2,65 4,80 (1,50 - 5,00)	3,22 A	1,490 (270 - 1,580)	745	6,95	2,30		2,90	5,20 (1,10 - 6,70)		4,00 A	1,300 (240 - 1,700)		650	5,75		

Free Multi 3x1 CU-3RE18SBE. Minimum capacity connected: 4.5kW. Maximum capacity connected: 9.0kW • R410 GAS

Indoor unit capacity	Cooling capacity (kW)				EER	Input power rating		A.E.C.	Current	Heating capacity (kW)				COP	Input power rating		A.E.C.	Current								
	Rooms					W/W	W			kWh	230V	Rooms				W/W			W	kWh	230V					
	A	B	C	Total (Min - Max)								A	B		C							Total (Min - Max)				
<b>1 Room</b>																										
16	1,60				1,60 (1,30 - 2,30)	3,40 A	470 (250 - 710)	235	2,30	2,60				2,60 (1,20 - 3,20)	3,88 A	670 (300 - 1,030)		335	3,40							
20	2,00				2,00 (1,80 - 2,90)	3,51 A	570 (340 - 880)	285	2,80	3,20				3,20 (1,20 - 4,10)	3,95 A	810 (300 - 1,300)		405	4,00							
25	2,50				2,50 (1,80 - 2,90)	3,57 A	700 (340 - 880)	350	3,30	3,60				3,60 (1,20 - 4,30)	3,56 B	1,010 (300 - 1,300)		505	4,80							
35	3,20				3,20 (1,80 - 3,80)	3,68 A	870 (340 - 1,430)	435	4,00	4,50				4,50 (1,20 - 5,80)	3,46 B	1,300 (300 - 2,170)		650	6,20							
42	4,00				4,00 (1,80 - 4,30)	3,05 B	1,310 (340 - 2,060)	655	5,90	5,60				5,60 (1,20 - 8,00)	3,13 D	1,790 (300 - 3,000)		895	7,90							
50	5,00				5,00 (1,90 - 5,70)	2,89 C	1,730 (340 - 2,310)	865	7,60	6,80				6,80 (1,20 - 6,90)	2,98 D	2,280 (300 - 2,700)		1140	10,00							
<b>2 Rooms</b>																										
16 + 16	1,60		1,60		3,20 (1,80 - 6,20)	4,05 A	790 (330 - 2,230)	395	3,60	2,60		2,60		5,20 (1,40 - 7,00)		3,77 A	1,380 (340 - 2,070)		690	6,40						
16 + 20	1,60		2,00		3,60 (1,80 - 6,20)	3,83 A	940 (330 - 2,190)	470	4,20	2,49		3,10		5,60 (1,40 - 7,00)		3,73 A	1,500 (330 - 2,040)		750	6,90						
16 + 25	1,60		2,50		4,10 (1,80 - 6,20)	3,73 A	1,100 (330 - 2,190)	550	4,90	2,42		3,78		6,20 (1,40 - 7,00)		3,69 A	1,680 (330 - 2,040)		840	7,80						
16 + 35	1,60		3,20		4,80 (1,80 - 6,30)	3,36 A	1,430 (330 - 2,200)	715	6,30	2,13		4,27		6,40 (1,40 - 7,00)		3,76 A	1,700 (310 - 2,130)		850	7,80						
16 + 42	1,49		3,71		5,20 (1,90 - 6,40)	3,21 A	1,620 (350 - 2,240)	810	7,10	1,94		4,86		6,80 (1,40 - 7,30)		3,74 A	1,820 (310 - 2,120)		910	8,30						
16 + 50	1,26		3,94		5,20 (1,90 - 6,80)	3,40 A	1,530 (340 - 2,290)	765	6,70	1,65		5,15		6,80 (1,40 - 8,00)		3,80 A	1,790 (240 - 2,340)		895	8,20						
20 + 20	2,00		2,00		4,00 (1,80 - 6,20)	3,74 A	1,070 (330 - 2,150)	535	4,70	2,90		2,90		5,80 (1,40 - 7,00)		3,82 A	1,520 (320 - 2,030)		760	7,00						
20 + 25	2,00		2,50		4,50 (1,80 - 6,20)	3,52 A	1,280 (330 - 2,150)	640	5,60	2,84		3,56		6,40 (1,40 - 7,00)		3,68 A	1,740 (320 - 2,030)		870	8,00						
20 + 35	2,00		3,20		5,20 (1,80 - 6,30)	3,21 A	1,620 (330 - 2,160)	810	7,10	2,62		4,18		6,80 (1,40 - 7,30)		3,74 A	1,820 (310 - 2,120)		910	8,30						
20 + 42	1,73		3,47		5,20 (1,90 - 6,40)	3,29 A	1,580 (350 - 2,200)	790	6,90	2,27		4,53		6,80 (1,40 - 7,30)		3,74 A	1,820 (280 - 2,080)		910	8,30						
20 + 50	1,49		3,71		5,20 (1,90 - 6,80)	3,40 A	1,530 (340 - 2,290)	765	6,70	1,94		4,86		6,80 (1,40 - 8,00)		3,74 A	1,780 (240 - 2,330)		890	8,10						
25 + 25	2,50		2,50		5,00 (1,80 - 6,20)	3,25 A	1,540 (330 - 2,150)	770	6,80	3,40		3,40		6,80 (1,40 - 7,30)		3,64 A	1,870 (320 - 2,030)		935	8,50						
25 + 35	2,28		2,92		5,20 (1,90 - 6,30)	3,21 A	1,620 (350 - 2,160)	810	7,10	2,98		3,82		6,80 (1,40 - 7,30)		3,74 A	1,820 (310 - 2,120)		910	8,30						
25 + 42	2,00		3,20		5,20 (1,90 - 6,40)	3,29 A	1,580 (350 - 2,200)	790	6,90	2,62		4,18		6,80 (1,40 - 7,30)		3,74 A	1,820 (280 - 2,080)		910	8,30						
25 + 50	1,73		3,47		5,20 (1,90 - 6,80)	3,40 A	1,530 (340 - 2,290)	765	6,70	2,27		4,53		6,80 (1,40 - 8,00)		3,74 A	1,780 (240 - 2,330)		890	8,10						
35 + 35	2,60		2,60		5,20 (1,90 - 6,40)	3,38 A	1,540 (350 - 2,160)	770	6,80	3,40		3,40		6,80 (1,40 - 7,50)		3,76 A	1,810 (270 - 2,140)		905	8,30						
35 + 42	2,31		2,89		5,20 (1,90 - 6,50)	3,38 A	1,540 (350 - 2,210)	770	6,80	3,02		3,78		6,80 (1,40 - 7,50)		3,78 A	1,800 (260 - 2,140)		900	8,20						
35 + 50	2,03		3,17		5,20 (1,90 - 6,90)	3,49 A	1,490 (360 - 2,290)	745	6,50	2,65		4,15		6,80 (1,40 - 8,00)		3,86 A	1,760 (240 - 2,270)		880	8,00						
42 + 42	2,60		2,60		5,20 (1,90 - 6,50)	3,38 A	1,540 (350 - 2,210)	770	6,80	3,40		3,40		6,80 (1,40 - 7,60)		3,86 A	1,760 (260 - 2,170)		880	8,00						
42 + 50	2,31		2,89		5,20 (1,90 - 6,90)	3,49 A	1,490 (360 - 2,290)	745	6,50	3,02		3,78		6,80 (1,40 - 8,00)		3,89 A	1,750 (240 - 2,270)		875	8,00						
<b>3 Rooms</b>																										
16 + 16 + 16	1,60			1,60			4,80 (1,80 - 7,20)	3,81 A	1,260 (360 - 2,340)	630	5,50	2,26			2,26			6,78 (1,50 - 8,10)			4,06 A	1,670 (290 - 2,250)			835	7,70
16 + 16 + 20	1,60			2,00			5,20 (1,80 - 7,30)	3,69 A	1,410 (360 - 2,390)	705	6,20	2,09														

# FREE MULTI 2X1 COMBINATIONS TABLE

Free Multi 2x1 CU-2E12SBE. Minimum capacity connected: 3,2kW. Maximum capacity connected: 5,7kW • R410 GAS

Indoor unit capacity	Cooling capacity (kW)			EER	Input power rating		A.E.C.	Current	Heating capacity (kW)			COP	Input power rating		A.E.C.	Current				
	Rooms				W/W	W			kWh	230V	Rooms			W/W			W	kWh	230V	
	A	B	Total (Min - Max)								A		B							Total (Min - Max)
<b>1 Room</b>																				
16	1,60		1,60 (1,10 - 2,30)	3,90 A	410 (220 - 600)	205	1,95	2,60	2,60 (0,70 - 3,80)	3,77 A	690 (170 - 1.110)	345	3,05							
20	2,00		2,00 (1,10 - 2,90)	3,85 A	520 (220 - 750)	260	2,45	3,20	3,20 (0,70 - 4,80)	3,76 A	850 (170 - 1.410)	425	3,75							
25	2,50		2,50 (1,10 - 3,50)	3,73 A	670 (220 - 1.000)	335	3,15	3,60	3,60 (0,70 - 5,50)	3,50 B	1.030 (170 - 1.700)	515	4,55							
35	3,20		3,20 (1,10 - 4,00)	3,48 A	920 (220 - 1.220)	460	4,30	4,40	4,40 (0,70 - 5,60)	3,61 A	1.220 (170 - 1.680)	610	5,40							
<b>2 Rooms</b>																				
16 + 16	1,60	1,60	3,20 (1,50 - 4,00)	4,27 A	750 (250 - 1.000)	375	3,50	2,20	2,20	4,40 (1,10 - 5,60)	4,63 A	950 (210 - 1.270)	475	4,20						
16 + 20	1,60	2,00	3,60 (1,50 - 4,50)	4,50 A	800 (250 - 1.100)	400	3,75	1,95	2,45	4,40 (1,10 - 5,60)	4,63 A	950 (210 - 1.270)	475	4,20						
16 + 25	1,40	2,20	3,60 (1,50 - 4,50)	4,50 A	800 (250 - 1.100)	400	3,75	1,70	2,70	4,40 (1,10 - 5,60)	4,63 A	950 (210 - 1.270)	475	4,20						
16 + 35	1,20	2,40	3,60 (1,50 - 4,50)	4,50 A	800 (250 - 1.100)	400	3,75	1,45	2,95	4,40 (1,10 - 5,60)	4,63 A	950 (210 - 1.270)	475	4,20						
20 + 20	1,80	1,80	3,60 (1,50 - 4,50)	4,50 A	800 (250 - 1.100)	400	3,75	2,20	2,20	4,40 (1,10 - 5,60)	4,63 A	950 (210 - 1.270)	475	4,20						
20 + 25	1,60	2,00	3,60 (1,50 - 4,50)	4,50 A	800 (250 - 1.100)	400	3,75	1,95	2,45	4,40 (1,10 - 5,60)	4,63 A	950 (210 - 1.270)	475	4,20						
20 + 35	1,40	2,20	3,60 (1,50 - 4,50)	4,68 A	770 (250 - 1.050)	385	3,60	1,70	2,70	4,40 (1,10 - 5,60)	4,78 A	920 (210 - 1.220)	460	4,10						
25 + 25	1,80	1,80	3,60 (1,50 - 4,50)	4,68 A	770 (250 - 1.050)	385	3,60	2,20	2,20	4,40 (1,10 - 5,60)	4,78 A	920 (210 - 1.220)	460	4,10						
25 + 35	1,60	2,00	3,60 (1,50 - 4,50)	4,68 A	770 (250 - 1.050)	385	3,60	1,95	2,45	4,40 (1,10 - 5,60)	4,78 A	920 (210 - 1.220)	460	4,10						

1) Showing SEER and Pdesign (kWh) / SCOP and Pdesign at -10°C (kWh): Using EN 14825. Other: A.E.C. using internal procedure (only for reference).  
 \* EER, COP, SEER, SCOP, Input Power, Annual consumption is show following the ErP directive only on the 100% capacity combination as requested by the ErP directive.  
 \* Data for not simultaneous operation.

Free Multi 2x1 CU-2E15SBE. Minimum capacity connected: 3,2kW. Maximum capacity connected: 5,7kW • R410 GAS

Indoor unit capacity	Cooling capacity (kW)			EER	Input power rating		A.E.C.	Current	Heating capacity (kW)			COP	Input power rating		A.E.C.	Current				
	Rooms				W/W	W			kWh	230V	Rooms			W/W			W	kWh	230V	
	A	B	Total (Min - Max)								A		B							Total (Min - Max)
<b>1 Room</b>																				
16	1,60		1,60 (1,10 - 2,30)	3,90 A	410 (220 - 600)	205	1,95	2,60	2,60 (0,70 - 3,80)	3,77 A	690 (170 - 1.110)	345	3,05							
20	2,00		2,00 (1,10 - 2,90)	3,85 A	520 (220 - 750)	260	2,45	3,20	3,20 (0,70 - 4,80)	3,76 A	850 (170 - 1.410)	425	3,75							
25	2,50		2,50 (1,10 - 3,50)	3,73 A	670 (220 - 1.000)	335	3,15	3,60	3,60 (0,70 - 5,50)	3,50 B	1.030 (170 - 1.700)	515	4,55							
35	3,20		3,20 (1,10 - 4,00)	3,48 A	920 (220 - 1.220)	460	4,30	4,50	4,50 (0,70 - 6,20)	3,60 B	1.250 (170 - 1.810)	625	5,55							
<b>2 Rooms</b>																				
16 + 16	1,60	1,60	3,20 (1,50 - 4,00)	3,76 A	850 (250 - 1.100)	425	4,00	2,60	2,60	5,20 (1,10 - 7,00)	4,60 A	1.130 (210 - 1.710)	565	5,00						
16 + 20	1,60	2,00	3,60 (1,50 - 4,50)	3,71 A	970 (250 - 1.280)	485	4,55	2,40	3,00	5,40 (1,10 - 7,00)	4,58 A	1.180 (210 - 1.690)	590	5,25						
16 + 25	1,60	2,50	4,10 (1,50 - 5,10)	3,63 A	1.130 (250 - 1.480)	565	5,30	2,11	3,29	5,40 (1,10 - 7,00)	4,58 A	1.180 (210 - 1.690)	590	5,25						
16 + 35	1,50	3,00	4,50 (1,50 - 5,20)	3,66 A	1.230 (250 - 1.520)	615	5,75	1,80	3,60	5,40 (1,10 - 7,00)	4,58 A	1.180 (210 - 1.690)	590	5,25						
20 + 20	2,00	2,00	4,00 (1,50 - 5,00)	3,67 A	1.090 (250 - 1.460)	545	5,10	2,70	2,70	5,40 (1,10 - 7,00)	4,62 A	1.170 (210 - 1.670)	585	5,20						
20 + 25	2,00	2,50	4,50 (1,50 - 5,20)	3,66 A	1.230 (250 - 1.520)	615	5,75	2,40	3,00	5,40 (1,10 - 7,00)	4,62 A	1.170 (210 - 1.670)	585	5,20						
20 + 35	1,75	2,75	4,50 (1,50 - 5,20)	3,66 A	1.230 (250 - 1.520)	615	5,75	2,10	3,30	5,40 (1,10 - 7,00)	4,62 A	1.170 (210 - 1.670)	585	5,20						
25 + 25	2,25	2,25	4,50 (1,50 - 5,20)	3,66 A	1.230 (250 - 1.520)	615	5,75	2,70	2,70	5,40 (1,10 - 7,00)	4,62 A	1.170 (210 - 1.670)	585	5,20						
25 + 35	2,00	2,50	4,50 (1,50 - 5,20)	3,66 A	1.230 (250 - 1.520)	615	5,75	2,40	3,00	5,40 (1,10 - 7,00)	4,62 A	1.170 (210 - 1.670)	585	5,20						

1) Showing SEER and Pdesign (kWh) / SCOP and Pdesign at -10°C (kWh): Using EN 14825. Other: A.E.C. using internal procedure (only for reference).  
 \* EER, COP, SEER, SCOP, Input Power, Annual consumption is show following the ErP directive only on the 100% capacity combination as requested by the ErP directive.  
 \* Data for not simultaneous operation.

Free Multi 2x1 CU-2E18SBE. Minimum capacity connected: 3,2kW. Maximum capacity connected: 7,5kW • R410 GAS

Indoor unit capacity	Cooling capacity (kW)			EER	Input power rating		A.E.C.	Current	Heating capacity (kW)			COP	Input power rating		A.E.C.	Current				
	Rooms				W/W	W			kWh	230V	Rooms			W/W			W	kWh	230V	
	A	B	Total (Min - Max)								A		B							Total (Min - Max)
<b>1 Room</b>																				
16	1,60		1,60 (1,10 - 2,30)	3,90 A	410 (220 - 600)	205	1,95	2,60	2,60 (0,70 - 3,80)	3,77 A	690 (170 - 1.110)	345	3,05							
20	2,00		2,00 (1,10 - 2,90)	3,85 A	520 (220 - 750)	260	2,45	3,20	3,20 (0,70 - 4,80)	3,76 A	850 (170 - 1.410)	425	3,75							
25	2,50		2,50 (1,10 - 3,50)	3,73 A	670 (220 - 1.000)	335	3,15	3,60	3,60 (0,70 - 5,50)	3,50 B	1.030 (170 - 1.700)	515	4,55							
35	3,20		3,20 (1,10 - 4,00)	3,48 A	920 (220 - 1.220)	460	4,30	4,50	4,50 (0,70 - 6,20)	3,60 B	1.250 (170 - 1.810)	625	5,55							
42	4,00		4,00 (1,10 - 4,20)	3,13 B	1.280 (220 - 1.390)	640	6,00	5,00	5,00 (1,10 - 6,40)	3,23 C	1.550 (210 - 2.180)	775	6,90							
50	5,00		5,00 (1,20 - 5,10)	2,96 C	1.690 (230 - 1.790)	845	7,80	5,30	5,30 (1,10 - 6,80)	3,23 C	1.640 (210 - 2.290)	820	7,30							
<b>2 Rooms</b>																				
16 + 16	1,60	1,60	3,20 (1,50 - 4,00)	3,76 A	850 (250 - 1.100)	425	4,00	2,60	2,60	5,20 (1,10 - 7,00)	4,60 A	1.130 (210 - 1.710)	565	5,00						
16 + 20	1,60	2,00	3,60 (1,50 - 4,50)	3,71 A	970 (250 - 1.280)	485	4,55	2,40	3,00	5,40 (1,10 - 7,00)	4,58 A	1.180 (210 - 1.690)	590	5,25						
16 + 25	1,60	2,50	4,10 (1,50 - 5,10)	3,63 A	1.130 (250 - 1.480)	565	5,30	2,11	3,29	5,40 (1,10 - 7,00)	4,58 A	1.180 (210 - 1.690)	590	5,25						
16 + 35	1,50	3,00	4,50 (1,50 - 5,20)	3,66 A	1.230 (250 - 1.520)	615	5,75	1,80	3,60	5,40 (1,10 - 7,00)	4,58 A	1.180 (210 - 1.690)	590	5,25						
16 + 42	1,50	3,70	5,20 (1,50 - 5,40)	3,42 A	1.520 (250 - 1.580)	760	7,10	1,60	4,00	5,60 (1,10 - 7,20)	4,63 A	1.210 (210 - 1.700)	605	5,35						
16 + 50	1,25	3,95	5,20 (1,50 - 5,40)	3,42 A	1.520 (250 - 1.580)	760	7,10	1,35	4,25	5,60 (1,10 - 7,20)	4,63 A	1.210 (210 - 1.700)	605	5,35						
20 + 20	2,00	2,00	4,00 (1,50 - 5,00)	3,67 A	1.090 (250 - 1.460)	545	5,10	2,70	2,70	5,40 (1,10 - 7,00)	4,62 A	1.170 (210 - 1.670)	585	5,20						
20 + 25	2,00	2,50	4,50 (1,50 - 5,20)	3,66 A	1.230 (250 - 1.520)	615	5,75	2,40	3,00	5,40 (1,10 - 7,00)	4,62 A	1.170 (210 - 1.670)	585	5,20						
20 + 35	2,00	3,20	5,20 (1,50 - 5,40)	3,42 A	1.520 (250 - 1.580)	760	7,10	2,15	3,45	5,60 (1,10 - 7,20)	4,63 A	1.210 (210 - 1.700)	605	5,35						
20 + 42	1,75	3,45	5,20 (1,50 - 5,40)	3,42 A	1.520 (250 - 1.580)	760	7,10	1,85	3,75	5,60 (1,10 - 7,20)	4,63 A	1.210 (210 - 1.700)	605	5,35						
20 + 50	1,50	3,70	5,20 (1,50 - 5,40)	3,42 A	1.520 (250 - 1.580)	760	7,10	1,60	4,00	5,60 (1,10 - 7,20)	4,63 A	1.210 (210 - 1.700)	605	5,35						
25 + 25	2,50	2,50	5,00 (1,50 - 5,20)	3,47 A	1.440 (250 - 1.520)	720	6,70	2,80	2,80	5,60 (1,10 - 7,20)	4,63 A	1.210 (210 - 1.700)	605	5,35						
25 + 35	2,30	2,90	5,20 (1,50 - 5,40)	3,42 A	1.520 (250 - 1.580)	760	7,10	2,45	3,15	5,60 (1,10 - 7,20)	4,63 A	1.210 (210 - 1.700)	605	5,35						
25 + 42	2,00	3,20	5,20 (1,50 - 5,40)	3,42 A	1.520 (250 - 1.580)	760	7,10	2,15	3,45	5,60 (1,10 - 7,20)	4,63 A	1.210 (210 - 1.700)	605	5,35						
25 + 50	1,75	3,45	5,20 (1,50 - 5,40)	3,42 A	1.520 (250 - 1.580)	760	7,10	1,85	3,75	5,60 (1,10 - 7,20)	4,63 A	1.210 (210 - 1.700)	605	5,35						
35 + 35	2,60	2,60	5,20 (1,50 - 5,40)	3,42 A	1.520 (250 - 1.580)	760	7,10	2,80	2,80	5,60 (1,10 - 7,20)	4,63 A	1.210 (210 - 1.700)	605	5,35						
35 + 42	2,30	2,90	5,20 (1,50 - 5,40)	3,42 A	1.520 (250 - 1.580)	760	7,10	2,50	3,10	5,60 (1,10 - 7,20)	4,63 A	1.210 (210 - 1.700)	605	5,35						

1) Showing SEER and Pdesign (kWh) / SCOP and Pdesign at -10°C (kWh): Using EN 14825. Other: A.E.C. using internal procedure (only for reference).  
 \* EER, COP, SEER, SCOP, Input Power, Annual consumption is show following the ErP directive only on the 100% capacity combination as requested by the ErP directive.  
 \* Data for not simultaneous operation.

# FREE MULTI 3X1 COMBINATIONS TABLE

Free Multi 3x1 CU-3E18PBE. Minimum capacity connected: 4,5kW. Maximum capacity connected: 9,0kW • R410 GAS

Indoor unit capacity	Cooling capacity (kW)				EER	Input power rating		A.E.C.	Current	Heating capacity (kW)				COP	Input power rating		A.E.C.	Current
	Rooms					W/W	W			kWh	230V	Rooms				W/W		
	A	B	C	Total (Min - Max)						A	B	C	Total (Min - Max)					
<b>1 Room</b>																		
16	1,60			1,60 (1,30 - 2,30)	3,40 A	470 (250 - 710)	235	2,30	2,60				2,60 (1,20 - 3,20)	3,88 A	670 (300 - 1030)	335	3,20	
20	2,00			2,00 (1,80 - 2,90)	3,51 A	570 (340 - 880)	285	2,80	3,20				3,20 (1,20 - 4,10)	3,95 A	810 (300 - 1300)	405	4,00	
25	2,50			2,50 (1,80 - 2,90)	3,57 A	700 (340 - 880)	350	3,30	3,60				3,60 (1,20 - 4,30)	3,56 B	1.010 (300 - 1300)	505	4,80	
35	3,20			3,20 (1,80 - 3,80)	3,68 A	870 (340 - 1.430)	435	4,00	4,50				4,50 (1,20 - 5,80)	3,46 B	1.300 (300 - 2170)	650	6,20	
42	4,00			4,00 (1,80 - 4,30)	3,05 B	1.310 (340 - 2.060)	655	5,90	5,60				5,60 (1,20 - 6,80)	3,13 D	1.790 (300 - 3000)	895	7,90	
50	5,00			5,00 (1,90 - 5,70)	2,90 C	1.725 (340 - 2.305)	863	7,60	6,80				6,80 (1,20 - 6,90)	2,99 D	2.275 (300 - 2695)	1.138	10,00	
<b>2 Rooms</b>																		
16 + 16	1,60	1,60		3,20 (1,80 - 6,20)	4,05 A	790 (330 - 2.230)	395	3,60	2,60	2,60			5,20 (1,40 - 7,00)	3,77 A	1.380 (340 - 2070)	690	6,40	
16 + 20	1,60	2,00		3,60 (1,80 - 6,20)	3,83 A	940 (330 - 2.190)	470	4,20	2,49	3,11			5,60 (1,40 - 7,00)	3,73 A	1.500 (330 - 2040)	750	6,90	
16 + 25	1,60	2,50		4,10 (1,80 - 6,20)	3,73 A	1.100 (330 - 2.190)	550	4,90	2,42	3,78			6,20 (1,40 - 7,00)	3,69 A	1.680 (330 - 2040)	840	7,80	
16 + 35	1,60	3,20		4,80 (1,80 - 6,30)	3,36 A	1.430 (330 - 2.200)	715	6,30	2,13	4,27			6,40 (1,40 - 7,30)	3,76 A	1.700 (310 - 2130)	850	7,80	
16 + 42	1,49	3,71		5,20 (1,90 - 6,40)	3,21 A	1.620 (350 - 2.240)	810	7,10	1,94	4,86			6,80 (1,40 - 7,30)	3,74 A	1.820 (310 - 2120)	910	8,30	
16 + 50	1,26	3,94		5,20 (1,90 - 6,80)	3,41 A	1.525 (340 - 2.285)	763	6,70	1,65	5,15			6,80 (1,40 - 8,00)	3,81 A	1.785 (240 - 2335)	893	8,20	
20 + 20	2,00	2,00		4,00 (1,80 - 6,20)	3,74 A	1.070 (330 - 2.150)	535	4,70	2,90	2,90			5,80 (1,40 - 7,00)	3,82 A	1.520 (320 - 2030)	760	7,00	
20 + 25	2,00	2,50		4,50 (1,80 - 6,20)	3,52 A	1.280 (330 - 2.150)	640	5,60	2,84	3,56			6,40 (1,40 - 7,00)	3,68 A	1.740 (320 - 2030)	870	8,00	
20 + 35	2,00	3,20		5,20 (1,80 - 6,30)	3,21 A	1.620 (330 - 2.160)	810	7,10	2,62	4,18			6,80 (1,40 - 7,30)	3,74 A	1.820 (310 - 2120)	910	8,30	
20 + 42	1,73	3,47		5,20 (1,90 - 6,40)	3,29 A	1.580 (350 - 2.200)	790	6,90	2,27	4,53			6,80 (1,40 - 7,30)	3,74 A	1.820 (280 - 2080)	910	8,30	
20 + 50	1,49	3,71		5,20 (1,90 - 6,80)	3,41 A	1.525 (340 - 2.285)	763	6,70	1,94	4,86			6,80 (1,40 - 8,00)	3,83 A	1.775 (240 - 2325)	888	8,10	
25 + 25	2,50	2,50		5,00 (1,80 - 6,20)	3,25 A	1.540 (330 - 2.150)	770	6,80	3,40	3,40			6,80 (1,40 - 7,00)	3,64 A	1.800 (320 - 2030)	935	8,50	
25 + 35	2,28	2,92		5,20 (1,90 - 6,30)	3,21 A	1.620 (350 - 2.160)	810	7,10	2,98	3,82			6,80 (1,40 - 7,30)	3,74 A	1.820 (310 - 2120)	910	8,30	
25 + 42	2,00	3,20		5,20 (1,90 - 6,40)	3,29 A	1.580 (350 - 2.200)	790	6,90	2,62	4,18			6,80 (1,40 - 7,30)	3,74 A	1.820 (280 - 2080)	910	8,30	
25 + 50	1,73	3,47		5,20 (1,90 - 6,80)	3,41 A	1.525 (340 - 2.285)	763	6,70	2,27	4,53			6,80 (1,40 - 8,00)	3,83 A	1.775 (240 - 2325)	888	8,10	
35 + 35	2,60	2,60		5,20 (1,90 - 6,40)	3,38 A	1.540 (350 - 2.160)	770	6,80	3,40	3,40			6,80 (1,40 - 7,50)	3,76 A	1.810 (270 - 2140)	905	8,30	
35 + 42	2,31	2,89		5,20 (1,90 - 6,50)	3,38 A	1.540 (350 - 2.210)	770	6,80	3,02	3,78			6,80 (1,40 - 7,50)	3,78 A	1.800 (260 - 2140)	900	8,20	
35 + 50	2,03	3,17		5,20 (1,90 - 6,90)	3,50 A	1.485 (360 - 2.285)	743	6,50	2,65	4,15			6,80 (1,40 - 8,00)	3,87 A	1.755 (240 - 2265)	878	8,00	
42 + 42	2,60	2,60		5,20 (1,90 - 6,50)	3,38 A	1.540 (350 - 2.210)	770	6,80	3,40	3,40			6,80 (1,40 - 7,60)	3,86 A	1.760 (260 - 2170)	880	8,00	
42 + 50	2,31	2,89		5,20 (1,90 - 6,90)	3,50 A	1.485 (360 - 2.285)	743	6,50	3,02	3,78			6,80 (1,40 - 8,00)	3,90 A	1.745 (240 - 2265)	873	8,10	
<b>3 Rooms</b>																		
16 + 16 + 16	1,60	1,60	1,60	4,80 (1,80 - 7,20)	3,81 A	1.260 (360 - 2.340)	630	5,50	2,26	2,26	2,26		6,78 (1,50 - 8,10)	4,06 A	1.670 (290 - 2250)	835	7,70	
16 + 16 + 20	1,60	1,60	2,00	5,20 (1,80 - 7,30)	3,69 A	1.410 (360 - 2.390)	705	6,20	2,09	2,09	2,62		6,80 (1,60 - 8,30)	4,10 A	1.660 (320 - 2320)	830	7,70	
16 + 16 + 25	1,46	1,46	2,28	5,20 (1,90 - 7,20)	3,69 A	1.410 (390 - 2.300)	705	6,20	1,91	1,91	2,98		6,80 (1,60 - 8,30)	4,10 A	1.660 (320 - 2320)	830	7,70	
16 + 16 + 35	1,30	1,30	2,60	5,20 (1,90 - 7,20)	3,69 A	1.410 (390 - 2.250)	705	6,20	1,70	1,70	3,40		6,80 (1,60 - 8,30)	4,15 A	1.640 (310 - 2250)	820	7,60	
16 + 16 + 42	1,16	1,16	2,88	5,20 (1,80 - 7,30)	3,69 A	1.410 (390 - 2.300)	705	6,20	1,51	1,51	3,78		6,80 (1,60 - 8,30)	4,17 A	1.630 (310 - 2250)	815	7,50	
16 + 16 + 50	1,01	1,01	3,18	5,20 (1,80 - 7,30)	3,62 A	1.435 (420 - 2.225)	718	6,30	1,33	1,33	4,14		6,80 (1,60 - 8,30)	4,16 A	1.635 (360 - 2215)	818	7,50	
16 + 20 + 20	1,48	1,86	1,86	5,20 (1,90 - 7,20)	3,69 A	1.410 (390 - 2.300)	705	6,20	1,94	2,43	2,43		6,80 (1,60 - 8,30)	4,12 A	1.650 (310 - 2270)	825	7,60	
16 + 20 + 25	1,36	1,70	2,14	5,20 (1,90 - 7,20)	3,69 A	1.410 (390 - 2.300)	705	6,20	1,78	2,23	2,79		6,80 (1,60 - 8,30)	4,12 A	1.650 (310 - 2270)	825	7,60	
16 + 20 + 35	1,22	1,53	2,45	5,20 (1,90 - 7,20)	3,69 A	1.410 (390 - 2.210)	705	6,20	1,60	2,00	3,20		6,80 (1,60 - 8,30)	4,17 A	1.630 (310 - 2250)	815	7,50	
16 + 20 + 42	1,09	1,37	2,74	5,20 (1,80 - 7,30)	3,69 A	1.410 (390 - 2.300)	705	6,20	1,43	1,79	3,58		6,80 (1,60 - 8,30)	4,17 A	1.630 (310 - 2240)	815	7,50	
16 + 20 + 50	0,97	1,21	3,02	5,20 (1,80 - 7,30)	3,62 A	1.435 (420 - 2.175)	718	6,30	1,27	1,58	3,95		6,80 (1,60 - 8,30)	4,18 A	1.625 (360 - 2215)	813	7,50	
16 + 25 + 25	1,26	1,97	1,97	5,20 (1,90 - 7,20)	3,69 A	1.410 (390 - 2.300)	705	6,20	1,64	2,58	2,58		6,80 (1,60 - 8,30)	4,12 A	1.650 (310 - 2270)	825	7,60	
16 + 25 + 35	1,14	1,78	2,28	5,20 (1,80 - 7,30)	3,69 A	1.410 (390 - 2.300)	705	6,20	1,49	2,33	2,98		6,80 (1,60 - 8,30)	4,17 A	1.630 (310 - 2250)	815	7,50	
16 + 25 + 42	1,03	1,60	2,57	5,20 (1,80 - 7,30)	3,69 A	1.410 (390 - 2.300)	705	6,20	1,34	2,10	3,36		6,80 (1,60 - 8,30)	4,17 A	1.630 (310 - 2240)	815	7,50	
16 + 35 + 35	1,04	2,08	2,08	5,20 (1,80 - 7,30)	3,80 A	1.370 (390 - 2.250)	685	6,00	1,36	2,72	2,72		6,80 (1,60 - 8,30)	4,22 A	1.610 (320 - 2220)	805	7,40	
16 + 35 + 42	0,95	1,89	2,36	5,20 (1,80 - 7,30)	3,80 A	1.370 (390 - 2.250)	685	6,00	1,24	2,47	3,09		6,80 (1,60 - 8,30)	4,22 A	1.610 (320 - 2210)	805	7,40	
20 + 20 + 20	1,73	1,73	1,73	5,19 (1,90 - 7,20)	3,68 A	1.410 (390 - 2.250)	705	6,20	2,26	2,26	2,26		6,78 (1,60 - 8,30)	4,11 A	1.650 (310 - 2260)	825	7,60	
20 + 20 + 25	1,60	1,60	2,00	5,20 (1,90 - 7,20)	3,69 A	1.410 (390 - 2.250)	705	6,20	2,09	2,09	2,62		6,80 (1,60 - 8,30)	4,12 A	1.650 (310 - 2260)	825	7,60	
20 + 20 + 35	1,44	1,44	2,32	5,20 (1,90 - 7,20)	3,80 A	1.370 (390 - 2.210)	685	6,00	1,89	1,89	3,02		6,80 (1,60 - 8,30)	4,17 A	1.630 (310 - 2240)	815	7,50	
20 + 20 + 42	1,30	1,30	2,60	5,20 (1,80 - 7,30)	3,80 A	1.370 (390 - 2.250)	685	6,00	1,70	1,70	3,40		6,80 (1,60 - 8,30)	4,20 A	1.620 (320 - 2230)	810	7,50	
20 + 20 + 50	1,16	1,16	2,88	5,20 (1,80 - 7,30)	3,62 A	1.435 (420 - 2.175)	718	6,30	1,51	1,51	3,78		6,80 (1,60 - 8,30)	4,18 A	1.625 (360 - 2205)	813	7,50	
20 + 25 + 25	1,48	1,86	1,86	5,20 (1,90 - 7,20)	3,69 A	1.410 (390 - 2.250)	705	6,20	1,94	2,43	2,43		6,80 (1,60 - 8,30)	4,12 A	1.650 (310 - 2260)	825	7,60	
20 + 25 + 35	1,35	1,69	2,16	5,20 (1,90 - 7,20)	3,80 A	1.370 (390 - 2.210)	685	6,00	1,76	2,21	2,83		6,80 (1,60 - 8,30)	4,17 A	1.630 (310 - 2240)	815	7,50	
20 + 25 + 42	1,22	1,53	2,45	5,20 (1,80 - 7,30)	3,80 A	1.370 (390 - 2.250)	685	6,00	1,60	2,00	3,20		6,80 (1,60 - 8,30)	4,20 A	1.620 (320 - 2230)	810	7,50	
20 + 35 + 35	1,24	1,98	1,98	5,20 (1,80 - 7,30)	3,80 A	1.370 (390 - 2.210)	685	6,00	1,62	2,59	2,59		6,80 (1,60 - 8,30)	4,22 A	1.610 (320 - 2210)	805	7,40	
25 + 25 + 25	1,73	1,73	1,73	5,19 (1,90 - 7,20)	3,68 A	1.410 (390 - 2.250)	705	6,20	2,26	2,26	2,26		6,78 (1,60 - 8,30)	4,11 A	1.650 (310 - 2260)	825	7,60	
25 + 25 + 35	1,59	1,59	2,02	5,20 (1,90 - 7,20)	3,80 A	1.370 (390 - 2.210)	685	6,										

Free Multi 3x1 CU-3E23SBE. Minimum capacity connected: 4,5kW. Maximum capacity connected: 11,0kW • R410 GAS

Indoor unit capacity	Cooling capacity (kW)				EER	Input power rating	A.E.C.	Current	Heating capacity (kW)				COP	Input power rating	A.E.C.	Current								
	Rooms								W/W	W	kWh	230V					Rooms				W/W	W	kWh	230V
	A	B	C	Total (Min - Max)													A	B	C	Total (Min - Max)				
<b>1 Room</b>																								
16	1,60			1,60 (1,30 - 2,30)	3,40 A	470 (250 - 710)	235	2,30	2,60			2,60 (1,20 - 3,20)	3,88 A	670 (300 - 960)	335	3,20								
20	2,00			2,00 (1,80 - 2,90)	3,51 A	570 (340 - 880)	285	2,80	3,20			3,20 (1,20 - 4,10)	3,95 A	810 (300 - 1.300)	405	4,00								
25	2,50			2,50 (1,80 - 2,90)	3,57 A	700 (340 - 880)	350	3,40	3,60			3,60 (1,20 - 4,30)	3,56 B	1.010 (300 - 1.300)	505	5,00								
35	3,20			3,20 (1,80 - 3,80)	3,68 A	870 (340 - 1.430)	435	4,20	4,50			4,50 (1,20 - 5,80)	3,46 B	1.300 (300 - 2.170)	650	6,30								
42	4,00			4,00 (1,80 - 4,30)	3,05 B	1.310 (340 - 2.060)	655	6,10	5,60			5,60 (1,20 - 6,80)	3,13 D	1.790 (300 - 3.000)	895	8,30								
50	5,00			5,00 (1,90 - 5,70)	2,90 C	1.725 (340 - 2.305)	863	8,00	6,80			6,80 (1,20 - 6,90)	2,99 D	2.275 (300 - 2.695)	1.138	10,50								
<b>2 Rooms</b>																								
16 + 16	1,60	1,60		3,20 (1,90 - 6,40)	4,16 A	770 (270 - 2.150)	385	3,60	2,60	2,60		5,20 (2,70 - 9,80)	3,61 A	1.440 (660 - 3.060)	720	6,70								
16 + 20	1,60	2,00		3,60 (1,90 - 6,40)	3,96 A	910 (270 - 2.110)	455	4,10	2,58	3,22		5,80 (2,70 - 9,80)	3,58 B	1.620 (650 - 3.060)	810	7,50								
16 + 25	1,60	2,50		4,10 (1,90 - 6,40)	3,83 A	1.070 (270 - 2.110)	535	4,80	2,38	3,72		6,10 (2,70 - 9,80)	3,55 B	1.720 (650 - 3.060)	860	8,00								
16 + 35	1,60	3,20		4,80 (1,90 - 6,90)	3,48 A	1.380 (270 - 2.500)	690	6,10	2,13	4,27		6,40 (2,70 - 9,90)	3,64 A	1.760 (630 - 3.070)	880	8,10								
16 + 42	1,60	4,00		5,60 (1,90 - 6,90)	3,08 B	1.820 (270 - 2.460)	910	8,00	2,29	5,71		8,00 (2,70 - 9,90)	3,39 C	2.360 (630 - 3.070)	1.180	10,90								
16 + 50	1,60	5,00		6,60 (2,00 - 7,50)	2,89 C	2.285 (280 - 2.645)	1.143	10,00	2,06	6,44		8,50 (2,80 - 10,20)	3,39 C	2.505 (560 - 3.145)	1.253	11,60								
20 + 20	2,00	2,00		4,00 (1,90 - 6,40)	3,85 A	1.040 (270 - 2.080)	520	4,70	2,90	2,90		5,80 (2,70 - 9,80)	3,67 A	1.580 (640 - 3.070)	790	7,40								
20 + 25	2,00	2,50		4,50 (1,90 - 6,40)	3,63 A	1.240 (270 - 2.080)	620	5,50	2,71	3,99		6,10 (2,70 - 9,80)	3,57 B	1.710 (640 - 3.070)	855	8,00								
20 + 35	2,00	3,20		5,20 (1,90 - 6,90)	3,29 A	1.580 (270 - 2.460)	790	7,00	2,69	4,31		7,00 (2,70 - 9,90)	3,50 B	2.000 (630 - 3.070)	1.000	9,20								
20 + 42	2,00	4,00		6,00 (1,90 - 6,90)	2,96 C	2.030 (270 - 2.420)	1.015	8,90	2,73	5,47		8,20 (2,70 - 9,90)	3,37 C	2.430 (620 - 3.070)	1.215	11,20								
20 + 50	1,94	4,86		6,80 (2,00 - 7,50)	2,80 C	2.425 (280 - 2.595)	1.213	10,60	2,43	6,07		8,50 (2,80 - 10,20)	3,39 C	2.505 (560 - 3.145)	1.253	11,60								
25 + 25	2,50	2,50		5,00 (1,90 - 6,80)	3,33 A	1.500 (270 - 2.450)	750	6,70	3,20	3,20		6,40 (2,70 - 9,80)	3,54 B	1.810 (640 - 3.070)	905	8,30								
25 + 35	2,50	3,20		5,70 (1,90 - 6,90)	3,06 B	1.860 (270 - 2.460)	930	8,20	3,55	4,55		8,10 (2,70 - 9,90)	3,39 C	2.390 (630 - 3.070)	1.195	11,00								
25 + 42	2,50	4,00		6,50 (1,90 - 6,90)	2,65 D	2.450 (270 - 2.460)	1.225	10,80	3,27	5,23		8,50 (2,70 - 9,90)	3,29 C	2.580 (620 - 3.070)	1.290	11,90								
25 + 50	2,27	4,53		6,80 (1,90 - 7,50)	2,80 C	2.425 (260 - 2.595)	1.213	10,60	2,83	5,67		8,50 (2,80 - 10,20)	3,39 C	2.505 (560 - 3.145)	1.253	11,60								
35 + 35	3,20	3,20		6,40 (1,90 - 7,00)	2,77 D	2.310 (270 - 2.420)	1.195	10,10	4,25	4,25		8,50 (2,80 - 10,00)	3,36 C	2.530 (640 - 3.070)	1.265	11,70								
35 + 42	3,02	3,78		6,80 (1,90 - 7,10)	2,57 E	2.650 (270 - 2.660)	1.325	11,60	3,78	4,72		8,50 (2,80 - 10,00)	3,36 C	2.530 (640 - 3.070)	1.265	11,70								
35 + 50	2,65	4,15		6,80 (2,00 - 7,60)	2,91 C	2.335 (280 - 2.605)	1.168	10,30	3,32	5,18		8,50 (2,80 - 10,00)	3,48 B	2.445 (640 - 3.125)	1.223	11,30								
42 + 42	3,40	3,40		6,80 (1,90 - 7,10)	2,57 E	2.650 (260 - 2.660)	1.325	11,60	4,25	4,25		8,50 (2,80 - 10,00)	3,37 C	2.520 (600 - 3.030)	1.260	11,60								
42 + 50	3,02	3,78		6,80 (2,00 - 7,60)	2,91 C	2.335 (280 - 2.555)	1.168	10,30	3,78	4,72		8,50 (2,80 - 10,00)	3,49 B	2.435 (540 - 3.115)	1.218	11,20								
50 + 50	3,40	3,40		6,80 (2,10 - 8,10)	3,08 B	2.210 (320 - 2.720)	1.105	9,70	4,25	4,25		8,50 (2,80 - 10,50)	3,54 B	2.400 (510 - 3.130)	1.200	11,10								
<b>3 Rooms</b>																								
16 + 16 + 16	1,60	1,60	1,60	4,80 (1,90 - 8,00)	3,90 A	1.230 (270 - 2.710)	615	5,50	2,60	2,60	2,60	7,80 (3,30 - 10,40)	3,70 A	2.110 (640 - 3.070)	1.055	9,70								
16 + 16 + 20	1,60	1,60	2,00	5,20 (1,90 - 8,00)	3,80 A	1.370 (270 - 2.670)	685	6,10	2,58	2,58	3,24	8,40 (3,30 - 10,40)	3,61 A	2.330 (640 - 3.060)	1.165	10,70								
16 + 16 + 25	1,60	1,60	2,50	5,70 (1,90 - 8,00)	3,56 A	1.600 (270 - 2.670)	800	7,10	2,39	2,39	3,72	8,50 (3,30 - 10,40)	3,59 B	2.370 (640 - 3.060)	1.185	10,90								
16 + 16 + 35	1,60	1,60	3,20	6,40 (1,90 - 8,00)	3,39 A	1.890 (270 - 2.580)	945	8,30	2,13	2,13	4,24	8,50 (3,30 - 10,40)	3,68 A	2.310 (630 - 3.040)	1.155	10,70								
16 + 16 + 42	1,51	1,51	3,78	6,80 (1,90 - 8,10)	3,21 A	2.120 (270 - 2.670)	1.060	9,30	1,89	1,89	4,72	8,50 (3,30 - 10,50)	3,70 A	2.300 (620 - 3.070)	1.150	10,60								
16 + 16 + 50	1,33	1,33	4,14	6,80 (2,00 - 8,50)	3,26 A	2.085 (320 - 2.735)	1.043	9,20	1,66	1,66	5,18	8,50 (3,20 - 10,60)	3,74 A	2.275 (600 - 3.035)	1.138	10,50								
16 + 20 + 20	1,60	2,00	2,00	5,60 (1,90 - 8,00)	3,68 A	1.520 (270 - 2.670)	760	6,70	2,42	3,04	3,04	8,50 (3,30 - 10,40)	3,60 A	2.360 (630 - 3.050)	1.180	10,90								
16 + 20 + 25	1,60	2,00	2,50	6,10 (1,90 - 8,00)	3,45 A	1.770 (270 - 2.670)	885	7,80	2,23	2,79	3,48	8,50 (3,30 - 10,40)	3,60 A	2.360 (630 - 3.050)	1.180	10,90								
16 + 20 + 35	1,60	2,00	3,20	6,80 (1,90 - 8,00)	3,21 A	2.120 (270 - 2.580)	1.060	9,30	2,00	2,50	4,00	8,50 (3,30 - 10,40)	3,70 A	2.300 (620 - 2.990)	1.150	10,60								
16 + 20 + 42	1,43	1,79	3,58	6,80 (1,90 - 8,10)	3,21 A	2.120 (270 - 2.630)	1.060	9,30	1,79	2,24	4,47	8,50 (3,30 - 10,50)	3,71 A	2.290 (620 - 3.020)	1.145	10,60								
16 + 20 + 50	1,27	1,58	3,95	6,80 (2,00 - 8,50)	3,34 A	2.035 (320 - 2.735)	1.018	8,90	1,58	1,98	4,94	8,50 (3,20 - 10,60)	3,75 A	2.265 (600 - 3.025)	1.133	10,40								
16 + 25 + 25	1,60	2,50	2,50	6,60 (1,90 - 8,00)	3,25 A	2.030 (270 - 2.670)	1.015	8,90	2,06	3,22	3,22	8,50 (3,30 - 10,40)	3,60 A	2.360 (630 - 3.050)	1.180	10,90								
16 + 25 + 35	1,49	2,33	3,98	6,80 (1,90 - 8,00)	3,21 A	2.120 (270 - 2.580)	1.060	9,30	1,86	2,91	3,73	8,50 (3,30 - 10,40)	3,70 A	2.300 (620 - 2.990)	1.150	10,60								
16 + 25 + 42	1,34	2,10	3,36	6,80 (1,90 - 8,10)	3,21 A	2.120 (270 - 2.630)	1.060	9,30	1,68	2,62	4,20	8,50 (3,30 - 10,50)	3,71 A	2.290 (620 - 3.020)	1.145	10,60								
16 + 25 + 50	1,19	1,87	3,74	6,80 (2,00 - 8,50)	3,34 A	2.035 (320 - 2.735)	1.018	8,90	1,49	2,34	4,67	8,50 (3,20 - 10,60)	3,75 A	2.265 (600 - 3.025)	1.133	10,40								
16 + 35 + 35	1,36	2,72	2,72	6,80 (1,90 - 8,10)	3,29 A	2.070 (290 - 2.580)	1.035	9,10	1,70	3,40	3,40	8,50 (3,30 - 10,50)	3,73 A	2.280 (640 - 3.000)	1.140	10,50								
16 + 35 + 42	1,24	2,47	3,09	6,80 (1,90 - 8,20)	3,29 A	2.070 (290 - 2.630)	1.035	9,10	1,55	3,09	3,86	8,50 (3,30 - 10,50)	3,74 A	2.270 (640 - 3.000)	1.135	10,50								
16 + 35 + 50	1,11	2,22	3,47	6,80 (2,00 - 8,50)	3,34 A	2.035 (340 - 2.695)	1.018	8,90	1,38	2,78	4,34	8,50 (3,20 - 10,60)	3,79 A	2.245 (600 - 2.995)	1.123	10,40								
16 + 42 + 42	1,14	2,83	2,83	6,80 (1,90 - 8,20)	3,29 A	2.070 (290 - 2.630)	1.035	9,10	1,42	3,54	3,54	8,50 (3,30 - 10,50)	3,76 A	2.260 (640 - 2.990)	1.130	10,40								
16 + 42 + 50	1,02	2,57	3,21	6,80 (2,00 - 8,50)	3,34 A	2.035 (340 - 2.645)	1.018	8,90	1,28	3,21	4,01	8,50 (3,20 - 10,60)	3,80 A	2.235 (600 - 2.985)	1.118	10,30								
20 + 20 + 20	2,00	2,00	2,00	6,00 (1,90 - 8,00)	3,49 A	1.720 (270 - 2.620)	860	7,60	2,83	2,83	3,28	8,50 (3,30 - 10,40)	3,66 A	2.320 (630 - 3.040)	1.160	10,70								
20 + 20 + 25	2,00	2,00	2,50	6,50 (1,90 - 8,00)	3,28 A	1.980 (270 - 2.620)	990	8,70	2,62	2,62	3,26	8,50 (3,30 - 10,40)	3,66 A	2.320 (630 - 3.040)	1.160	10,70								
20 + 20 + 35	1,89	1,89	3,02	6,80 (1,90 - 8,00)	3,21 A	2.120 (270 - 2.530)	1.060	9,30	2,36	2,36	3,78	8,50 (3,30 - 10,40)	3,71 A	2.290 (620 - 2.980)	1.145	10,60								
20 + 20 + 42	1,70	1,70	3,40	6,80 (1,90 - 8,10)	3,29 A	2.070 (290 - 2.630)	1.035	9,10	2,13	2,13	4,24	8,50 (3,30 - 10,50)	3,73 A	2.280 (620 - 3.010)	1.140	10,50								
20 + 20 + 50	1,51	1,51	3,78	6,80 (2,00 - 8,50)	3,34 A	2.035 (340 - 2.695)	1.018	8,90	1,89	1,89	4,72	8,50 (3,20 - 10,60)	3,77 A	2.255 (600 - 3.015)	1.128	10,40								
20 + 25 + 25	1,94	2,43	2,43	6,80 (1,90 - 8,00)	3,21 A	2.120 (270 - 2.620)	1.060	9,30	2,42	3,04	3,04	8,50 (3,30 - 10,40)	3,66 A	2.3										

# FREE MULTI 4X1 COMBINATIONS TABLE

Free Multi 4x1 CU-4E23PBE. Minimum capacity connected: 4,5kW. Maximum capacity connected: 11,0kW • R410 GAS

Indoor unit capacity	Cooling capacity (kW)					EER	Input power rating		A.E.C.	Current	Heating capacity (kW)					COP	Input power rating		A.E.C.	Current
	Rooms						W/W	W			kWh	230V	Rooms					W/W		
	A	B	C	D	Total (Min - Max)						A	B	C	D	Total (Min - Max)					
<b>1 Room</b>																				
16	1,60				1,60 (1,30 - 2,30)	3,40 A	470 (250 - 710)	235	2,30	2,60					2,60 (1,20 - 3,20)	3,88 A	670 (300 - 1.030)	335	3,20	
20	2,00				2,00 (1,80 - 2,90)	3,51 A	570 (340 - 880)	285	2,80	3,20					3,20 (1,20 - 4,10)	3,95 A	810 (300 - 1.300)	405	4,00	
25	2,50				2,50 (1,80 - 2,90)	3,57 A	700 (340 - 880)	350	3,40	3,60					3,60 (1,20 - 4,30)	3,56 B	1.010 (300 - 1.300)	505	5,00	
35	3,20				3,20 (1,80 - 3,80)	3,68 A	870 (340 - 1.430)	435	4,20	4,50					4,50 (1,20 - 5,80)	3,46 B	1.300 (300 - 2.170)	650	6,30	
42	4,00				4,00 (1,80 - 4,30)	3,05 B	1.310 (340 - 2.060)	655	6,10	5,60					5,60 (1,20 - 6,80)	3,13 D	1.790 (300 - 3.000)	895	8,30	
50	5,00				5,00 (1,90 - 5,70)	2,90 C	1.725 (340 - 2.305)	863	8,00	6,80					6,80 (1,20 - 6,90)	2,99 D	2.275 (300 - 2.695)	1.138	10,50	
<b>2 Rooms</b>																				
16 + 16	1,60	1,60			3,20 (1,90 - 6,40)	4,16 A	770 (270 - 2.150)	385	3,60	2,60	2,60				5,20 (2,70 - 9,80)	3,61 A	1.440 (660 - 3.060)	720	6,70	
16 + 20	1,60	2,00			3,60 (1,90 - 6,40)	3,96 A	910 (270 - 2.110)	455	4,10	2,58	3,22				5,80 (2,70 - 9,80)	3,58 B	1.620 (650 - 3.060)	810	7,50	
16 + 25	1,60	2,50			4,10 (1,90 - 6,40)	3,83 A	1.070 (270 - 2.110)	535	4,80	2,38	3,72				6,10 (2,70 - 9,80)	3,55 B	1.720 (650 - 3.060)	860	8,00	
16 + 35	1,60	3,20			4,80 (1,90 - 6,90)	3,48 A	1.380 (270 - 2.500)	690	6,10	2,13	4,27				6,40 (2,70 - 9,90)	3,64 A	1.760 (630 - 3.070)	880	8,10	
16 + 42	1,60	4,00			5,60 (1,90 - 6,90)	3,08 B	1.820 (270 - 2.460)	910	8,00	2,29	5,71				8,00 (2,70 - 9,90)	3,39 C	2.360 (630 - 3.070)	1.180	10,90	
16 + 50	1,60	5,00			6,60 (1,90 - 7,50)	2,89 C	2.425 (280 - 2.645)	1.143	10,00	2,06	6,44				8,50 (2,80 - 10,20)	3,39 C	2.505 (560 - 3.145)	1.253	11,60	
20 + 20	2,00	2,00			4,00 (1,90 - 6,40)	3,85 A	1.040 (270 - 2.080)	520	4,70	2,90	2,90				5,80 (2,70 - 9,80)	3,67 A	1.580 (640 - 3.070)	790	7,40	
20 + 25	2,00	2,50			4,50 (1,90 - 6,40)	3,63 A	1.240 (270 - 2.080)	620	5,50	2,71	3,39				6,10 (2,70 - 9,80)	3,57 B	1.710 (640 - 3.070)	855	8,00	
20 + 35	2,00	3,20			5,20 (1,90 - 6,90)	3,29 A	1.580 (270 - 2.460)	790	7,00	2,49	4,31				7,00 (2,70 - 9,90)	3,50 B	2.000 (630 - 3.070)	1.000	9,20	
20 + 42	2,00	4,00			6,00 (1,90 - 6,90)	2,96 C	2.030 (270 - 2.420)	1.015	8,90	2,73	5,47				8,20 (2,70 - 9,90)	3,37 C	2.430 (620 - 3.070)	1.215	11,20	
20 + 50	1,94	4,86			6,80 (2,00 - 7,50)	2,80 C	2.425 (280 - 2.595)	1.213	10,60	2,43	6,07				8,50 (2,80 - 10,20)	3,39 C	2.505 (560 - 3.145)	1.253	11,60	
25 + 25	2,50	2,50			5,00 (1,90 - 6,80)	3,33 A	1.500 (270 - 2.450)	750	6,70	3,20	3,20				6,40 (2,70 - 9,80)	3,54 B	1.810 (640 - 3.070)	905	8,30	
25 + 35	2,50	3,20			5,70 (1,90 - 6,90)	3,06 B	1.860 (270 - 2.460)	930	8,20	3,55	4,55				8,10 (2,70 - 9,90)	3,39 C	2.390 (630 - 3.070)	1.195	11,00	
25 + 42	2,50	4,00			6,50 (1,90 - 6,90)	2,65 D	2.450 (270 - 2.460)	1.225	10,80	3,27	5,23				8,50 (2,70 - 9,90)	3,29 C	2.580 (620 - 3.070)	1.290	11,90	
25 + 50	2,27	4,53			6,80 (1,90 - 7,50)	2,89 C	2.425 (260 - 2.595)	1.213	10,60	2,83	5,67				8,50 (2,80 - 10,20)	3,39 C	2.560 (560 - 3.135)	1.253	11,60	
35 + 35	3,20	3,20			6,40 (1,90 - 7,00)	2,77 D	2.310 (270 - 2.420)	1.155	10,10	4,25	4,25				8,50 (2,80 - 10,00)	3,36 C	2.530 (640 - 3.070)	1.265	11,70	
35 + 42	3,02	3,78			6,80 (1,90 - 7,10)	2,57 E	2.650 (270 - 2.660)	1.325	11,60	3,78	4,72				8,50 (2,80 - 10,00)	3,36 C	2.530 (630 - 3.070)	1.265	11,70	
35 + 50	2,65	4,15			6,80 (2,00 - 7,60)	2,91 C	2.335 (280 - 2.605)	1.168	10,30	3,32	5,18				8,50 (2,80 - 10,30)	3,48 B	2.445 (540 - 3.125)	1.223	11,30	
42 + 42	3,40	3,40			6,80 (1,90 - 7,10)	2,57 E	2.650 (260 - 2.660)	1.325	11,60	4,25	4,25				8,50 (2,80 - 10,00)	3,37 C	2.560 (600 - 3.030)	1.260	11,60	
42 + 50	3,02	3,78			6,80 (2,00 - 7,60)	2,91 C	2.335 (280 - 2.555)	1.168	10,30	3,78	4,72				8,50 (2,80 - 10,30)	3,49 B	2.435 (540 - 3.115)	1.218	11,20	
50 + 50	3,40	3,40			6,80 (2,10 - 8,10)	3,08 B	2.210 (320 - 2.720)	1.105	9,70	4,25	4,25				8,50 (2,80 - 10,50)	3,54 B	2.400 (510 - 3.130)	1.200	11,10	
<b>3 Rooms</b>																				
16 + 16 + 16	1,60	1,60	1,60		4,80 (1,90 - 8,00)	3,90 A	1.230 (270 - 2.710)	615	5,50	2,60	2,60				7,80 (3,30 - 10,40)	3,70 A	2.110 (640 - 3.070)	1.055	9,70	
16 + 16 + 20	1,60	1,60	2,00		5,20 (1,90 - 8,00)	3,80 A	1.370 (270 - 2.670)	685	6,10	2,58	2,58	3,20			8,40 (3,30 - 10,40)	3,61 A	2.260 (640 - 3.060)	1.165	10,70	
16 + 16 + 25	1,60	1,60	2,50		5,70 (1,90 - 8,00)	3,56 A	1.600 (270 - 2.670)	800	7,10	2,39	2,39	3,72			8,50 (3,30 - 10,40)	3,59 B	2.370 (640 - 3.060)	1.185	10,90	
16 + 16 + 35	1,60	1,60	3,20		6,40 (1,90 - 8,00)	3,39 A	1.890 (270 - 2.580)	945	8,30	2,13	2,13	4,24			8,50 (3,30 - 10,40)	3,68 A	2.310 (630 - 3.040)	1.155	10,70	
16 + 16 + 42	1,51	1,51	3,78		6,80 (1,90 - 8,10)	3,21 A	2.120 (270 - 2.670)	1.060	9,30	1,89	1,89	4,72			8,50 (3,30 - 10,50)	3,70 A	2.230 (620 - 3.070)	1.150	10,60	
16 + 16 + 50	1,33	1,33	4,14		6,80 (2,00 - 8,50)	3,26 A	2.085 (320 - 2.735)	1.043	9,20	1,66	1,66	5,18			8,50 (3,20 - 10,60)	3,74 A	2.275 (600 - 3.035)	1.138	10,50	
16 + 20 + 20	1,60	2,00	2,00		5,60 (1,90 - 8,00)	3,68 A	1.520 (270 - 2.670)	760	6,70	2,42	3,04	3,04			8,50 (3,30 - 10,40)	3,60 A	2.360 (630 - 3.050)	1.180	10,90	
16 + 20 + 25	1,60	2,00	2,50		6,10 (1,90 - 8,00)	3,45 A	1.770 (270 - 2.670)	885	7,80	2,23	2,79	3,48			8,50 (3,30 - 10,40)	3,60 A	2.360 (630 - 3.050)	1.180	10,90	
16 + 20 + 35	1,60	2,00	3,20		6,80 (1,90 - 8,00)	3,21 A	2.120 (270 - 2.580)	1.060	9,30	2,00	2,50	4,00			8,50 (3,30 - 10,40)	3,70 A	2.300 (620 - 2.990)	1.150	10,60	
16 + 20 + 42	1,43	1,79	3,58		6,80 (1,90 - 8,10)	3,21 A	2.120 (270 - 2.630)	1.060	9,30	1,79	2,24	4,47			8,50 (3,30 - 10,50)	3,71 A	2.290 (620 - 3.020)	1.145	10,60	
16 + 20 + 50	1,27	1,58	3,95		6,80 (2,00 - 8,50)	3,34 A	2.035 (320 - 2.735)	1.018	8,90	1,58	1,98	4,94			8,50 (3,20 - 10,60)	3,75 A	2.265 (600 - 3.025)	1.133	10,40	
16 + 25 + 25	1,60	2,50	2,50		6,60 (1,90 - 8,00)	3,25 A	2.030 (270 - 2.670)	1.015	8,90	2,06	3,22	3,22			8,50 (3,30 - 10,40)	3,60 A	2.360 (630 - 3.050)	1.180	10,90	
16 + 25 + 35	1,49	2,33	2,98		6,80 (1,90 - 8,00)	3,25 A	2.120 (270 - 2.580)	1.060	9,30	1,86	2,91	3,73			8,50 (3,30 - 10,40)	3,70 A	2.300 (620 - 2.990)	1.150	10,60	
16 + 25 + 42	1,34	2,10	3,36		6,80 (1,90 - 8,10)	3,21 A	2.120 (270 - 2.630)	1.060	9,30	1,68	2,62	4,20			8,50 (3,30 - 10,50)	3,71 A	2.290 (620 - 3.020)	1.145	10,60	
16 + 25 + 50	1,19	1,87	3,74		6,80 (2,00 - 8,50)	3,34 A	2.035 (320 - 2.735)	1.018	8,90	1,49	2,34	4,47			8,50 (3,20 - 10,60)	3,75 A	2.265 (600 - 3.025)	1.133	10,40	
16 + 35 + 35	1,36	2,72	2,72		6,80 (1,90 - 8,10)	3,29 A	2.070 (290 - 2.580)	1.035	9,10	1,70	3,40	3,40			8,50 (3,30 - 10,50)	3,73 A	2.280 (640 - 3.000)	1.140	10,50	
16 + 35 + 42	1,24	2,47	3,09		6,80 (1,90 - 8,20)	3,29 A	2.070 (290 - 2.630)	1.035	9,10	1,55	3,09	3,86			8,50 (3,30 - 10,50)	3,74 A	2.270 (640 - 3.000)	1.135	10,50	
16 + 35 + 50	1,11	2,22	3,47		6,80 (2,00 - 8,50)	3,34 A	2.035 (340 - 2.695)	1.018	8,90	1,38	2,78	4,34			8,50 (3,20 - 10,60)	3,79 A	2.245 (600 - 2.995)	1.123	10,40	
16 + 42 + 42	1,14	2,83	2,83		6,80 (1,90 - 8,20)	3,29 A	2.070 (290 - 2.630)	1.035	9,10	1,42	3,54	3,54			8,50 (3,30 - 10,50)	3,76 A	2.260 (640 - 2.990)	1.130	10,40	
16 + 42 + 50	1,02	2,57	3,21		6,80 (2,00 - 8,50)	3,34 A	2.035 (340 - 2.645)	1.018	8,90	1,28	3,21	4,01			8,50 (3,20 - 10,60)	3,80 A	2.235 (600 - 2.985)	1.118	10,30	
20 + 20 + 20	2,00	2,00	2,00		6,00 (1,90 - 8,00)	3,49 A	1.720 (270 - 2.670)	860	7,60	2,83	2,83	2,83			8,49 (3,30 - 10,40)	3,66 A	2.320 (630 - 3.040)	1.160	10,70	
20 + 20 + 25	2,00	2,00	2,50		6,50 (1,90 - 8,00)	3,28 A	1.980 (270 - 2.620)	990	8,70	2,62	2,62	3,26			8,50 (3,30 - 10,40)	3,66 A	2.320 (630 - 3.040)	1.160	10,70	
20 + 20 + 35	1,89	1,89	3,02		6,80 (1,90 - 8,00)	3,21 A														

Free Multi 4x1 CU-4E23PBE. Minimum capacity connected: 4.5kW. Maximum capacity connected: 11,0kW • R410 GAS

Table with 20 columns: Indoor unit capacity, Cooling capacity (kW) Rooms, EER, Input power rating, A.E.C., Current, Heating capacity (kW) Rooms, COP, Input power rating, A.E.C., Current. Rows include configurations like 16+20+20+25, 16+20+20+35, etc.

- 1) Showing SEER and Pdesign (kW/h) / SCOP and Pdesign at -10°C (kW/h).
\* All combinations refer to New Etherea SKE and Wall Mounted T2 / RE indoor units.
\*\* EER, COP, SEER, SCOP, Input Power, Annual consumption is show following the ErP directive only on the 100% capacity combination as requested by the ErP directive.
\* Data for not simultaneous operation.

Free Multi 4x1 CU-4E27PBE. Minimum capacity connected: 4.5kW. Maximum capacity connected: 13,6 kW • R410 GAS

Table with 20 columns: Indoor unit capacity, Cooling capacity (kW) Rooms, EER, Input power rating, A.E.C., Current, Heating capacity (kW) Rooms, COP, Input power rating, A.E.C., Current. Rows include configurations like 16, 20, 25, 35, 42, 50, 71 for 1 Room; 16+16, 16+20, 16+25, etc. for 2 Rooms; and 16+16+16, 16+16+20, etc. for 3 Rooms.

# FREE MULTI 4X1 COMBINATIONS TABLE

Free Multi 4x1 CU-4E27PBE. Minimum capacity connected: 4.5kW. Maximum capacity connected: 13.6 kW = R410 GAS

Indoor unit capacity	Cooling capacity (kW)				EER	Input power rating	A.E.C.	Current	Heating capacity (kW)				COP	Input power rating	A.E.C.	Current				
	Rooms								W/W	W	kWh	230V					Rooms			
	A	B	C	D													Total (Min - Max)	A	B	C
16 + 25 + 42	1.58	2.47	3.95		8.00 (3.00 - 8.60)	3.20	B	2.500 (480 - 3.240)	1.250	11.90	1.70	2.66	4.25	8.61 (3.20 - 10.40)	3.90	A	2.210 (500 - 3.490)	1.105	10.40	
16 + 25 + 50	1.40	2.20	4.40		8.00 (3.00 - 8.60)	3.31	A	2.415 (520 - 3.045)	1.208	11.50	1.51	2.37	4.73	8.61 (3.20 - 10.50)	3.89	A	2.215 (520 - 3.435)	1.108	10.40	
16 + 25 + 71	1.15	1.80	5.05		8.00 (3.00 - 8.60)	3.40	A	2.355 (520 - 3.115)	1.178	11.20	1.24	1.94	5.43	8.61 (3.20 - 10.60)	3.90	A	2.205 (520 - 3.485)	1.103	10.40	
16 + 35 + 35	1.60	3.20	3.20		8.00 (3.00 - 8.60)	3.28	A	2.440 (480 - 3.160)	1.220	11.60	1.73	3.44	3.44	8.61 (3.20 - 10.40)	3.93	A	2.190 (500 - 3.460)	1.095	10.30	
16 + 35 + 42	1.45	2.91	3.64		8.00 (3.00 - 8.60)	3.28	A	2.440 (480 - 3.160)	1.220	11.60	1.57	3.13	3.91	8.61 (3.20 - 10.50)	3.95	A	2.180 (490 - 3.450)	1.090	10.20	
16 + 35 + 50	1.31	2.61	4.08		8.00 (3.00 - 8.60)	3.40	A	2.355 (520 - 2.965)	1.178	11.20	1.41	2.81	4.39	8.61 (3.20 - 10.50)	3.94	A	2.185 (520 - 3.405)	1.093	10.30	
16 + 35 + 71	1.08	2.17	4.75		8.00 (3.00 - 9.00)	3.40	A	2.355 (520 - 3.185)	1.178	11.20	1.17	2.33	5.11	8.61 (3.20 - 10.60)	3.96	A	2.175 (520 - 3.445)	1.088	10.20	
16 + 42 + 42	1.34	3.33	3.33		8.00 (3.00 - 8.60)	3.28	A	2.440 (480 - 3.160)	1.220	11.60	1.43	3.59	3.59	8.61 (3.20 - 10.50)	3.95	A	2.180 (490 - 3.440)	1.090	10.20	
16 + 42 + 50	1.21	3.02	3.77		8.00 (3.00 - 8.60)	3.40	A	2.355 (520 - 3.115)	1.178	11.20	1.30	3.25	4.06	8.61 (3.20 - 10.50)	3.94	A	2.185 (520 - 3.385)	1.093	10.30	
16 + 42 + 71	1.02	2.54	4.44		8.00 (3.00 - 9.00)	3.49	A	2.295 (520 - 3.115)	1.148	10.90	1.09	2.73	4.79	8.61 (3.20 - 10.60)	3.96	A	2.175 (530 - 3.335)	1.088	10.20	
16 + 50 + 50	1.10	3.45	3.45		8.00 (3.00 - 8.60)	3.42	A	2.340 (570 - 3.000)	1.170	11.10	1.19	3.71	3.71	8.61 (3.20 - 10.60)	3.90	A	2.210 (580 - 3.420)	1.105	10.40	
16 + 50 + 71	0.94	2.94	4.12		8.00 (3.00 - 9.00)	3.42	A	2.340 (570 - 3.070)	1.170	11.10	1.01	3.17	4.43	8.61 (3.20 - 10.60)	3.84	A	2.240 (610 - 3.410)	1.120	10.50	
20 + 20 + 20	2.00	2.00	2.00		6.00 (3.00 - 8.50)	3.51	A	1.710 (480 - 3.240)	855	8.20	2.87	2.87	2.87	8.61 (3.20 - 10.40)	3.84	A	2.240 (500 - 3.530)	1.120	10.50	
20 + 20 + 25	2.00	2.00	2.50		6.50 (3.00 - 8.50)	3.35	A	1.940 (480 - 3.240)	970	9.20	2.77	2.77	3.46	9.00 (3.20 - 10.40)	3.78	A	2.250 (500 - 3.530)	1.190	11.20	
20 + 20 + 35	2.00	2.00	3.20		7.20 (3.00 - 8.50)	3.35	A	2.150 (480 - 3.160)	1.075	10.20	2.61	2.61	4.18	9.40 (3.20 - 10.40)	3.76	A	2.500 (500 - 3.490)	1.250	11.70	
20 + 20 + 42	2.00	2.00	4.00		8.00 (3.00 - 8.60)	3.20	B	2.500 (480 - 3.240)	1.250	11.90	2.35	2.35	4.70	9.40 (3.20 - 10.40)	3.78	A	2.490 (500 - 3.470)	1.245	11.70	
20 + 20 + 50	1.78	1.78	4.44		8.00 (3.00 - 8.60)	3.40	A	2.355 (520 - 2.965)	1.178	11.20	2.09	2.09	5.22	9.40 (3.20 - 10.50)	3.80	A	2.475 (520 - 3.425)	1.238	11.60	
20 + 20 + 71	1.45	1.45	5.10		8.00 (3.00 - 8.60)	3.40	A	2.355 (520 - 3.035)	1.178	11.20	1.71	1.71	5.98	9.40 (3.20 - 10.50)	3.81	A	2.465 (520 - 3.405)	1.233	11.60	
20 + 25 + 25	2.00	2.50	2.50		7.00 (3.00 - 8.50)	3.33	A	2.100 (480 - 3.240)	1.050	10.00	2.68	3.36	3.36	9.40 (3.20 - 10.40)	3.72	A	2.530 (500 - 3.530)	1.265	11.90	
20 + 25 + 35	2.00	2.50	3.20		7.70 (3.00 - 8.50)	3.32	A	2.320 (480 - 3.160)	1.160	11.00	2.44	3.05	3.91	9.40 (3.20 - 10.40)	3.76	A	2.500 (500 - 3.490)	1.250	11.70	
20 + 25 + 42	1.88	2.35	3.77		8.00 (3.00 - 8.60)	3.20	B	2.500 (480 - 3.240)	1.250	11.90	2.21	2.76	4.43	9.40 (3.20 - 10.40)	3.78	A	2.490 (500 - 3.470)	1.245	11.70	
20 + 25 + 50	1.68	2.11	4.21		8.00 (3.00 - 8.60)	3.40	A	2.355 (520 - 2.965)	1.178	11.20	1.98	2.47	4.95	9.40 (3.20 - 10.50)	3.80	A	2.475 (520 - 3.425)	1.238	11.60	
20 + 25 + 71	1.39	1.74	4.87		8.00 (3.00 - 8.60)	3.40	A	2.355 (520 - 3.035)	1.178	11.20	1.63	2.04	5.73	9.40 (3.20 - 10.60)	3.81	A	2.465 (520 - 3.465)	1.233	11.60	
20 + 35 + 35	1.90	3.05	3.05		8.00 (3.00 - 8.60)	3.28	A	2.440 (480 - 3.160)	1.220	11.60	2.24	3.58	3.58	9.40 (3.20 - 10.40)	3.81	A	2.470 (490 - 3.450)	1.235	11.60	
20 + 35 + 42	1.74	2.78	3.48		8.00 (3.00 - 8.60)	3.28	A	2.440 (480 - 3.160)	1.220	11.60	2.04	3.27	4.09	9.40 (3.20 - 10.50)	3.82	A	2.460 (490 - 3.440)	1.230	11.60	
20 + 35 + 50	1.57	2.51	3.92		8.00 (3.00 - 8.60)	3.40	A	2.355 (520 - 3.115)	1.178	11.20	1.84	2.95	4.61	9.40 (3.20 - 10.50)	3.83	A	2.455 (520 - 3.385)	1.228	11.50	
20 + 35 + 71	1.31	2.10	4.59		8.00 (3.00 - 9.00)	3.49	A	2.295 (520 - 3.115)	1.148	10.90	1.54	2.47	5.39	9.40 (3.20 - 10.60)	3.86	A	2.435 (530 - 3.435)	1.218	11.40	
20 + 42 + 42	1.60	3.20	3.20		8.00 (3.00 - 8.60)	3.28	A	2.440 (480 - 3.240)	1.220	11.60	1.88	3.76	3.76	9.40 (3.20 - 10.50)	3.84	A	2.450 (490 - 3.420)	1.225	11.50	
20 + 42 + 50	1.45	2.91	3.64		8.00 (3.00 - 8.60)	3.40	A	2.355 (520 - 3.035)	1.178	11.20	1.71	3.42	4.27	9.40 (3.20 - 10.50)	3.84	A	2.445 (530 - 3.375)	1.223	11.50	
20 + 42 + 71	1.23	2.46	4.31		8.00 (3.00 - 9.00)	3.49	A	2.295 (520 - 3.115)	1.148	10.90	1.45	2.89	5.06	9.40 (3.20 - 10.60)	3.86	A	2.435 (530 - 3.425)	1.218	11.40	
20 + 50 + 50	1.34	3.33	3.33		8.00 (3.00 - 9.00)	3.42	A	2.340 (570 - 3.070)	1.170	11.10	1.56	3.92	3.92	9.40 (3.20 - 10.60)	3.82	A	2.460 (600 - 3.410)	1.230	11.60	
25 + 25 + 25	2.50	2.50	2.50		7.50 (3.00 - 8.50)	3.21	A	2.340 (480 - 3.240)	1.170	11.10	3.13	3.13	3.13	9.39 (3.20 - 10.40)	3.71	A	2.530 (500 - 3.530)	1.265	11.90	
25 + 25 + 35	2.44	2.44	3.12		8.00 (3.00 - 8.60)	3.20	B	2.500 (480 - 3.240)	1.250	11.90	2.87	2.87	3.66	9.40 (3.20 - 10.40)	3.76	A	2.500 (500 - 3.490)	1.250	11.70	
25 + 25 + 42	2.22	2.22	3.56		8.00 (3.00 - 8.60)	3.20	B	2.500 (480 - 3.240)	1.250	11.90	2.61	2.61	4.18	9.40 (3.20 - 10.50)	3.78	A	2.490 (500 - 3.540)	1.245	11.70	
25 + 25 + 50	2.00	2.00	4.00		8.00 (3.00 - 8.60)	3.40	A	2.355 (520 - 3.115)	1.178	11.20	2.35	2.35	4.70	9.40 (3.20 - 10.50)	3.80	A	2.475 (520 - 3.425)	1.238	11.60	
25 + 25 + 71	1.67	1.67	4.66		8.00 (3.00 - 9.00)	3.40	A	2.355 (520 - 3.185)	1.178	11.20	1.96	1.96	5.48	9.40 (3.20 - 10.60)	3.81	A	2.465 (520 - 3.465)	1.233	11.60	
25 + 35 + 35	2.24	2.88	2.88		8.00 (3.00 - 8.60)	3.28	A	2.440 (480 - 3.160)	1.220	11.60	2.64	3.38	3.38	9.40 (3.20 - 10.50)	3.81	A	2.470 (490 - 3.450)	1.235	11.60	
25 + 35 + 42	2.06	2.64	3.80		8.00 (3.00 - 8.60)	3.28	A	2.440 (480 - 3.160)	1.220	11.60	2.42	3.10	3.88	9.40 (3.20 - 10.50)	3.82	A	2.460 (490 - 3.440)	1.230	11.60	
25 + 35 + 50	1.87	2.39	3.74		8.00 (3.00 - 8.60)	3.40	A	2.355 (520 - 3.115)	1.178	11.20	2.20	2.81	4.39	9.40 (3.20 - 10.50)	3.83	A	2.455 (520 - 3.385)	1.228	11.50	
25 + 35 + 71	1.57	2.02	4.41		8.00 (3.00 - 9.00)	3.49	A	2.295 (520 - 3.115)	1.148	10.90	1.85	2.37	5.18	9.40 (3.20 - 10.60)	3.86	A	2.435 (530 - 3.435)	1.218	11.40	
25 + 42 + 42	1.90	3.05	3.05		8.00 (3.00 - 8.60)	3.28	A	2.440 (480 - 3.240)	1.220	11.60	2.24	3.58	3.58	9.40 (3.20 - 10.50)	3.84	A	2.450 (490 - 3.420)	1.225	11.50	
25 + 42 + 50	1.74	2.78	3.48		8.00 (3.00 - 8.60)	3.40	A	2.355 (520 - 3.035)	1.178	11.20	2.04	3.27	4.09	9.40 (3.20 - 10.50)	3.84	A	2.445 (530 - 3.435)	1.223	11.50	
25 + 42 + 71	1.48	2.37	4.15		8.00 (3.00 - 9.00)	3.49	A	2.295 (520 - 3.115)	1.148	10.90	1.74	2.79	4.87	9.40 (3.20 - 10.60)	3.86	A	2.435 (530 - 3.425)	1.218	11.40	
25 + 50 + 50	1.60	3.20	3.20		8.00 (3.00 - 9.00)	3.42	A	2.340 (570 - 3.070)	1.170	11.10	1.88	3.76	3.76	9.40 (3.20 - 10.60)	3.82	A	2.460 (600 - 3.410)	1.230	11.60	
35 + 35 + 35	2.66	2.66	2.66		7.98 (3.00 - 8.60)	3.35	A	2.380 (480 - 3.090)	1.190	11.30	3.13	3.13	3.13	9.39 (3.20 - 10.50)	3.85	A	2.440 (490 - 3.410)	1.220	11.50	
35 + 35 + 42	2.46	2.46	3.08		8.00 (3.00 - 8.60)	3.36	A	2.380 (480 - 3.240)	1.190	11.30	2.89	2.89	3.62	9.40 (3.20 - 10.50)	3.87	A	2.430 (490 - 3.400)	1.215	11.40	
35 + 35 + 50	2.25	2.25	3.50		8.00 (3.00 - 8.60)	3.49	A	2.295 (520 - 3.035)	1.148	10.90	2.64	2.64	4.12	9.40 (3.20 - 10.60)	3.88	A	2.425 (530 - 3.415)	1.213	11.40	
35 + 35 + 71	1.91	1.91	4.18		8.00 (3.00 - 9.00)	3.49	A	2.295 (5												

Free Multi 4x1 CU-4E27PBE. Minimum capacity connected: 4,5kW. Maximum capacity connected: 13,6 kW = R410 GAS

Indoor unit capacity	Cooling capacity (kW)					EER	Input power rating		A.E.C.	Current	Heating capacity (kW)					COP	Input power rating		A.E.C.	Current				
	Rooms						W/W	W			kWh	230V	Rooms					W/W			W	kWh	230V	
	A	B	C	D	Total (Min - Max)								A	B	C		D							Total (Min - Max)
16 + 20 + 42 + 50	1,02	1,27	2,54	3,17	8,00 (3,00 - 9,20)	3,55 A	2,255 (630 - 3.045)	1,128	10,70	1,19	1,49	2,98	3,74	9,40 (4,20 - 10,60)	3,91 A	2,405 (830 - 3.325)	1,203	11,30						
16 + 20 + 50 + 50	0,94	1,18	2,94	2,94	8,00 (3,00 - 9,20)	3,36 A	2,380 (690 - 3.090)	1,190	11,30	1,10	1,38	3,46	3,46	9,40 (4,20 - 10,60)	3,69 A	2,550 (950 - 3.460)	1,275	12,00						
16 + 25 + 25 + 25	1,40	2,20	2,20	2,20	8,00 (3,00 - 9,20)	3,54 A	2,260 (530 - 3.150)	1,130	10,70	1,66	2,58	2,58	2,58	9,40 (4,20 - 10,60)	3,97 A	2,370 (700 - 3.350)	1,185	11,10						
16 + 25 + 25 + 35	1,31	2,04	2,04	2,61	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,53	2,40	2,40	3,07	9,40 (4,20 - 10,60)	4,00 A	2,350 (730 - 3.320)	1,175	11,00						
16 + 25 + 25 + 42	1,20	1,89	1,89	3,02	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,41	2,22	2,22	3,55	9,40 (4,20 - 10,60)	4,02 A	2,340 (730 - 3.310)	1,170	11,00						
16 + 25 + 25 + 50	1,10	1,72	1,72	3,46	8,00 (3,00 - 9,20)	3,55 A	2,255 (620 - 3.035)	1,128	10,70	1,29	2,03	2,03	4,05	9,40 (4,20 - 10,60)	3,89 A	2,415 (810 - 3.355)	1,208	11,30						
16 + 25 + 25 + 71	0,94	1,47	1,47	4,12	8,00 (3,00 - 9,20)	3,55 A	2,255 (630 - 3.045)	1,128	10,70	1,10	1,73	1,73	4,84	9,40 (4,20 - 10,60)	3,89 A	2,415 (820 - 3.345)	1,208	11,30						
16 + 25 + 35 + 35	1,22	1,90	2,44	2,44	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,43	2,25	2,86	2,86	9,40 (4,20 - 10,60)	4,03 A	2,330 (740 - 3.290)	1,165	10,90						
16 + 25 + 35 + 42	1,13	1,77	2,27	2,83	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,33	2,08	2,66	3,33	9,40 (4,20 - 10,60)	4,05 A	2,320 (740 - 3.280)	1,160	10,90						
16 + 25 + 35 + 50	1,04	1,63	2,08	3,25	8,00 (3,00 - 9,20)	3,55 A	2,255 (630 - 3.045)	1,128	10,70	1,22	1,91	2,45	3,82	9,40 (4,20 - 10,60)	3,91 A	2,405 (820 - 3.335)	1,203	11,30						
16 + 25 + 42 + 42	1,06	1,66	2,64	2,64	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,24	1,94	3,11	3,11	9,40 (4,20 - 10,60)	4,05 A	2,320 (740 - 3.270)	1,160	10,90						
16 + 25 + 42 + 50	0,98	1,53	2,44	3,05	8,00 (3,00 - 9,20)	3,55 A	2,255 (630 - 3.045)	1,128	10,70	1,15	1,79	2,87	3,59	9,40 (4,20 - 10,60)	3,91 A	2,405 (830 - 3.325)	1,203	11,30						
16 + 35 + 35 + 35	1,13	2,29	2,29	2,29	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,33	2,69	2,69	2,69	9,40 (4,20 - 10,60)	4,07 A	2,310 (740 - 3.260)	1,155	10,90						
16 + 35 + 35 + 42	1,07	2,13	2,13	2,67	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,25	2,51	2,51	3,13	9,40 (4,20 - 10,60)	4,07 A	2,310 (770 - 3.250)	1,155	10,90						
16 + 35 + 35 + 50	0,98	1,97	1,97	3,08	8,00 (3,00 - 9,20)	3,55 A	2,255 (630 - 3.045)	1,128	10,70	1,16	2,31	2,31	3,62	9,40 (4,20 - 10,60)	3,86 A	2,435 (860 - 3.315)	1,218	11,40						
16 + 35 + 42 + 42	1,00	2,00	2,50	2,50	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,17	2,35	2,94	2,94	9,40 (4,20 - 10,60)	4,09 A	2,300 (770 - 3.240)	1,150	10,80						
16 + 42 + 42 + 42	0,95	2,35	2,35	2,35	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,12	2,76	2,76	2,76	9,40 (4,20 - 10,60)	4,10 A	2,290 (770 - 3.230)	1,145	10,80						
20 + 20 + 20 + 20	2,00	2,00	2,00	2,00	8,00 (3,00 - 9,20)	3,54 A	2,260 (530 - 3.150)	1,130	10,70	2,35	2,35	2,35	2,35	9,40 (4,20 - 10,60)	3,98 A	2,360 (700 - 3.340)	1,180	11,10						
20 + 20 + 20 + 25	1,88	1,88	1,88	2,36	8,00 (3,00 - 9,20)	3,54 A	2,260 (530 - 3.150)	1,130	10,70	2,21	2,21	2,21	2,77	9,40 (4,20 - 10,60)	3,98 A	2,360 (700 - 3.340)	1,180	11,10						
20 + 20 + 20 + 35	1,74	1,74	1,74	2,78	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	2,04	2,04	2,04	3,28	9,40 (4,20 - 10,60)	4,02 A	2,340 (730 - 3.310)	1,170	11,00						
20 + 20 + 20 + 42	1,60	1,60	1,60	3,20	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,88	1,88	1,88	3,76	9,40 (4,20 - 10,60)	4,02 A	2,340 (730 - 3.300)	1,170	11,00						
20 + 20 + 20 + 50	1,45	1,45	1,45	3,65	8,00 (3,00 - 9,20)	3,55 A	2,255 (620 - 3.035)	1,128	10,70	1,71	1,71	1,71	4,27	9,40 (4,20 - 10,60)	3,89 A	2,415 (810 - 3.345)	1,208	11,30						
20 + 20 + 20 + 71	1,23	1,23	1,23	4,31	8,00 (3,00 - 9,20)	3,55 A	2,255 (630 - 3.045)	1,128	10,70	1,45	1,45	1,45	5,05	9,40 (4,20 - 10,60)	3,91 A	2,405 (820 - 3.335)	1,203	11,30						
20 + 20 + 25 + 25	1,78	1,78	2,22	2,22	8,00 (3,00 - 9,20)	3,54 A	2,260 (530 - 3.150)	1,130	10,70	2,09	2,09	2,61	2,61	9,40 (4,20 - 10,60)	3,98 A	2,360 (700 - 3.340)	1,180	11,10						
20 + 20 + 25 + 35	1,65	1,65	2,06	2,64	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,94	1,94	2,42	3,10	9,40 (4,20 - 10,60)	4,02 A	2,340 (730 - 3.310)	1,170	11,00						
20 + 20 + 25 + 42	1,52	1,52	1,90	3,06	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,79	1,79	2,24	3,58	9,40 (4,20 - 10,60)	4,02 A	2,340 (730 - 3.300)	1,170	11,00						
20 + 20 + 25 + 50	1,39	1,39	1,74	3,48	8,00 (3,00 - 9,20)	3,55 A	2,255 (620 - 3.035)	1,128	10,70	1,63	1,63	2,04	4,10	9,40 (4,20 - 10,60)	3,89 A	2,415 (810 - 3.345)	1,208	11,30						
20 + 20 + 25 + 71	1,19	1,19	1,47	4,15	8,00 (3,00 - 9,20)	3,55 A	2,255 (630 - 3.045)	1,128	10,70	1,39	1,39	1,74	4,88	9,40 (4,20 - 10,60)	3,91 A	2,405 (820 - 3.335)	1,203	11,30						
20 + 20 + 35 + 35	1,54	1,54	2,46	2,46	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,81	1,81	2,89	2,89	9,40 (4,20 - 10,60)	4,05 A	2,320 (740 - 3.280)	1,160	10,90						
20 + 20 + 35 + 42	1,43	1,43	2,28	2,86	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,68	1,68	2,68	3,36	9,40 (4,20 - 10,60)	4,05 A	2,320 (740 - 3.270)	1,160	10,90						
20 + 20 + 35 + 50	1,31	1,31	2,10	3,28	8,00 (3,00 - 9,20)	3,55 A	2,255 (630 - 3.045)	1,128	10,70	1,54	1,54	2,47	3,85	9,40 (4,20 - 10,60)	3,91 A	2,405 (830 - 3.325)	1,203	11,30						
20 + 20 + 42 + 42	1,33	1,33	2,67	2,67	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,57	1,57	3,13	3,13	9,40 (4,20 - 10,60)	4,07 A	2,310 (740 - 3.260)	1,155	10,90						
20 + 20 + 42 + 50	1,23	1,23	2,46	3,08	8,00 (3,00 - 9,20)	3,55 A	2,255 (630 - 3.045)	1,128	10,70	1,45	1,45	2,88	3,62	9,40 (4,20 - 10,60)	3,86 A	2,435 (830 - 3.315)	1,218	11,40						
20 + 25 + 25 + 25	1,67	2,11	2,11	2,11	8,00 (3,00 - 9,20)	3,54 A	2,260 (530 - 3.150)	1,130	10,70	1,99	2,47	2,47	2,47	9,40 (4,20 - 10,60)	3,98 A	2,360 (700 - 3.340)	1,180	11,10						
20 + 25 + 25 + 35	1,57	1,96	1,96	2,51	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,84	2,30	2,30	2,96	9,40 (4,20 - 10,60)	4,02 A	2,340 (730 - 3.310)	1,170	11,00						
20 + 25 + 25 + 42	1,45	1,82	1,82	2,91	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,70	2,14	2,14	3,42	9,40 (4,20 - 10,60)	4,02 A	2,340 (730 - 3.300)	1,170	11,00						
20 + 25 + 25 + 50	1,33	1,67	1,67	3,33	8,00 (3,00 - 9,20)	3,55 A	2,255 (620 - 3.035)	1,128	10,70	1,56	1,96	1,96	3,92	9,40 (4,20 - 10,60)	3,89 A	2,415 (810 - 3.345)	1,208	11,30						
20 + 25 + 35 + 35	1,47	1,83	2,35	2,35	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,72	2,16	2,76	2,76	9,40 (4,20 - 10,60)	4,05 A	2,320 (740 - 3.280)	1,160	10,90						
20 + 25 + 35 + 42	1,36	1,71	2,19	2,74	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,61	2,01	2,57	3,21	9,40 (4,20 - 10,60)	4,05 A	2,320 (740 - 3.270)	1,160	10,90						
20 + 25 + 35 + 50	1,26	1,57	2,02	3,15	8,00 (3,00 - 9,20)	3,55 A	2,255 (630 - 3.045)	1,128	10,70	1,48	1,85	2,37	3,70	9,40 (4,20 - 10,60)	3,91 A	2,405 (830 - 3.325)	1,203	11,30						
20 + 25 + 42 + 42	1,28	1,60	2,56	2,56	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,50	1,88	3,01	3,01	9,40 (4,20 - 10,60)	4,07 A	2,310 (740 - 3.260)	1,155	10,90						
20 + 25 + 42 + 50	1,19	1,48	2,37	2,96	8,00 (3,00 - 9,20)	3,55 A	2,255 (630 - 3.045)	1,128	10,70	1,39	1,74	2,79	3,48	9,40 (4,20 - 10,60)	3,86 A	2,435 (830 - 3.315)	1,218	11,40						
20 + 35 + 35 + 35	1,37	2,21	2,21	2,21	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,63	2,59	2,59	2,59	9,40 (4,20 - 10,60)	4,07 A	2,310 (770 - 3.250)	1,155	10,90						
20 + 35 + 35 + 42	1,29	2,06	2,06	2,59	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,51	2,43	2,43	3,03	9,40 (4,20 - 10,60)	4,09 A	2,300 (770 - 3.240)	1,150	10,80						
20 + 35 + 35 + 50	1,19	1,91	1,91	2,99	8,00 (3,00 - 9,20)	3,55 A	2,255 (630 - 3.045)	1,128	10,70	1,40	2,24	2,24	3,52	9,40 (4,20 - 10,60)	3,86 A	2,435 (860 - 3.305)	1,218	11,40						
20 + 35 + 42 + 42	1,21	1,95	2,42	2,42	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	1,42	2,28	2,85	2,85	9,40 (4,20 - 10,60)	4,10 A	2,290 (770 - 3.230)	1,145	10,80						
25 + 25 + 25 + 25	2,00	2,00	2,00	2,00	8,00 (3,00 - 9,20)	3,54 A	2,260 (530 - 3.150)	1,130	10,70	2,35	2,35	2,35	2,35	9,40 (4,20 - 10,60)	3,98 A	2,360 (700 - 3.340)	1,180	11,10						
25 + 25 + 25 + 35	1,87	1,87	1,87	2,39	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	2,20	2,20	2,20	2,80	9,40 (4,20 - 10,60)	4,02 A	2,340 (730 - 3.310)	1,170	11,00						
25 + 25 + 25 + 42	1,74	1,74	1,74	2,78	8,00 (3,00 - 9,20)	3,64 A	2,200 (570 - 3.080)	1,100	10,40	2,04	2,04	2,04	3,28	9,40 (4,20 - 10,60)	4,02 A	2,340 (730 - 3.300)	1,170	11,00						
25 + 25 + 25 + 50	1,60	1,60	1,60	3,20	8,00 (3,00 - 9,20)	3,55 A	2,255 (620 - 3.035)	1,128	10,70	1,88	1,88	1,88	3,76	9,40 (4,20 -										

# FREE MULTI 5X1 COMBINATIONS TABLE

Free Multi 5x1 CU-5E34PBE. Minimum capacity connected: 4,5kW. Maximum capacity connected: 17,5kW • R410 GAS

Indoor unit capacity	Cooling capacity (kW)					EER	Input power rating		A.E.C.	Current	Heating capacity (kW)					COP	Input power rating		A.E.C.	Current	
	Rooms						W/W	W			kWh	230V	Rooms					W/W			W
	A	B	C	D	E	Total (Min - Max)	W/W	W	kWh	230V	A	B	C	D	E	Total (Min - Max)	W/W	W	kWh	230V	
<b>1 Room</b>																					
16	1,60					1,60 (1,30 - 2,30)		3,40 A	470 (250 - 710)	235	2,30	2,60				2,60 (1,20 - 3,20)		3,88 A	670 (300 - 1.030)	335	3,20
20	2,00					2,00 (1,80 - 2,90)		3,51 A	570 (340 - 880)	285	2,80	3,20				3,20 (2,20 - 4,10)		4,21 A	760 (300 - 1.250)	380	3,70
25	2,50					2,50 (1,80 - 2,90)		3,57 A	700 (340 - 880)	350	3,40	3,60				3,60 (1,20 - 4,30)		3,75 A	960 (300 - 1.250)	480	4,80
35	3,20					3,20 (1,80 - 3,80)		3,68 A	870 (340 - 1.430)	435	4,20	4,50				4,50 (1,20 - 5,80)		3,60 B	1.250 (300 - 2.120)	625	6,10
42	4,00					4,00 (1,80 - 4,30)		3,05 B	1.310 (340 - 2.060)	655	6,10	5,60				5,60 (1,20 - 6,80)		3,22 C	1.740 (300 - 2.950)	870	8,10
50	5,00					5,00 (1,90 - 5,70)		2,90 C	1.725 (340 - 2.305)	863	8,00	6,80				6,80 (1,20 - 6,90)		3,16 D	2.150 (300 - 2.570)	1.075	9,90
71	7,00					7,00 (2,00 - 7,20)		2,63 D	2.665 (370 - 2.945)	1.333	12,10	8,70				8,70 (1,40 - 9,20)		3,35 C	2.600 (680 - 2.770)	1.300	12,00
<b>2 Rooms</b>																					
16 + 16	1,60	1,60				3,20 (2,40 - 5,80)		3,68 A	870 (300 - 2.060)	435	4,20	2,35	2,35			4,70 (2,00 - 8,20)		3,05 D	1.540 (260 - 2.920)	770	7,30
16 + 20	1,60	2,00				3,60 (2,40 - 5,80)		3,56 A	1.010 (300 - 2.060)	505	4,80	2,31	2,89			5,20 (2,00 - 8,20)		3,11 D	1.670 (250 - 2.860)	835	7,90
16 + 25	1,60	2,50				4,10 (2,40 - 5,80)		3,39 A	1.210 (300 - 2.060)	605	5,70	2,19	3,41			5,60 (2,00 - 8,20)		3,08 D	1.820 (250 - 2.860)	910	8,60
16 + 35	1,60	3,20				4,80 (2,40 - 5,80)		3,24 A	1.480 (300 - 2.000)	740	6,90	2,13	4,27			6,40 (2,00 - 8,20)		3,14 D	2.040 (240 - 2.780)	1.020	9,60
16 + 42	1,60	4,00				5,60 (2,40 - 5,80)		3,08 B	1.820 (300 - 1.940)	910	8,40	2,11	5,29			7,40 (2,00 - 8,60)		3,11 D	2.380 (240 - 2.890)	1.190	11,20
16 + 50	1,60	5,00				6,60 (2,40 - 7,20)		2,90 C	2.275 (280 - 2.605)	1.138	10,50	2,06	6,44			8,50 (2,00 - 11,00)		3,21 C	2.650 (190 - 3.630)	1.325	12,50
16 + 71	1,60	7,00				8,60 (2,50 - 9,10)		2,45 E	3.505 (310 - 3.735)	1.753	16,20	1,90	8,30			10,20 (2,00 - 13,00)		3,19 D	3.200 (190 - 4.540)	1.600	15,00
20 + 20	2,00	2,00				4,00 (2,40 - 5,80)		3,48 A	1.150 (300 - 2.000)	575	5,40	2,90	2,90			5,00 (2,00 - 8,20)		3,20 C	1.810 (250 - 2.800)	905	8,50
20 + 25	2,00	2,50				4,50 (2,40 - 5,80)		3,26 A	1.380 (300 - 2.000)	690	6,40	2,71	3,39			6,10 (2,00 - 8,20)		3,19 D	1.910 (250 - 2.800)	955	9,00
20 + 35	2,00	3,20				5,20 (2,40 - 5,80)		3,25 A	1.600 (300 - 1.940)	800	7,50	2,65	4,25			6,90 (2,00 - 8,60)		3,25 C	2.120 (240 - 2.840)	1.060	10,00
20 + 42	2,00	4,00				6,00 (2,40 - 6,70)		2,91 C	2.060 (300 - 2.500)	1.030	9,50	2,63	5,27			7,90 (2,00 - 11,00)		3,12 D	2.530 (230 - 3.530)	1.265	11,90
20 + 50	2,00	5,00				7,00 (2,40 - 8,10)		2,91 C	2.405 (280 - 3.135)	1.203	11,10	2,57	6,43			9,00 (2,00 - 11,00)		3,36 C	2.680 (190 - 3.510)	1.340	12,60
20 + 71	2,00	7,00				9,00 (2,50 - 10,00)		2,43 E	3.705 (310 - 4.705)	1.853	17,10	2,38	8,32			10,70 (2,00 - 13,00)		3,28 C	3.260 (190 - 4.480)	1.630	15,30
25 + 25	2,50	2,50				5,00 (2,40 - 5,80)		3,23 A	1.550 (300 - 2.000)	775	7,20	3,25	3,25			6,50 (2,00 - 8,60)		3,25 C	2.000 (250 - 2.920)	1.000	9,40
25 + 35	2,50	3,20				5,70 (2,40 - 6,70)		3,03 B	1.880 (300 - 2.500)	940	8,70	3,20	4,10			7,30 (2,00 - 10,10)		3,20 C	2.280 (240 - 3.530)	1.140	10,70
25 + 42	2,50	4,00				6,50 (2,40 - 7,20)		2,74 D	2.370 (300 - 2.900)	1.185	10,90	3,19	5,11			8,30 (2,00 - 11,00)		3,07 D	2.700 (230 - 3.760)	1.350	12,70
25 + 50	2,50	5,00				7,50 (2,40 - 8,60)		2,74 D	2.735 (280 - 3.575)	1.368	12,60	3,13	6,27			9,40 (2,00 - 11,00)		3,24 C	2.900 (190 - 3.510)	1.450	13,60
25 + 71	2,50	7,00				9,50 (2,50 - 10,10)		2,30 F	4.125 (310 - 4.840)	2.063	19,00	2,92	8,18			11,10 (2,00 - 13,00)		3,33 C	3.330 (190 - 4.480)	1.665	15,60
35 + 35	3,20	3,20				6,40 (2,40 - 7,20)		2,86 C	2.240 (290 - 2.760)	1.120	10,30	4,05	4,05			8,10 (2,00 - 11,00)		3,15 D	2.570 (230 - 3.750)	1.285	12,10
35 + 42	3,20	4,00				7,20 (2,40 - 8,10)		2,61 D	2.760 (290 - 3.530)	1.380	12,70	4,04	5,06			9,10 (2,00 - 11,00)		3,12 D	2.920 (230 - 3.680)	1.460	13,70
35 + 50	3,20	5,00				8,20 (2,50 - 9,10)		2,62 D	3.135 (310 - 3.735)	1.568	14,50	3,98	6,22			10,20 (2,00 - 11,90)		3,33 C	3.060 (180 - 3.820)	1.530	14,40
35 + 71	3,14	6,86				10,00 (2,50 - 10,40)		2,24 F	4.465 (310 - 4.840)	2.233	20,60	3,76	8,24			12,00 (2,00 - 13,80)		3,35 C	3.580 (180 - 4.840)	1.790	16,80
42 + 42	4,00	4,00				8,00 (2,50 - 8,60)		5,60  (10,00) <sup>1</sup>	2,37 F	3.380 (320 - 4.070)	1.690	15,60	5,05	5,05		10,10 (2,00 - 11,90)		3,10 D	3.260 (220 - 4.080)	1.630	15,30
42 + 50	4,00	5,00				9,00 (2,50 - 10,00)		2,43 E	3.705 (310 - 4.705)	1.853	17,10	4,98	6,22			11,20 (2,00 - 13,00)		3,51 B	3.190 (180 - 4.380)	1.595	15,00
42 + 60								5,60  (10,00) <sup>1</sup>	2,28 F	4.395 (310 - 4.840)	2.198	20,30	4,36	7,64		12,00 (2,00 - 13,80)		3,37 C	3.560 (180 - 4.840)	1.780	16,70
42 + 71	3,64	6,36				10,00 (2,50 - 10,40)		2,53 E	3.960 (300 - 4.350)	1.980	18,30	6,00	6,00			12,00 (2,00 - 13,80)		3,57 B	3.360 (200 - 4.600)	1.680	15,80
50 + 50	5,00	5,00				10,00 (2,50 - 10,40)		5,60  (10,00) <sup>1</sup>	2,62 D	3.820 (300 - 4.200)	1.910	17,60	5,00	7,00		12,00 (2,00 - 13,80)		3,59 B	3.340 (200 - 4.580)	1.670	15,70
71 + 71	5,00	5,00				10,00 (2,50 - 10,40)		2,72 D	3.670 (330 - 4.040)	1.835	16,90	6,00	6,00			12,00 (2,00 - 13,80)		3,60 A	3.330 (200 - 4.560)	1.665	15,60
<b>3 Rooms</b>																					
16 + 16 + 16	1,60	1,60	1,60			4,80 (2,90 - 8,50)		3,66 A	1.310 (360 - 3.100)	655	6,10	2,33	2,33	2,33		6,99 (2,70 - 12,30)		3,53 B	1.980 (270 - 4.110)	990	9,30
16 + 16 + 20	1,60	1,60	2,00			5,20 (2,90 - 8,50)		3,64 A	1.430 (360 - 3.100)	715	6,70	2,34	2,34	2,92		7,60 (2,70 - 12,30)		3,50 B	2.170 (270 - 4.050)	1.085	10,20
16 + 16 + 25	1,60	1,60	2,50			5,70 (2,90 - 8,50)		3,68 A	1.640 (360 - 3.100)	820	7,60	2,22	2,22	3,46		7,90 (2,70 - 12,30)		3,46 B	2.280 (270 - 4.050)	1.140	10,70
16 + 16 + 35	1,60	1,60	3,20			6,40 (2,90 - 8,50)		3,32 A	1.930 (360 - 3.030)	965	8,90	2,18	2,18	4,34		8,70 (2,70 - 12,30)		3,49 B	2.490 (270 - 3.950)	1.245	11,70
16 + 16 + 42	1,60	1,60	4,00			7,20 (2,90 - 8,50)		3,21 A	2.240 (390 - 2.960)	1.120	10,30	2,16	2,16	5,38		9,70 (2,70 - 12,30)		3,32 C	2.920 (270 - 3.940)	1.460	13,70
16 + 16 + 50	1,60	1,60	5,00			8,20 (2,90 - 8,70)		3,09 B	2.655 (390 - 2.845)	1.328	12,20	2,11	2,11	6,58		10,80 (2,70 - 12,90)		3,70 A	3.920 (290 - 4.060)	1.460	13,70
16 + 16 + 71	1,57	1,57	6,86			10,00 (2,90 - 10,70)		2,92 C	3.425 (390 - 4.015)	1.713	15,80	1,88	1,88	8,24		12,00 (2,70 - 13,60)		3,58 B	3.350 (290 - 4.370)	1.675	15,70
16 + 20 + 20	1,60	2,00	2,00			5,60 (2,90 - 8,50)		3,52 A	1.590 (360 - 3.030)	795	7,40	2,32	2,89	2,89		8,10 (2,70 - 12,30)		3,57 B	2.270 (270 - 3.990)	1.135	10,70
16 + 20 + 25	1,60	2,00	2,50			6,10 (2,90 - 8,50)		3,37 A	1.810 (360 - 3.030)	905	8,30	2,23	2,79	3,48		8,50 (2,70 - 12,30)		3,43 B	2.480 (270 - 3.990)	1.240	11,70
16 + 20 + 35	1,60	2,00	3,20			6,80 (2,90 - 8,50)		3,32 A	2.050 (390 - 2.960)	1.025	9,50	2,18	2,74	4,38		9,30 (2,70 - 12,30)		3,52 B	2.640 (270 - 3.890)	1.320	12,40
16 + 20 + 42	1,60	2,00	4,00			7,60 (2,90 - 8,50)		3,13 B	2.430 (390 - 2.960)	1.215	11,20	2,17	2,71	5,42		10,30 (2,70 - 12,30)		3,55 B	2.900 (270 - 3.870)	1.450	13,60
16 + 20 + 50	1,60	2,00	5,00			8,60 (2,90 - 9,60)		3,01 B	2.855 (390 - 3.215)	1.428	13,20	2,10	2,63	6,57		11,30 (2,70 - 13,60)		3,79 A	2.980 (290 - 4.330)	1.490	14,00
16 + 20 + 71	1,51	1,89	6,60																		

Free Multi 5x1 CU-5E34PBE. Minimum capacity connected: 4.5kW. Maximum capacity connected: 17,5kW • R410 GAS

Indoor unit capacity	Cooling capacity (kW)					EER	Input power rating		A.E.C.	Current		Heating capacity (kW)					COP	Input power rating		A.E.C.	Current				
	Rooms						W/W	W		kWh	230V	Rooms						W/W	W		kWh	230V			
	A	B	C	D	E							Total (Min - Max)	A	B	C	D							E	Total (Min - Max)	
25 + 25 + 50	2,50	2,50	5,00			10,00 (2,90 - 10,70)	5,60	2,86 C	3.495 (390 - 4.085)	1.748	16,10	3,00	3,00	6,00						12,00 (2,70 - 13,60)	3,80 A	3,70 A	3.240 (290 - 4.260)	1.620	15,20
25 + 25 + 71	2,08	2,08	5,84			10,00 (2,90 - 10,70)	2,92 C	3.425 (390 - 3.935)	1.713	15,80	2,50	2,50	7,00							12,00 (2,70 - 13,80)	3,79 A	3.170 (290 - 4.380)	1.585	14,90	
25 + 35 + 35	2,50	3,20	3,20			8,90 (2,90 - 9,60)	2,88 C	3.090 (390 - 3.460)	1.545	14,20	3,18	4,06	4,06							11,30 (2,70 - 13,60)	3,70 A	3.050 (280 - 4.510)	1.525	14,30	
25 + 35 + 42	2,50	3,20	4,00			9,70 (2,90 - 10,70)	2,80 C	3.460 (390 - 4.530)	1.730	16,00	3,09	3,96	4,95							12,00 (2,70 - 13,60)	3,61 A	3.320 (280 - 4.420)	1.660	15,60	
25 + 35 + 50	2,34	2,99	4,67			10,00 (2,90 - 10,70)	2,92 C	3.425 (390 - 4.015)	1.713	15,80	2,80	3,59	5,61							12,00 (2,70 - 13,80)	3,81 A	3.150 (310 - 4.360)	1.575	14,80	
25 + 35 + 71	1,97	2,52	5,51			10,00 (2,90 - 10,70)	2,98 C	3.355 (420 - 3.855)	1.678	15,50	2,36	3,02	6,62							12,00 (2,70 - 14,10)	3,82 A	3.140 (310 - 4.470)	1.570	14,80	
25 + 42 + 42	2,38	3,81	3,81			10,00 (2,90 - 10,70)	2,67 D	3.750 (390 - 4.530)	1.875	17,30	2,86	4,57	4,57							12,00 (2,70 - 13,80)	3,63 A	3.310 (280 - 4.550)	1.655	15,60	
25 + 42 + 50	2,17	3,48	4,35			10,00 (2,90 - 10,70)	2,92 C	3.425 (390 - 3.935)	1.713	15,80	2,61	4,17	5,22							12,00 (2,70 - 13,80)	3,82 A	3.140 (310 - 4.460)	1.570	14,80	
25 + 42 + 71	1,85	2,96	5,19			10,00 (2,90 - 10,70)	3,04 B	3.285 (420 - 3.855)	1.643	15,10	2,22	3,56	6,22							12,00 (2,70 - 14,10)	3,85 A	3.120 (310 - 4.340)	1.560	14,70	
25 + 50 + 50	2,00	4,00	4,00			10,00 (2,90 - 10,70)	3,08 B	3.250 (430 - 3.670)	1.625	15,00	2,40	4,80	4,80							12,00 (2,70 - 13,80)	3,95 A	3.040 (350 - 4.140)	1.520	14,30	
25 + 50 + 71	1,72	3,45	4,83			10,00 (2,90 - 10,70)	3,14 B	3.180 (460 - 3.600)	1.590	14,70	2,07	4,14	5,79							12,00 (2,70 - 14,10)	3,96 A	3.030 (370 - 4.320)	1.515	14,20	
25 + 71 + 71	1,52	4,24	4,24			10,00 (2,90 - 10,70)	3,22 A	3.110 (460 - 3.530)	1.555	14,30	1,82	5,09	5,09							12,00 (2,70 - 14,10)	3,91 A	3.070 (380 - 4.430)	1.535	14,40	
35 + 35 + 35	3,20	3,20	3,20			9,60 (2,90 - 10,10)	2,89 C	3.320 (390 - 3.750)	1.660	15,30	4,00	4,00	4,00							12,00 (2,70 - 13,60)	3,64 A	3.300 (280 - 4.400)	1.650	15,50	
35 + 35 + 42	3,08	3,08	3,84			10,00 (2,90 - 10,70)	2,72 D	3.680 (390 - 4.370)	1.840	17,00	3,69	3,69	4,62							12,00 (2,70 - 13,60)	3,66 A	3.280 (280 - 4.390)	1.640	15,40	
35 + 35 + 50	2,81	2,81	3,84			10,00 (2,90 - 10,70)	2,98 C	3.355 (390 - 3.855)	1.678	15,50	3,37	3,37	5,26							12,00 (2,70 - 13,80)	3,85 A	3.120 (310 - 4.320)	1.560	14,70	
35 + 35 + 71	2,39	2,39	5,22			10,00 (2,90 - 10,70)	3,04 B	3.285 (420 - 3.785)	1.643	15,10	2,87	2,87	6,26							12,00 (2,70 - 14,10)	3,86 A	3.110 (320 - 4.430)	1.555	14,60	
35 + 42 + 42	2,86	3,57	3,57			10,00 (2,90 - 10,70)	2,78 D	3.600 (390 - 4.370)	1.800	16,60	3,42	4,29	4,29							12,00 (2,70 - 13,80)	3,67 A	3.270 (380 - 4.510)	1.635	15,40	
35 + 42 + 50	2,62	3,28	4,10			10,00 (2,90 - 10,70)	2,98 C	3.355 (420 - 3.855)	1.678	15,50	3,15	3,93	4,92							12,00 (2,70 - 13,80)	3,86 A	3.110 (320 - 4.380)	1.555	14,60	
35 + 42 + 71	2,25	2,82	4,93			10,00 (2,90 - 10,70)	3,04 B	3.285 (420 - 3.785)	1.643	15,10	2,70	3,38	5,92							12,00 (2,70 - 14,10)	3,88 A	3.090 (320 - 4.410)	1.545	14,50	
35 + 50 + 50	2,42	3,79	3,79			10,00 (2,90 - 10,70)	3,14 B	3.180 (460 - 3.600)	1.590	14,70	2,90	4,55	4,55							12,00 (2,70 - 14,10)	3,91 A	3.070 (380 - 4.300)	1.535	14,40	
35 + 50 + 71	2,10	3,29	4,61			10,00 (2,90 - 10,70)	3,22 A	3.110 (460 - 3.530)	1.555	14,30	2,52	3,95	5,53							12,00 (2,70 - 14,10)	3,93 A	3.050 (380 - 4.410)	1.525	14,30	
35 + 71 + 71	1,86	4,07	4,07			10,00 (2,90 - 10,70)	3,21 A	3.120 (470 - 3.530)	1.560	14,40	2,24	4,88	4,88							12,00 (2,70 - 14,10)	3,95 A	3.040 (390 - 4.390)	1.520	14,30	
42 + 42 + 42	3,33	3,33	3,33			9,99 (2,90 - 10,70)	2,78 D	3.600 (390 - 4.290)	1.800	16,60	4,00	4,00	4,00							12,00 (2,70 - 13,80)	3,68 A	3.260 (280 - 4.420)	1.630	15,30	
42 + 42 + 50	3,08	3,08	3,84			10,00 (2,90 - 10,70)	3,04 B	3.285 (420 - 3.855)	1.643	15,10	3,69	3,69	4,62							12,00 (2,70 - 14,10)	3,87 A	3.100 (320 - 4.420)	1.550	14,60	
42 + 42 + 71	2,67	2,67	4,66			10,00 (2,90 - 10,70)	3,11 B	3.215 (420 - 3.715)	1.608	14,80	3,20	3,20	5,60							12,00 (2,70 - 14,10)	3,90 A	3.080 (320 - 4.540)	1.540	14,50	
42 + 50 + 50	2,86	3,57	3,57			10,00 (2,90 - 10,70)	3,14 B	3.180 (460 - 3.600)	1.590	14,70	3,42	4,29	4,29							12,00 (2,70 - 14,10)	3,92 A	3.060 (380 - 4.280)	1.530	14,40	
42 + 50 + 71	2,49	3,13	3,48			10,00 (2,90 - 10,70)	3,22 A	3.110 (460 - 3.530)	1.555	14,30	3,00	3,75	5,25							12,00 (2,70 - 14,10)	3,95 A	3.040 (390 - 4.400)	1.520	14,30	
50 + 50 + 50	3,33	3,33	3,33			9,99 (2,90 - 10,70)	2,78 D	3.600 (390 - 4.290)	1.800	16,60	4,00	4,00	4,00							12,00 (2,70 - 14,40)	3,96 A	3.030 (460 - 4.350)	1.515	14,20	
50 + 50 + 71	2,94	2,94	4,12			10,00 (2,90 - 10,70)	3,23 A	3.095 (510 - 3.495)	1.548	14,30	3,53	3,53	4,94							12,00 (2,70 - 14,40)	3,97 A	3.020 (480 - 4.340)	1.510	14,20	
<b>4 Rooms</b>																									
16 + 16 + 16 + 16	1,60	1,60	1,60	1,60		6,40 (2,90 - 10,60)	3,50 A	1.830 (420 - 4.130)	915	8,40	2,88	2,88	2,88	2,88					11,52 (3,40 - 14,20)	3,65 A	3.160 (390 - 4.720)	1.580	14,80		
16 + 16 + 16 + 20	1,60	1,60	1,60	2,00		6,80 (2,90 - 10,60)	3,43 A	1.980 (420 - 4.130)	990	9,10	2,71	2,71	2,71	3,39					11,52 (3,40 - 14,20)	3,73 A	3.090 (390 - 4.650)	1.545	14,40		
16 + 16 + 16 + 25	1,60	1,60	1,60	2,50		7,30 (2,90 - 10,60)	3,36 A	2.170 (420 - 4.130)	1.085	10,00	2,52	2,52	2,52	3,96					11,52 (3,40 - 14,20)	3,73 A	3.090 (390 - 4.650)	1.545	14,40		
16 + 16 + 16 + 30	1,60	1,60	1,60	3,20		8,00 (2,90 - 10,60)	3,25 A	2.460 (420 - 4.050)	1.230	11,30	2,30	2,30	2,30	4,62					11,52 (3,40 - 14,20)	3,76 A	3.060 (390 - 4.610)	1.530	14,40		
16 + 16 + 16 + 42	1,60	1,60	1,60	4,00		8,80 (2,90 - 10,60)	3,10 B	2.840 (420 - 4.050)	1.420	12,10	2,09	2,09	2,09	5,25					11,52 (3,40 - 14,20)	3,78 A	3.050 (400 - 4.610)	1.525	14,30		
16 + 16 + 16 + 50	1,60	1,60	1,60	5,00		9,80 (2,90 - 10,60)	3,03 B	3.235 (470 - 3.825)	1.618	14,90	1,88	1,88	1,88	5,88					11,52 (3,40 - 14,20)	3,88 A	2.970 (460 - 4.460)	1.485	14,00		
16 + 16 + 16 + 71	1,36	1,36	1,36	5,92		10,00 (2,90 - 10,60)	3,02 B	3.315 (470 - 3.745)	1.658	15,30	1,56	1,56	1,56	6,84					11,52 (3,40 - 14,20)	3,89 A	2.960 (460 - 4.440)	1.480	13,90		
16 + 16 + 20 + 20	1,60	1,60	2,00	2,00		7,20 (2,90 - 10,60)	3,43 A	2.100 (420 - 4.040)	1.050	9,70	2,56	2,56	3,20	3,20					11,52 (3,40 - 14,20)	3,80 A	3.030 (390 - 4.590)	1.515	14,10		
16 + 16 + 20 + 25	1,60	1,60	2,00	2,50		7,70 (2,90 - 10,60)	3,30 A	2.330 (420 - 4.040)	1.165	10,70	2,39	2,39	2,99	3,75					11,52 (3,40 - 14,20)	3,80 A	3.030 (390 - 4.590)	1.515	14,10		
16 + 16 + 20 + 35	1,60	1,60	2,00	3,20		8,40 (2,90 - 10,60)	3,24 A	2.590 (420 - 3.960)	1.295	11,90	2,19	2,19	2,74	4,40					11,52 (3,40 - 14,20)	3,84 A	3.000 (400 - 4.550)	1.500	14,10		
16 + 16 + 20 + 42	1,60	1,60	2,00	4,00		9,20 (2,90 - 10,60)	3,05 B	3.020 (420 - 3.960)	1.510	13,90	2,00	2,00	2,50	5,02					11,52 (3,40 - 14,20)	3,85 A	2.990 (400 - 4.530)	1.495	14,10		
16 + 16 + 20 + 50	1,57	1,57	1,96	4,90		10,00 (2,90 - 10,60)	2,95 C	3.385 (470 - 3.825)	1.693	15,60	1,81	1,81	2,25	5,65					11,52 (3,40 - 14,20)	3,96 A	2.910 (460 - 4.400)	1.455	13,70		
16 + 16 + 20 + 71	1,31	1,31	1,64	5,74		10,00 (2,90 - 10,80)	3,02 B	3.315 (470 - 3.905)	1.658	15,30	1,51	1,51	1,89	6,61					11,52 (3,40 - 14,20)	3,97 A	2.900 (460 - 4.380)	1.450	13,60		
16 + 16 + 25 + 25																									

# FREE MULTI 5X1 COMBINATIONS TABLE

Free Multi 5x1 CU-5E34PBE. Minimum capacity connected: 4.5kW. Maximum capacity connected: 17.5kW • R410 GAS

Indoor unit capacity Rooms	Cooling capacity (kW) Rooms					EER	Input power rating W/W	A.E.C. kWh	Current 230V	Heating capacity (kW) Rooms					COP	Input power rating W/W	A.E.C. kWh	Current 230V		
	A	B	C	D	E					Total (Min - Max)	A	B	C	D					E	Total (Min - Max)
	10.00 (2.90 - 10.80)									10.00 (2.90 - 10.80)									12.00 (3.40 - 14.40)	
16 + 35 + 35 + 50	1.23	2.46	2.46	3.85		3.02 B	3.315 (510 - 3.835)	1.658	15.30	1.41	2.84	2.84	4.43		4.03 A	2.860 (500 - 4.320)	1.430	13.40		
16 + 35 + 35 + 71	1.07	2.13	2.13	4.67		3.08 B	3.245 (540 - 3.915)	1.623	15.00	1.22	2.46	2.46	5.38		4.04 A	2.850 (520 - 4.370)	1.425	13.40		
16 + 35 + 42 + 42	1.24	2.50	3.13	3.13		2.99 C	3.350 (460 - 3.960)	1.675	15.40	1.44	2.88	3.60	3.60		4.01 A	2.870 (430 - 4.440)	1.435	13.50		
16 + 35 + 42 + 50	1.16	2.32	2.90	3.62		3.08 B	3.245 (510 - 3.835)	1.623	15.00	1.34	2.67	3.34	4.17		4.04 A	2.850 (510 - 4.380)	1.425	13.40		
16 + 35 + 42 + 71	1.01	2.03	2.53	4.43		3.08 B	3.245 (540 - 4.075)	1.623	15.00	1.17	2.33	2.92	5.10		4.06 A	2.840 (520 - 4.360)	1.420	13.30		
16 + 35 + 50 + 50	1.08	2.16	3.38	3.38		3.04 B	3.290 (590 - 3.870)	1.645	15.20	1.25	2.49	3.89	3.89		3.97 A	2.900 (600 - 4.330)	1.450	13.60		
16 + 35 + 50 + 71	0.95	1.90	2.98	4.17		3.04 B	3.290 (600 - 4.030)	1.645	15.20	1.10	2.19	3.43	4.80		3.99 A	2.890 (620 - 4.310)	1.445	13.60		
16 + 42 + 42 + 42	1.18	2.94	2.94	2.94		2.99 C	3.350 (460 - 3.960)	1.675	15.40	1.35	3.39	3.39	3.39		4.03 A	2.860 (450 - 4.420)	1.430	13.40		
16 + 42 + 42 + 50	1.10	2.74	2.74	3.42		3.08 B	3.245 (510 - 3.915)	1.623	15.00	1.25	3.16	3.16	3.95		4.06 A	2.840 (520 - 4.360)	1.420	13.30		
16 + 42 + 42 + 71	0.96	2.41	2.41	4.22		3.08 B	3.245 (540 - 4.075)	1.623	15.00	1.10	2.78	2.78	4.86		4.07 A	2.830 (530 - 4.340)	1.415	13.30		
16 + 42 + 50 + 50	1.02	2.56	3.21	3.21		3.04 B	3.290 (590 - 3.870)	1.645	15.20	1.18	2.96	3.69	3.69		3.99 A	2.890 (620 - 4.320)	1.445	13.60		
16 + 50 + 50 + 50	0.97	3.01	3.01	3.01		2.99 C	3.345 (650 - 4.075)	1.673	15.40	1.11	3.47	3.47	3.47		3.89 A	2.960 (720 - 4.350)	1.480	13.90		
20 + 20 + 20 + 20	2.00	2.00	2.00	2.00		3.25 A	2.460 (420 - 0.050)	1.230	11.30	2.88	2.88	2.88	2.88		3.96 A	2.910 (390 - 4.460)	1.455	13.70		
20 + 20 + 20 + 25	2.00	2.00	2.00	2.50		3.20 B	2.660 (420 - 4.050)	1.330	12.30	3.80	2.80	2.80	3.50		3.88 A	3.070 (390 - 4.460)	1.535	14.40		
20 + 20 + 20 + 35	2.00	2.00	2.00	3.20		3.12 B	2.950 (420 - 3.960)	1.475	13.60	2.61	2.61	2.61	4.17		3.95 A	3.040 (400 - 4.420)	1.520	14.30		
20 + 20 + 20 + 42	2.00	2.00	2.00	4.00		2.92 C	3.430 (430 - 3.960)	1.715	15.80	2.40	2.40	2.40	4.80		3.96 A	3.030 (420 - 4.400)	1.515	14.20		
20 + 20 + 20 + 50	1.82	1.82	1.82	4.54		3.02 B	3.315 (470 - 3.745)	1.658	15.30	2.18	2.18	2.18	5.46		4.00 A	3.000 (480 - 4.270)	1.500	14.10		
20 + 20 + 20 + 71	1.54	1.54	1.54	5.38		3.02 B	3.315 (500 - 3.835)	1.658	15.30	1.85	1.85	1.85	6.45		4.01 A	2.990 (480 - 4.310)	1.495	14.10		
20 + 20 + 25 + 25	2.00	2.00	2.50	2.50		3.09 B	2.910 (420 - 4.050)	1.455	13.40	2.67	2.67	3.33	3.33		3.91 A	3.070 (390 - 4.460)	1.535	14.40		
20 + 20 + 25 + 35	2.00	2.00	2.50	3.20		3.03 B	3.200 (420 - 3.960)	1.600	14.80	2.47	2.47	3.09	3.97		3.95 A	3.040 (400 - 4.420)	1.520	14.30		
20 + 20 + 25 + 42	1.90	1.90	2.38	3.82		2.92 C	3.430 (430 - 3.960)	1.715	15.80	2.29	2.29	2.85	4.57		3.96 A	3.030 (420 - 4.400)	1.515	14.20		
20 + 20 + 25 + 50	1.74	1.74	1.74	4.35		3.02 B	3.315 (470 - 3.745)	1.658	15.30	2.09	2.09	2.60	5.22		4.00 A	3.000 (480 - 4.270)	1.500	14.10		
20 + 20 + 25 + 71	1.48	1.48	1.85	5.19		3.02 B	3.315 (500 - 3.835)	1.658	15.30	1.78	1.78	2.22	6.22		4.01 A	2.990 (480 - 4.310)	1.495	14.10		
20 + 20 + 35 + 35	1.92	1.92	3.08	3.08		2.99 C	3.350 (430 - 3.880)	1.675	15.40	2.31	2.31	3.69	3.69		3.99 A	3.010 (420 - 4.310)	1.505	14.10		
20 + 20 + 35 + 42	1.79	1.79	2.85	3.57		2.99 C	3.350 (430 - 3.880)	1.675	15.40	2.14	2.14	3.43	4.29		4.00 A	3.000 (420 - 4.290)	1.500	14.10		
20 + 20 + 35 + 50	1.64	1.64	2.62	4.10		3.02 B	3.315 (500 - 3.825)	1.658	15.30	1.97	1.97	3.14	4.92		4.04 A	2.970 (490 - 4.230)	1.485	14.00		
20 + 20 + 35 + 71	1.41	1.41	2.25	4.93		3.08 B	3.245 (510 - 3.915)	1.623	15.00	1.69	1.69	2.70	5.92		4.05 A	2.960 (500 - 4.280)	1.480	13.90		
20 + 20 + 42 + 42	1.67	1.67	3.33	3.33		2.99 C	3.350 (430 - 3.880)	1.675	15.40	2.00	2.00	4.00	4.00		4.01 A	2.990 (430 - 4.280)	1.495	14.10		
20 + 20 + 42 + 50	1.54	1.54	3.07	3.85		3.02 B	3.315 (500 - 3.835)	1.658	15.30	1.85	1.85	3.68	4.62		4.05 A	2.960 (490 - 4.280)	1.480	13.90		
20 + 20 + 42 + 71	1.33	1.33	2.67	4.67		3.08 B	3.245 (510 - 3.915)	1.623	15.00	1.60	1.60	3.20	5.60		4.07 A	2.950 (510 - 4.330)	1.475	13.90		
20 + 20 + 50 + 50	1.43	1.43	3.57	3.57		3.04 B	3.290 (560 - 3.790)	1.645	15.20	1.71	1.71	4.29	4.29		4.00 A	3.000 (590 - 4.300)	1.500	14.10		
20 + 20 + 50 + 71	1.25	1.25	3.12	4.38		3.04 B	3.290 (560 - 4.030)	1.645	15.20	1.50	1.50	3.75	5.25		4.00 A	3.000 (600 - 4.280)	1.500	14.10		
20 + 25 + 25 + 25	2.00	2.50	2.50	2.50		3.00 C	3.170 (420 - 4.050)	1.585	14.60	2.52	3.16	3.16	3.16		3.91 A	3.070 (390 - 4.460)	1.535	14.40		
20 + 25 + 25 + 28	2.00	2.50	2.50	2.80		2.99 C	3.280 (420 - 3.980)	1.640	15.10	2.45	3.06	3.06	3.43		3.93 A	3.050 (390 - 4.440)	1.525	14.30		
20 + 25 + 25 + 35	1.96	2.45	2.45	3.14		2.92 C	3.430 (420 - 3.960)	1.715	15.80	2.35	2.94	2.94	3.77		3.95 A	3.040 (400 - 4.420)	1.520	14.30		
20 + 25 + 25 + 42	1.82	2.27	2.27	3.64		2.92 C	3.430 (430 - 3.960)	1.715	15.80	2.18	2.73	2.73	4.36		3.96 A	3.030 (420 - 4.400)	1.515	14.20		
20 + 25 + 25 + 50	1.67	2.08	2.08	4.17		3.02 B	3.315 (470 - 3.745)	1.658	15.30	2.00	2.50	2.50	5.00		4.00 A	3.000 (480 - 4.270)	1.500	14.10		
20 + 25 + 25 + 71	1.42	1.79	1.79	5.00		3.02 B	3.315 (500 - 3.835)	1.658	15.30	1.71	2.14	2.14	6.01		4.01 A	2.990 (480 - 4.310)	1.495	14.10		
20 + 25 + 35 + 35	1.83	2.29	2.94	2.94		2.99 C	3.350 (430 - 3.880)	1.675	15.40	2.20	2.76	3.52	3.52		3.99 A	3.010 (420 - 4.310)	1.505	14.10		
20 + 25 + 35 + 42	1.70	2.14	2.74	3.42		2.99 C	3.350 (430 - 3.880)	1.675	15.40	2.05	2.56	3.28	4.11		4.00 A	3.000 (420 - 4.290)	1.500	14.10		
20 + 25 + 35 + 50	1.57	1.97	2.52	3.94		3.02 B	3.315 (500 - 3.825)	1.658	15.30	1.89	2.36	3.02	4.73		4.04 A	2.970 (490 - 4.230)	1.485	14.00		
20 + 25 + 35 + 71	1.36	1.70	2.18	4.76		3.08 B	3.245 (510 - 3.915)	1.623	15.00	1.63	2.04	2.61	5.72		4.05 A	2.960 (500 - 4.280)	1.480	13.90		
20 + 25 + 42 + 42	1.60	2.00	3.20	3.20		2.99 C	3.350 (430 - 4.050)	1.675	15.40	1.92	2.40	3.84	3.84		4.01 A	2.990 (430 - 4.280)	1.495	14.10		
20 + 25 + 42 + 50	1.48	1.85	2.96	3.71		3.02 B	3.315 (500 - 3.835)	1.658	15.30	1.78	2.22	3.56	4.44		4.05 A	2.960 (490 - 4.280)	1.480	13.90		
20 + 25 + 42 + 71	1.29	1.61	2.58	4.52		3.08 B	3.245 (510 - 3.915)	1.623	15.00	1.54	1.94	3.10	5.42		4.07 A	2.950 (510 - 4.330)	1.475	13.90		
20 + 25 + 50 + 50	1.38	1.72	3.45	3.45		3.04 B	3.290 (560 - 3.950)	1.645	15.20	1.65	2.07	4.14	4.14		4.00 A	3.000 (590 - 4.300)	1.500	14.10		
20 + 25 + 50 + 71	1.21	1.52	3.03	4.24		3.04 B	3.290 (560 - 4.030)	1.645	15.20	1.45	1.82	3.64	5.09		4.00 A	3.000 (600 - 4.280)	1.500	14.10		
20 + 35 + 35 + 35	1.72	2.76	2.76	3.76		2.99 C	3.350 (460 - 3.800)	1.675	15.40	2.07	3.31	3.31	3.31		4.03 A	2.980 (430 - 4.270)	1.490	14.00		
20 + 35 + 35 + 42	1.61	2.58	2.58	3.23		2.99 C	3.350 (460 - 3.960)	1.675	15.40	1.93	3.10	3.10	3.87		3.96 A	3.030 (430 - 4.250)	1.515	14.20		
20 + 35 + 35 + 50	1.49	2.39	3.29	3.73		3.08 B	3.245 (510 - 3.835)	1.623	15.00	1.78	2.87	2.87	4.48		4.07 A	2.950 (510 - 4.330)	1.475	13.90		
20 + 35 + 35 + 71	1.29	2.08	2.08	4.55		3.08 B	3.245 (510 - 3.915)	1.623	15.00	1.56	2.49	2.49	5.46		4.01 A	2.990 (520 - 4.310)	1.495	14.10		
20 + 35 + 42 + 42	1.52	2.42	3.03	3.03		2.99 C	3.350 (460 - 3.960)	1.675	15.40	1.81	2.91	3.64	3.64		3.97 A	3.020 (450 - 4.370)	1.510	14.20		
20 + 35 + 42 + 50	1.41	2.25	2.82	3.52		3.08 B	3.245 (510 - 3.915)	1.623	15.00	1.69	2.70	3.38	4.23		4.01 A	2.990 (520 - 4.310)	1.495	14.10		

Free Multi 5x1 CU-5E34PBE. Minimum capacity connected: 4.5kW. Maximum capacity connected: 17,5kW • R410 GAS

Indoor unit capacity	Cooling capacity (kW)					EER	Input power rating				A.E.C.	Current		Heating capacity (kW)					COP	Input power rating				A.E.C.	Current	
	Rooms						W/W	W	kWh	230V		Rooms					W/W	W		kWh	230V					
	A	B	C	D	E							Total (Min - Max)	A	B	C	D						E	Total (Min - Max)			
35 + 35 + 35 + 50	2,19	2,19	2,19	3,43		10,00	(2,90 - 11,00)	3,08	B	3,245	(510 - 3,915)	1,623	15,00	2,63	2,63	2,63	4,11		12,00	(3,40 - 14,40)	4,03	A	2,980	(530 - 4,290)	1,490	14,00
35 + 35 + 35 + 71	1,93	1,93	1,93	4,21		10,00	(2,90 - 11,20)	3,08	B	3,245	(520 - 3,995)	1,623	15,00	2,31	2,31	2,31	5,07		12,00	(3,40 - 14,40)	4,04	A	2,970	(550 - 4,270)	1,485	14,00
35 + 35 + 42 + 42	2,22	2,22	2,28	2,78		10,00	(2,90 - 11,00)	3,05	B	3,280	(460 - 4,050)	1,640	15,10	2,67	2,67	3,33	3,33		12,00	(3,40 - 14,40)	4,01	A	2,990	(460 - 4,300)	1,495	14,10
35 + 35 + 42 + 50	2,08	2,08	2,59	3,25		10,00	(2,90 - 11,00)	3,08	B	3,245	(510 - 3,915)	1,623	15,00	2,49	2,49	3,12	3,90		12,00	(3,40 - 14,40)	4,04	A	2,970	(540 - 4,280)	1,485	14,00
35 + 35 + 42 + 71	1,84	1,84	2,30	4,02		10,00	(2,90 - 11,20)	3,08	B	3,245	(550 - 3,995)	1,623	15,00	2,21	2,21	2,75	4,83		12,00	(3,40 - 14,40)	4,05	A	2,960	(550 - 4,260)	1,480	13,90
35 + 35 + 50 + 50	1,95	1,95	3,05	3,05		10,00	(2,90 - 11,20)	3,04	B	3,290	(600 - 4,030)	1,645	15,20	2,34	2,34	3,66	3,66		12,00	(3,40 - 14,40)	3,97	A	3,020	(630 - 4,240)	1,510	14,20
35 + 42 + 42 + 42	2,11	2,63	2,63	3,63		10,00	(2,90 - 11,00)	3,05	B	3,280	(460 - 4,050)	1,640	15,10	2,52	3,16	3,16	3,16		12,00	(3,40 - 14,40)	4,03	A	2,980	(460 - 4,320)	1,490	14,00
35 + 42 + 42 + 50	1,97	2,47	2,47	3,09		10,00	(2,90 - 11,20)	3,08	B	3,245	(510 - 4,075)	1,623	15,00	2,37	2,96	2,96	3,71		12,00	(3,40 - 14,40)	4,05	A	2,960	(550 - 4,260)	1,480	13,90
35 + 42 + 50 + 50	1,85	2,33	2,91	2,91		10,00	(2,90 - 11,20)	3,03	B	3,300	(600 - 4,030)	1,650	15,20	2,23	2,79	3,49	3,49		12,00	(3,40 - 14,40)	3,99	A	3,010	(650 - 4,220)	1,505	14,10
42 + 42 + 42 + 42	2,50	2,50	2,50	2,50		10,00	(2,90 - 11,20)	3,05	B	3,280	(470 - 4,130)	1,640	15,10	3,00	3,00	3,00	3,00		12,00	(3,40 - 14,40)	4,04	A	2,970	(470 - 4,310)	1,485	14,00
42 + 42 + 42 + 50	2,35	2,35	2,35	2,95		10,00	(2,90 - 11,20)	3,08	B	3,245	(520 - 3,995)	1,623	15,00	2,82	2,82	2,82	3,54		12,00	(3,40 - 14,40)	4,07	A	2,950	(550 - 4,250)	1,475	13,90
16 Rooms																										
16 + 16 + 16 + 16 + 16	1,60	1,60	1,60	1,60	1,60	8,00	(2,90 - 11,50)	3,31	A	2,420	(510 - 4,290)	1,210	11,20	2,32	2,34	2,34	2,34		11,70	(3,40 - 14,50)	3,77	A	3,100	(500 - 4,590)	1,550	14,60
16 + 16 + 16 + 16 + 20	1,60	1,60	1,60	1,60	2,00	8,40	(2,90 - 11,50)	3,29	A	2,550	(510 - 4,290)	1,275	11,80	2,29	2,29	2,29	2,29		12,00	(3,40 - 14,50)	3,82	A	3,140	(510 - 4,520)	1,570	14,80
16 + 16 + 16 + 16 + 25	1,60	1,60	1,60	1,60	2,50	8,90	(2,90 - 11,50)	3,27	A	2,720	(510 - 4,290)	1,360	12,50	2,16	2,16	2,16	2,16		12,00	(3,40 - 14,50)	3,82	A	3,140	(510 - 4,520)	1,570	14,80
16 + 16 + 16 + 16 + 35	1,60	1,60	1,60	1,60	3,20	9,60	(2,90 - 11,50)	3,20	B	3,000	(520 - 4,210)	1,500	13,80	2,00	2,00	2,00	2,00		12,00	(3,40 - 14,50)	3,79	A	3,170	(520 - 4,490)	1,585	14,90
16 + 16 + 16 + 16 + 42	1,54	1,54	1,54	1,54	3,84	10,00	(2,90 - 11,50)	3,12	B	3,210	(520 - 4,210)	1,605	14,80	1,85	1,85	1,85	1,85		12,00	(3,40 - 14,50)	3,80	A	3,160	(530 - 4,540)	1,580	14,80
16 + 16 + 16 + 16 + 50	1,40	1,40	1,40	1,40	4,40	10,00	(2,90 - 11,50)	3,06	B	3,265	(600 - 4,165)	1,633	15,10	1,68	1,68	1,68	1,68		12,00	(3,40 - 14,50)	3,74	A	3,210	(630 - 4,490)	1,605	15,10
16 + 16 + 16 + 16 + 71	1,19	1,19	1,19	1,19	5,24	10,00	(2,90 - 11,50)	3,06	B	3,265	(610 - 4,085)	1,633	15,10	1,43	1,43	1,43	1,43		12,00	(3,40 - 14,50)	3,75	A	3,200	(650 - 4,480)	1,600	15,00
16 + 16 + 16 + 20 + 20	1,60	1,60	1,60	2,00	2,00	8,80	(2,90 - 11,50)	3,24	A	2,720	(510 - 4,210)	1,360	12,50	2,18	2,18	2,18	2,73		12,00	(3,40 - 14,50)	3,88	A	3,090	(520 - 4,460)	1,545	14,50
16 + 16 + 16 + 20 + 25	1,60	1,60	1,60	2,00	2,50	9,30	(2,90 - 11,50)	3,22	A	2,890	(510 - 4,210)	1,445	13,30	2,06	2,06	2,06	2,58		12,00	(3,40 - 14,50)	3,88	A	3,090	(520 - 4,460)	1,545	14,50
16 + 16 + 16 + 20 + 35	1,60	1,60	1,60	2,00	3,20	10,00	(2,90 - 11,50)	3,12	B	3,210	(520 - 4,210)	1,605	14,80	1,92	1,92	1,92	2,40		12,00	(3,40 - 14,50)	3,86	A	3,110	(530 - 4,490)	1,555	14,60
16 + 16 + 16 + 20 + 42	1,48	1,48	1,48	1,85	3,71	10,00	(2,90 - 11,50)	3,12	B	3,210	(550 - 4,210)	1,605	14,80	1,78	1,78	1,78	2,22		12,00	(3,40 - 14,50)	3,86	A	3,110	(550 - 4,490)	1,555	14,60
16 + 16 + 16 + 20 + 50	1,36	1,36	1,36	1,68	4,24	10,00	(2,90 - 11,50)	3,06	B	3,265	(610 - 4,165)	1,633	15,10	1,63	1,63	1,63	2,03		12,00	(3,40 - 14,50)	3,80	A	3,160	(650 - 4,430)	1,580	14,80
16 + 16 + 16 + 20 + 71	1,16	1,16	1,16	1,45	5,07	10,00	(2,90 - 11,50)	3,05	B	3,275	(620 - 4,085)	1,638	15,10	1,39	1,39	1,39	1,74		12,00	(3,40 - 14,50)	3,81	A	3,150	(650 - 4,420)	1,575	14,80
16 + 16 + 16 + 25 + 25	1,60	1,60	1,60	2,00	2,50	9,80	(2,90 - 11,50)	3,12	B	3,140	(510 - 4,210)	1,578	14,50	1,96	1,96	1,96	3,06		12,00	(3,40 - 14,50)	3,88	A	3,090	(520 - 4,460)	1,545	14,50
16 + 16 + 16 + 25 + 35	1,52	1,52	1,52	2,38	3,06	10,00	(2,90 - 11,50)	3,12	B	3,210	(520 - 4,210)	1,605	14,80	1,83	1,83	1,83	2,85		12,00	(3,40 - 14,50)	3,86	A	3,110	(530 - 4,490)	1,555	14,60
16 + 16 + 16 + 25 + 42	1,42	1,42	1,42	2,20	3,54	10,00	(2,90 - 11,50)	3,12	B	3,210	(550 - 4,210)	1,605	14,80	1,70	1,70	1,70	2,65		12,00	(3,40 - 14,50)	3,86	A	3,110	(550 - 4,490)	1,555	14,60
16 + 16 + 16 + 25 + 50	1,30	1,30	1,30	2,03	4,07	10,00	(2,90 - 11,50)	3,06	B	3,265	(610 - 4,165)	1,633	15,10	1,56	1,56	1,56	2,44		12,00	(3,40 - 14,50)	3,80	A	3,160	(650 - 4,430)	1,580	14,80
16 + 16 + 16 + 25 + 71	1,12	1,12	1,12	1,74	4,90	10,00	(2,90 - 11,50)	3,05	B	3,275	(620 - 4,085)	1,638	15,10	1,34	1,34	1,34	2,10		12,00	(3,40 - 14,50)	3,81	A	3,150	(650 - 4,420)	1,575	14,80
16 + 16 + 16 + 35 + 35	1,43	1,43	1,43	2,85	2,85	9,99	(2,90 - 11,50)	3,17	B	3,150	(550 - 4,130)	1,578	14,50	1,71	1,71	1,71	3,43		12,00	(3,40 - 14,50)	3,88	A	3,090	(560 - 4,450)	1,545	14,50
16 + 16 + 16 + 35 + 42	1,33	1,33	1,33	2,67	3,34	10,00	(2,90 - 11,50)	3,17	B	3,150	(550 - 4,130)	1,578	14,50	1,60	1,60	1,60	3,20		12,00	(3,40 - 14,50)	3,88	A	3,090	(560 - 4,440)	1,545	14,50
16 + 16 + 16 + 35 + 50	1,23	1,23	1,23	2,46	3,85	10,00	(2,90 - 11,50)	3,06	B	3,265	(610 - 4,085)	1,633	15,10	1,48	1,48	1,48	2,94		12,00	(3,40 - 14,50)	3,82	A	3,140	(660 - 4,470)	1,570	14,80
16 + 16 + 16 + 35 + 71	1,07	1,07	1,07	2,12	4,67	10,00	(2,90 - 11,50)	3,12	B	3,205	(650 - 4,085)	1,603	14,80	1,28	1,28	1,28	2,56		12,00	(3,40 - 14,50)	3,77	A	3,180	(680 - 4,450)	1,590	14,90
16 + 16 + 16 + 42 + 42	1,25	1,25	1,25	3,12	3,12	9,99	(2,90 - 11,50)	3,17	B	3,150	(550 - 4,130)	1,578	14,50	1,50	1,50	1,50	3,75		12,00	(3,40 - 14,50)	3,80	A	3,080	(580 - 4,430)	1,540	14,50
16 + 16 + 16 + 42 + 50	1,16	1,16	1,16	2,90	3,62	10,00	(2,90 - 11,50)	3,05	B	3,275	(620 - 4,085)	1,638	15,10	1,39	1,39	1,39	3,48		12,00	(3,40 - 14,50)	3,93	A	3,130	(680 - 4,430)	1,565	14,70
16 + 16 + 16 + 42 + 71	1,01	1,01	1,01	2,53	4,44	10,00	(2,90 - 11,50)	3,12	B	3,205	(650 - 4,095)	1,603	14,80	1,22	1,22	1,22	3,02		12,00	(3,40 - 14,50)	3,79	A	3,170	(690 - 4,440)	1,585	14,90
16 + 16 + 16 + 50 + 50	1,08	1,08	1,08	3,38	3,38	10,00	(2,90 - 11,50)	3,00	B	3,330	(710 - 4,130)	1,665	15,40	1,30	1,30	1,30	4,05		12,00	(3,40 - 14,50)	3,69	A	3,250	(790 - 4,500)	1,625	15,30
16 + 16 + 16 + 50 + 71	0,95	0,95	0,95	2,98	4,17	10,00	(2,90 - 11,50)	2,99	C	3,340	(750 - 4,140)	1,670	15,40	1,14	1,14	1,14	3,57		12,00	(3,40 - 14,50)	3,69	A	3,250	(810 - 4,490)	1,625	15,30
16 + 16 + 20 + 20 + 20	1,60	1,60	2,00	2,00	2,00	9,20	(2,90 - 11,50)	3,26	A	2,820	(510 - 4,210)	1,410	13,00	2,09	2,09	2,61	2,60		11,99	(3,40 - 14,50)	3,89	A	3,080	(520 - 4,400)	1,540	14,50
16 + 16 + 20 + 20 + 25	1,60	1,60	2,00	2,00	2,50	9,70	(2,90 - 11,50)	3,16	B	3,070	(510 - 4,210)	1,535	14,20	1,98	1,98	2,47	2,47		12,00	(3,40 - 14,50)	3,90	A	3,080	(520 - 4,400)	1,540	14,50
16 + 16 + 20 + 20 + 35	1,54	1,54	1,92	1,92	3,08	10,00	(2,90 - 11,50)	3,12	B	3,210	(550 - 4,210)	1,605	14,80	1,85	1,85	2,31	3,68		12,00	(3,40 - 14,50)	3,92	A	3,060	(550 - 4,430)	1,530	14,40
16 + 16 + 20 + 20 + 42	1,43	1,43	1,79	1,79	3,56	10,00	(2,90 - 11,50)	3,11	B	3,220	(550 - 4,130)	1,610	14,80	1,71	1,71	2,14	3,40		12,00	(3,40 - 14,50)	3,93	A	3,050	(550 - 4,410)	1,525	14,30
16 + 16 + 20 + 20 + 50	1,31	1,31	1,64	1,64	4,10	10,00	(																			

FREE MULTI 5X1 COMBINATIONS TABLE

Free Multi 5x1 CU-5E34PBE. Minimum capacity connected: 4.5kW. Maximum capacity connected: 17.5kW • R410 GAS

Table with columns: Indoor unit capacity, Cooling capacity (kW) Rooms, EER, Input power rating, A.E.C., Current, Heating capacity (kW) Rooms, COP, Input power rating, A.E.C., Current. Rows list various room configurations and their corresponding performance metrics.

Free Multi 5x1 CU-5E34PBE. Minimum capacity connected: 4,5kW. Maximum capacity connected: 17,5kW • R410 GAS

Indoor unit capacity	Cooling capacity (kW)					EER	Input power rating		A.E.C.	Current	Heating capacity (kW)					COP	Input power rating		A.E.C.	Current							
	Rooms						W/W	W			kWh	Rooms					W/W	W			kWh	230V					
	A	B	C	D	E							Total (Min - Max)	A	B	C								D	E	Total (Min - Max)		
20 + 25 + 25 + 25 + 25	1,68	2,08	2,08	2,08	2,08	10,00	(2,90 - 11,50)	3,12	B	3,210	(550 - 4,210)	1,605	14,80	2,00	2,50	2,50	2,50	2,50	2,50	12,00	(3,40 - 14,50)	4,05	A	2,960	(530 - 4,340)	1,480	13,90
20 + 25 + 25 + 25 + 35	1,57	1,97	1,97	1,97	2,52	10,00	(2,90 - 11,50)	3,17	B	3,150	(550 - 4,130)	1,575	14,50	1,89	2,36	2,36	2,36	3,03	12,00	(3,40 - 14,50)	4,08	A	2,940	(560 - 4,300)	1,470	13,80	
20 + 25 + 25 + 25 + 42	1,48	1,85	1,85	1,85	2,97	10,00	(2,90 - 11,50)	3,17	B	3,150	(550 - 4,130)	1,575	14,50	1,78	2,22	2,22	2,22	3,56	12,00	(3,40 - 14,50)	4,10	A	2,930	(560 - 4,290)	1,465	13,80	
20 + 25 + 25 + 25 + 50	1,38	1,72	1,72	1,72	3,46	10,00	(2,90 - 11,50)	3,06	B	3,265	(610 - 4,085)	1,633	15,10	1,65	2,07	2,07	2,07	4,14	12,00	(3,40 - 14,50)	4,01	A	2,990	(670 - 4,310)	1,495	14,10	
20 + 25 + 25 + 25 + 71	1,20	1,52	1,52	1,52	4,24	10,00	(2,90 - 11,50)	3,12	B	3,205	(650 - 4,095)	1,603	14,80	1,45	1,82	1,82	1,82	5,09	12,00	(3,40 - 14,50)	3,96	A	3,030	(680 - 4,300)	1,515	14,20	
20 + 25 + 25 + 35 + 35	1,48	1,87	1,87	2,39	2,39	10,00	(2,90 - 11,50)	3,17	B	3,150	(560 - 4,130)	1,575	14,50	1,78	2,24	2,24	2,87	2,87	12,00	(3,40 - 14,50)	4,04	A	2,970	(580 - 4,270)	1,485	14,00	
20 + 25 + 25 + 35 + 42	1,41	1,76	1,76	2,25	2,82	10,00	(2,90 - 11,50)	3,17	B	3,150	(560 - 4,130)	1,575	14,50	1,69	2,11	2,11	2,70	3,39	12,00	(3,40 - 14,50)	4,05	A	2,960	(590 - 4,260)	1,480	13,90	
20 + 25 + 25 + 35 + 50	1,32	1,64	1,64	2,11	3,29	10,00	(2,90 - 11,50)	3,12	B	3,205	(650 - 4,085)	1,603	14,80	1,58	1,97	1,97	2,53	3,95	12,00	(3,40 - 14,50)	3,97	A	3,020	(690 - 4,280)	1,510	14,20	
20 + 25 + 25 + 35 + 71	1,16	1,45	1,45	1,86	4,68	10,00	(2,90 - 11,50)	3,11	B	3,215	(660 - 4,095)	1,608	14,80	1,40	1,74	1,74	2,23	4,89	12,00	(3,40 - 14,50)	3,99	A	3,010	(710 - 4,270)	1,505	14,10	
20 + 25 + 25 + 42 + 42	1,32	1,67	1,67	2,67	2,67	10,00	(2,90 - 11,50)	3,17	B	3,150	(560 - 4,130)	1,575	14,50	1,60	2,00	2,00	3,20	3,20	12,00	(3,40 - 14,50)	4,05	A	2,960	(600 - 4,240)	1,480	13,90	
20 + 25 + 25 + 42 + 50	1,25	1,56	1,56	2,50	3,13	10,00	(2,90 - 11,50)	3,12	B	3,205	(650 - 4,095)	1,603	14,80	1,49	1,88	1,88	3,00	3,75	12,00	(3,40 - 14,50)	3,97	A	3,020	(700 - 4,270)	1,510	14,20	
20 + 25 + 25 + 50 + 50	1,18	1,47	1,47	2,94	2,94	10,00	(2,90 - 11,50)	2,99	C	3,340	(750 - 4,140)	1,670	15,40	1,42	1,76	1,76	3,53	3,53	12,00	(3,40 - 14,50)	3,82	A	3,140	(830 - 4,380)	1,570	14,80	
20 + 25 + 35 + 35 + 35	1,42	1,77	2,27	2,27	2,27	10,00	(2,90 - 11,50)	3,17	B	3,150	(560 - 4,050)	1,575	14,50	1,70	2,14	2,72	2,72	2,72	12,00	(3,40 - 14,50)	4,07	A	2,950	(600 - 4,300)	1,475	13,90	
20 + 25 + 35 + 35 + 42	1,34	1,68	2,15	2,15	2,68	10,00	(2,90 - 11,50)	3,17	B	3,150	(570 - 4,050)	1,575	14,50	1,61	2,01	2,58	2,58	3,22	12,00	(3,40 - 14,50)	4,07	A	2,950	(620 - 4,290)	1,475	13,90	
20 + 25 + 35 + 35 + 50	1,26	1,57	2,01	2,01	3,15	10,00	(2,90 - 11,50)	3,12	B	3,205	(660 - 4,095)	1,603	14,80	1,50	1,89	2,42	2,42	3,77	12,00	(3,40 - 14,50)	3,92	A	3,060	(720 - 4,320)	1,530	14,40	
20 + 25 + 35 + 42 + 42	1,27	1,59	2,04	2,55	2,55	10,00	(2,90 - 11,50)	3,17	B	3,150	(600 - 4,050)	1,575	14,50	1,52	1,91	2,45	3,06	3,06	12,00	(3,40 - 14,50)	4,08	A	2,940	(620 - 4,280)	1,470	13,80	
20 + 25 + 35 + 42 + 50	1,19	1,50	1,92	2,40	2,99	10,00	(2,90 - 11,50)	3,11	B	3,215	(660 - 4,095)	1,608	14,80	1,44	1,80	2,30	2,87	3,59	12,00	(3,40 - 14,50)	3,93	A	3,050	(730 - 4,310)	1,525	14,30	
20 + 25 + 42 + 42 + 42	1,21	1,53	2,42	2,42	2,42	10,00	(2,90 - 11,50)	3,17	B	3,150	(600 - 4,050)	1,575	14,50	1,45	1,82	2,91	2,91	2,91	12,00	(3,40 - 14,50)	4,03	A	2,980	(630 - 4,260)	1,490	14,00	
20 + 25 + 42 + 42 + 50	1,13	1,43	2,29	2,29	2,86	10,00	(2,90 - 11,50)	3,11	B	3,215	(670 - 4,095)	1,608	14,80	1,37	1,71	2,74	2,74	3,44	12,00	(3,40 - 14,50)	3,93	A	3,050	(760 - 4,300)	1,525	14,30	
20 + 35 + 35 + 35 + 35	1,36	2,16	2,16	2,16	2,16	10,00	(2,90 - 11,50)	3,16	B	3,160	(600 - 4,050)	1,580	14,60	1,64	2,59	2,59	2,59	2,59	12,00	(3,40 - 14,50)	4,03	A	2,980	(630 - 4,260)	1,490	14,00	
20 + 35 + 35 + 35 + 42	1,28	2,05	2,05	2,05	2,57	10,00	(2,90 - 11,50)	3,12	B	3,160	(600 - 4,050)	1,580	14,60	1,54	2,46	2,46	2,46	3,08	12,00	(3,40 - 14,50)	4,03	A	2,980	(630 - 4,260)	1,490	14,00	
20 + 35 + 35 + 35 + 50	1,20	1,93	1,93	1,93	3,01	10,00	(2,90 - 11,50)	3,11	B	3,215	(670 - 4,095)	1,608	14,80	1,45	2,31	2,31	2,31	3,62	12,00	(3,40 - 14,50)	3,95	A	3,040	(750 - 4,290)	1,520	14,30	
20 + 35 + 35 + 42 + 42	1,22	1,95	1,95	2,44	2,44	10,00	(2,90 - 11,50)	3,16	B	3,160	(600 - 4,060)	1,580	14,60	1,46	2,34	2,34	2,93	2,93	12,00	(3,40 - 14,50)	4,04	A	2,970	(650 - 4,240)	1,485	14,00	
20 + 35 + 35 + 42 + 50	1,15	1,84	1,84	2,30	2,87	10,00	(2,90 - 11,50)	3,11	B	3,215	(670 - 4,095)	1,608	14,80	1,37	2,21	2,21	2,76	3,45	12,00	(3,40 - 14,50)	3,95	A	3,040	(760 - 4,280)	1,520	14,30	
20 + 35 + 42 + 42 + 42	1,15	1,86	2,33	2,33	2,33	10,00	(2,90 - 11,50)	3,16	B	3,160	(600 - 4,060)	1,580	14,60	1,40	2,23	2,79	2,79	2,79	12,00	(3,40 - 14,50)	4,05	A	2,960	(660 - 4,230)	1,480	13,90	
25 + 25 + 25 + 25 + 25	2,00	2,00	2,00	2,00	2,00	10,00	(2,90 - 11,50)	3,12	B	3,210	(550 - 4,210)	1,605	14,80	2,40	2,40	2,40	2,40	2,40	12,00	(3,40 - 14,50)	4,05	A	2,960	(530 - 4,340)	1,480	13,90	
25 + 25 + 25 + 25 + 35	1,89	1,89	1,89	1,89	2,44	10,00	(2,90 - 11,50)	3,17	B	3,150	(550 - 4,130)	1,575	14,50	2,27	2,27	2,27	2,27	2,92	12,00	(3,40 - 14,50)	4,08	A	2,940	(560 - 4,300)	1,470	13,80	
25 + 25 + 25 + 25 + 42	1,79	1,79	1,79	1,79	2,84	10,00	(2,90 - 11,50)	3,17	B	3,150	(550 - 4,130)	1,575	14,50	2,14	2,14	2,14	2,14	3,44	12,00	(3,40 - 14,50)	4,10	A	2,930	(560 - 4,290)	1,465	13,80	
25 + 25 + 25 + 25 + 50	1,67	1,67	1,67	1,67	3,32	10,00	(2,90 - 11,50)	3,06	B	3,265	(610 - 4,085)	1,633	15,10	2,00	2,00	2,00	2,00	4,00	12,00	(3,40 - 14,50)	4,01	A	2,990	(670 - 4,310)	1,495	14,10	
25 + 25 + 25 + 25 + 71	1,47	1,47	1,47	1,47	4,12	10,00	(2,90 - 11,50)	3,12	B	3,205	(650 - 4,095)	1,603	14,80	1,76	1,76	1,76	1,76	4,96	12,00	(3,40 - 14,50)	3,96	A	3,030	(680 - 4,300)	1,515	14,20	
25 + 25 + 25 + 35 + 35	1,80	1,80	1,80	2,30	2,30	10,00	(2,90 - 11,50)	3,17	B	3,150	(560 - 4,130)	1,575	14,50	2,16	2,16	2,16	2,76	2,76	12,00	(3,40 - 14,50)	4,04	A	2,970	(580 - 4,270)	1,485	14,00	
25 + 25 + 25 + 35 + 42	1,70	1,70	1,70	2,18	2,72	10,00	(2,90 - 11,50)	3,17	B	3,150	(560 - 4,130)	1,575	14,50	2,04	2,04	2,04	2,61	3,27	12,00	(3,40 - 14,50)	4,05	A	2,960	(590 - 4,260)	1,480	13,90	
25 + 25 + 25 + 35 + 50	1,59	1,59	1,59	2,04	3,19	10,00	(2,90 - 11,50)	3,12	B	3,205	(650 - 4,085)	1,603	14,80	1,91	1,91	1,91	2,45	3,82	12,00	(3,40 - 14,50)	3,97	A	3,020	(690 - 4,280)	1,510	14,20	
25 + 25 + 25 + 42 + 42	1,62	1,62	1,62	2,57	2,57	10,00	(2,90 - 11,50)	3,17	B	3,150	(560 - 4,130)	1,575	14,50	1,94	1,94	1,94	3,09	3,09	12,00	(3,40 - 14,50)	4,05	A	2,960	(600 - 4,240)	1,480	13,90	
25 + 25 + 25 + 42 + 50	1,52	1,52	1,52	2,41	3,03	10,00	(2,90 - 11,50)	3,12	B	3,205	(650 - 4,095)	1,603	14,80	1,82	1,82	1,82	2,90	3,64	12,00	(3,40 - 14,50)	3,97	A	3,020	(700 - 4,270)	1,510	14,20	
25 + 25 + 35 + 50 + 50	1,42	1,42	1,42	2,87	2,87	10,00	(2,90 - 11,50)	2,99	C	3,340	(750 - 4,140)	1,670	15,40	1,72	1,72	1,72	3,42	3,42	12,00	(3,40 - 14,50)	3,82	A	3,140	(830 - 4,380)	1,570	14,80	
25 + 25 + 35 + 35 + 35	1,70	1,70	2,20	2,20	2,20	10,00	(2,90 - 11,50)	3,17	B	3,150	(560 - 4,050)	1,575	14,50	2,04	2,04	2,64	2,64	2,64	12,00	(3,40 - 14,50)	4,07	A	2,950	(600 - 4,300)	1,475	13,90	
25 + 25 + 35 + 35 + 42	1,62	1,62	2,08	2,08	2,60	10,00	(2,90 - 11,50)	3,17	B	3,150	(570 - 4,050)	1,575	14,50	1,95	1,95	2,49	2,49	3,12	12,00	(3,40 - 14,50)	4,07	A	2,950	(620 - 4,290)	1,475	13,90	
25 + 25 + 35 + 35 + 50	1,52	1,52	1,95	1,95	3,06	10,00	(2,90 - 11,50)	3,12	B	3,205	(660 - 4,095)	1,603	14,80	1,83	1,83	2,34	2,34	3,66	12,00	(3,40 - 14,50)	3,92	A	3,060	(720 - 4,320)	1,530	14,40	
25 + 25 + 35 + 42 + 42	1,54	1,54	1,98	2,47	2,47	10,00	(2,90 - 11,50)	3,17	B	3,150	(600 - 4,050)	1,575	14,50	1,85	1,85	2,38	2,96	2,96	12,00	(3,40 - 14,50)	4,08	A	2,940	(620 - 4,280)	1,470	13,80	
25 + 25 + 35 + 42 + 50	1,45	1,45	1,86	2,33	2,91	10,00	(2,90 - 11,50)	3,11	B	3,215	(660 - 4,095)	1,608	14,80	1,74	1,74	2,23	2,79	3,50	12,00	(3,40 - 14,50)	3,93	A	3,050	(730 - 4,310)	1,525	14,30	
25 + 25 + 42 + 42 + 42	1,46	1,46	2,36	2,36	2,36																						